LectureDoc2 **Cheat Sheet for DHBW Corporate** Design

Author: Version

Michael Eichberg 2024-03-01

Add the class vertical-title to rotate the title and to change the layout of the slide to a column-based layout. T

.. class:: vertical-title <Slide Title

.. container:: width-100

<Row based content layout.>

Slide without Title

hide the title of a slide assign the class no-title.

Smaller Slide Titles

Use the class smaller-slide-title

Vertically Centered Content

Use the class center-child-elements

Example

.. class:: center-child-elements no-title smaller-slide-title

Hidden on the slide!

<Slide Content>

reate a slide that marks the begin f a new section or subsection by dding the class new-section or ew-subsection to the slide.

Jse integrated-exercise for slide cises. Solutions can be added by using the custom directive protected-exercise-solution

Example (Solution in

.. admonition:: Solution :class: supplemental exercise-solution

mple (Solution requires

.. class:: integrated-exercise

Exercise: XYZ

<Exercise Description>

.. protected-exercise-solution:

A navigable table of contents can be created using standard rst techniques

Example

Table of Contents

`Section 1 Title`_ `Subsection 1.1 Title`

.. [#] and [#] create footnotes.

Test\ [#]_

.. [#] `test.org`

ontainer with the class footerleft, footer-right or

block-footer.

... Like described in [Eic24]_ ...

References

.. [Eic24] LectureDoc2; 2024

Add copy-to-clipboard to a code block to enable copying code to the clipboard.

Example

.. code:: java :class: copy-to-clipboard

public static void main(...)

Add the class faded-to-white to a ainer to whiten the conte

Boxes with Supplementa

Example

admonition:: TBD :class: note

Some text in a box.

lemental Informa

Use the directive supplemental for espective information.

.. supplemental::

text-align-[left|center|right]

Adding a drop-shadow and rounded orners: picture.

he layout can be adapted us ompact, compact-cells, o-table-borders, o-inner-borders o-column-borders fake-header[-2nd]-row and

ake-header[-2nd]-column

incremental (and wobble)

Animation

hiahliaht-line-on-hover (a le), highlight-on-hover icit column or row headers are not

highlight-identical-cells

list-with-explanations renders text paragraphs of list items less pronounced.

Use impressive to make the list

Add negative—list to use " ! " for

Add positive-list to use "√" for

Point 1

class:: negative-list list-with Point 2 Some on-slide explanation.

.. class:: positive-list

line-above draws a horizontal lines. box-shadow adds a shadow. rounded-corners the corners will be

ounded.

.. container:: margin-top-1em line-above padding-top-1em box-shadow

"rem" based relative sizes: xxl, huge, large, small, footnotesize, scriptsize, tiny, x-tiny, xx-tiny

'em" based relative sizes: larger, smaller, much-smaller

Font weight: bold, light, thin Font family: monospaced, serif ont style: italic

vailable slide transitions: ransition-move-left, ransition-scale, transition-fade, transition-move-to-top

Example ____

.. class:: transition-move-left

<Slide Title>

vealing Slide Conten

All elements with the class

Example

- .. class:: incremental
- Item 1 Part 1
 :incremental:`Item 1 Part 2`
 Item 2

lumn-based Layouts Use two-columns and

three-columns for respective layouts. Example

- .. container:: two-columns
- .. container:: column no-separ

<Column 1>

.. container:: column

<Column 2>

Add no-default-width to the root tainer for content based column Iths. Use class no-separator on e left column to remove the separato

Stacked layouts are based on nested rs containers for each layer. Each layer -except of the first one - needs to have the class incremental and/or the clas overlay for transparent layers. (Up to lavers are supported.)

nages in Stacked Layouts

avoid that a parent element of a ss clearfix to the parent element; , when a layer just contains a floating age.

- .. stack::
- .. layer:: clearfix
- .. image:: <p1.svg>
 :align: left
- .. laver:: overlav
- .. image:: <p2.svg>

ntic-based Text Markup

minor: for less important text.

bsolete: for obsolete statements

ger: to markup German Words. eng: to markup English words. ger-quote: Uses German quotation marks.

Use width-100% and width-75% to

ntrol the width of a contained

.. layer:: incremental

trolling Whites

:dhbw-red: Red Text.

olors (roles)

hbw-light-gray

the-green, the-orange

Other: black, shiny-green, shiny-red, dark-red

rs: dhbw-red-

dhbw-light-gray-background

ther: light-green-background

Background Colors

dhbw-gray-background

the-blue-background

the-green-background

the-yellow-background

background,

s: the-blue

Adding space around an element (in particular images) border-transparent-1em

Fine-grained Control (Try to

nargin-none, margin-0-5em, margin-1em, margin-top-1em, margin-top-2em nargin-bottom-1em, argin-bottom-2em margin-bottom-zem, margin-right-1em, margin-left-1em, padding-none, padding-0-5em, padding-1em, padding-top-1em, padding-top-2em

Use hide-slide to exempt it from

.. class:: hide-slide

<Hidden Slide >