LectureDoc2 Cheat	Exercises and Solutions	Copy to Clipboard	Lists	Slide Transitions	Stacked Layouts	Colors (roles)
	Use integrated-exercise for slides	Add copy-to-clipboard to a code	<pre>list-with-explanations renders</pre>	Available slide transitions:	Stacked layouts are based on nested rst	Font Colors
Sheet for DHBW	with exercises. Solutions can be added by using the custom directive	block to enable copying code to the clipboard.	text paragraphs of list items less	transition-move-left, transition-scale,	containers for each layer. Each layer - except of the first one - needs to have the	DHBW Colors: dhbw-red, dhbw-gray
Corporate Design	protected-exercise-solution	Example	pronounced.	transition-fade,	class incremental and/or the class	dhbw-light-gray
,	Example (Solution in		(As shown here.)  Use impressive to make the list more	transition-move-to-top	overlay for transparent layers. (Up to 10	DHBW Compatible Colors: the-blue, the-green, the-orange
nformation	supplemental information)	code:: java :class: copy-to-clipboard	impressive:	Example	layers are supported.)	Other: black, shiny-green,
mormation	admonition:: Solution	1		class:: transition-move-left	Images in Stacked Layouts	shiny-red, dark-red
Author: Michael Eichberg	:class: supplemental	public static void main()	Add negative-list to use " ! " for	<slide title=""></slide>	To avoid that a parent element of a floating	Background Colors
/ersion: 2024-03-10	exercise-solution	Fade-out Content	bullet points.	<5tide little>	element is collapsed add the class clearfix to the parent element; i.e.,	DHBW Colors: dhbw-red-backgrou
	Example (Solution requires	Add the class faded-to-white to a	Add positive-list to use "√" for		when a layer just contains a floating	dhbw-gray-background,
ertical Titles	password.)	container to whiten the content.	bullet points.		image.	dhbw-light-gray-background
dd the class vertical-title to rotate	class:: integrated-exercise		Example		Example	DHBW Compatible Colors:
ne title and to change the layout of the	Exercise: XYZ	Boxes with Supplemental	- Point 1		stack::	the-blue-background,
ide to a column-based layout. To get ack to a row based layout add a		Information on the Slide				the-green-background, the-yellow-background
ontainer with the class width-100.	<exercise description=""></exercise>	Example	class:: negative-list list-with- - Point 2		layer:: clearfix	Other: light-green-background
xample	·	admonition:: TBD	Some on-slide explanation.		image:: <p1.svg> :align: left</p1.svg>	white-background
class:: vertical-title	protected-exercise-solution:: A	:class: note	class:: positive-list	Revealing Slide Content	:atign: tert	Example
. class:: vertical-title	<protected solution=""></protected>	Some text in a box.	- Point 3	All elements with the class incremental	layer:: overlay	:dhbw-red:`Red Text.`
Slide Title>				are revealed incrementally.	image:: <p2.svq></p2.svq>	ranow rear near rexer
	Table of Contents	Supplemental Information		Example		
. container:: width-100	A navigable table of contents can be created using standard rst techniques.	Use the directive supplemental for			layer:: incremental warning	
<row based="" content="" layout.=""></row>		respective information.		class:: incremental	<content></content>	
•	Example	Example	Decorations	- Item 1 - Part 1 :incremental: Item 1 - Part 2		
lide Tweaks	Table of Contents	supplemental::	Line-above draws a horizontal lines.	- Item 2		Fine-grained Control (Try to
		<text></text>				avoid!)
Slide without Title	- `Section 1 Title`_ - `Subsection 1.1 Title`_	VIEX C	box-shadow adds a shadow.			margin-none, margin-0-5em,
o hide the title of a slide assign the class o-title.	- Subsection 1.1 Title _	Text Alignment	rounded-corners the corners will be rounded.			margin-none, margin-v-sem, margin-1em, margin-top-1em,
Smaller Slide Titles	Footnotes	Control text alignment:	Example			margin-top-2em,
Ise the class smaller-slide-title'.	[#] and [#]_create footnotes.	text-align-[left center right]				margin-bottom-1em, margin-bottom-2em
	Test\ [#]_		container:: margin-top-lem line-above			margin-bottom-zem, margin-right-1em
ertically Centered Content		Images	padding-top-1em		Semantic-based Text Markup	margin-left-1em, padding-none
lse the class enter-child-elements	[#] `test.org`	Adding a drop-shadow and rounded corners: picture.	box-shadow	Column-based Layouts	minor: for less important text. obsolete: for obsolete statements. qer: to markup	padding-0-5em, padding-1em,
ixample		comers. precure.	Text	Use two-columns and three-columns	German Words. eng: to markup English	padding-top-1em, padding-top-
	Explicit Footers	Tables		for respective layouts.	words. ger-quote: Uses German	
class:: center-child-elements no-title	A container with the class footer-left, footer-right or block-footer.	The layout can be adapted using:		Example	quotation marks.	
smaller-slide-title	Tooter-right or block-rooter.	compact, compact-cells,		container:: two-columns		
Hidden on the slide!	References	no-table-borders, no-inner-borders				
	Use standard rst references.	no-column-borders,	Font Styling	container:: column no-separat		
Slide Content>	Example	fake-header[-2nd]-row and	"rem" based relative sizes: xxl, huge,	<column 1=""></column>		Hiding slides (▲ rst2ld only)
		fake-header[-2nd]-column	large, small, footnotesize, scriptsize, tiny, x-tiny, xx-tiny	container:: column		Use hide-slide to exempt it from s
	Like described in [Eic24]	Animation	"em" based relative sizes: larger,			generation.
ections and Subsections	***	incremental (and wobble).	smaller, far-smaller	<column 2=""></column>		Example
reate a slide that marks the beginning of	References	highlight-line-on-hover (always	Font weight: bold, light, thin	Add no-default-width to the root	Box sizes	class:: hide-slide
new section or subsection by adding the lass new-section or new-subsection		usable), highlight-on-hover (explicit column or row headers are not supported)	Font family: monospaced, serif	container for content based column widths. Use class no-separator on the	Use width=100% and width=75% to	<hidden slide=""></hidden>
iass new-section or new-subsection o the slide.	[Eic24] LectureDoc2; 2024	or highlight-identical-cells	Font style: italic	left column to remove the separator.	control the width of a container.	
		1	1	ss.a to tomove the separator.	and the second s	