
Layout Directives

Grid & Cell

```
.. grid:: <classes>
```

```
.. cell:: <classes>
```

:align:	auto (default), center, start, end
:theme:	Any theme name (emitted as data-theme)

```
.. grid::
```

```
.. cell:: width-50  
    :align: center  
    :theme: muted
```

Cell content.

```
.. cell:: width-50
```

Another cell.

Deck & Card

```
.. deck:: <classes>
```

```
.. card:: <classes>
```

:theme: (deck)	Any theme name (emitted as data-theme on <ld-deck>)
:theme: (card)	Any theme name (emitted as data-theme on <ld-card>)
:not-incremental: (card)	Flag; prevents the card from being shown incrementally

```
.. deck::  
    :theme: dark
```

```
.. card::  
    :theme: light
```

First card content.

```
.. card::  
    :not-incremental:
```

This card is not incremental.

Compound

```
.. compound:: — Standard docutils directive, extended with:
```

:theme:	Any theme name (emitted as data-theme)
---------	--

```
.. compound::  
    :theme: muted
```

Content inside a compound container.

Information Directives

Global Information

.. global-information:: <title>

:formatted-title:	Inline markup supported (e.g. bold)
:symbol:	Single character symbol (e.g. λ)
:type:	cheat-sheet (default) or slide
:embed:	Flag; embed in document flow
:class:	CSS class(es)
:name:	Reference name

.. ~~global-information~~:: Functional Programming
:symbol: λ
:type: cheat-sheet
:embed:

Background information.

Supplemental

.. supplemental:: <classes>

:embed-in-document-flow:	Flag; makes content indistinguishable from main content in document view
--------------------------	--

.. ~~supplemental~~::
:embed-in-document-flow:

This appears inline in the document.

Presenter Note

.. presenter-note:: <classes>

:name:	Reference name
--------	----------------

.. ~~presenter-note~~::

Notes for the presenter.

Module

.. module:: <name>

:class:	CSS class(es)
:scope:	slide, document, or all (default)

.. ~~module~~:: My Module
:scope: slide

Module content.

Source

.. source:: <filename>

:prefix:	Text to prepend to the resolved path
:suffix:	Text to append to the resolved path
:path:	relative (default) or absolute

.. ~~source~~:: my_file.rst
:prefix: https://example.com/
:path: absolute

Include SVG

.. include-svg:: <filename>

:width:	Required; CSS width value (e.g. 500px, 100%)
:height:	Required; CSS height value (e.g. 300px, 100%)

:class:	CSS class(es) on the wrapping div
:name:	Reference name (emitted as id on the wrapping div)
:alt:	Accessible description (emitted as aria-label on the wrapping div)

```
.. include-svg:: my_diagram.svg
  :width: 500px
  :height: 300px
  :class: diagram
  :name: figure-1
  :alt: A diagram showing the system architecture
```

Exercise Directives

Exercise

```
.. exercise:: <title>
```

:formatted-title:	Inline markup supported
:name:	Reference name
:class:	CSS class(es)

```
.. exercise:: My Exercise

    Exercise description.
```

Solution

```
.. solution:: <title> (must be nested inside exercise)
```

:pwd:	Password (min. 3 chars); auto-generated if omitted
:class:	CSS class(es)

```
.. exercise:: My Exercise

    .. solution::
      :pwd: 1234

      Solution content.
```

Admonition Directives

All custom admonitions support an optional title argument and the standard options:

:class:	CSS class(es)
:name:	Reference name

Custom Admonitions

```
.. background::,... definition::,... proof::,... theorem::,... lemma::,... conclusion::,...
observation::,... remark::,... summary::,... legend::,... repetition::,... question::,...
answer::,... remember::,... deprecated::,... assessment::,... example::,... discussion::

.. theorem:: The Theorem Title
  :class: important

    The theorem statement.
```

Content Directives

Story

```
.. story:: <classes>
```

No custom options.

```
.. story::
```

A story block.

Scrollable

```
.. scrollable:: <classes>
```

:height:	CSS height value (e.g. 300px, 10em)
----------	-------------------------------------

```
.. scrollable::  
   :height: 300px
```

Long content that scrolls.

Popover

```
.. popover:: <title>
```

:class:	CSS class(es) for the trigger button
---------	--------------------------------------

```
.. popover:: Click me  
   :class: my-button
```

Hidden popover content

Code Directive Extension

```
.. code:: <language> — Standard docutils directive, extended with:
```

:line-number-digits:	Integer 1–4; minimum padding width for line numbers
----------------------	---

Implicitly enables `:number-lines:` when set.

```
.. code:: java  
   :line-number-digits: 2  
  
   public static void main(...) { }
```