# Build and test a sample website

Create a local community website with a home page, a photo, and a PDF bulletin. Use the sample files included with the editor.

## Before you begin

Use Windows with the Microsoft Edge WebView2 Runtime installed. Allow about 20 to 30 minutes and keep the images and icons and samples folders available.

Use a separate practice project. The steps create an editable project and a local website export.

Last changed November 8, 2026


01 / START

# Open the editor and choose a starter

1. Open bin\Win64 or bin\Win32 in the project folder.

2. Run DelphiWebStudioPro.exe. Keep WebView2Loader.dll and the editor folder beside it.

3. On the Dashboard, choose Community to open a practice site.




*Community starter on the Dashboard in an earlier build.*

Confirm that Home opens in the editor with a Hero and a Content block.

02 / EDIT


# Change the text and add a page

1. Select the Hero. Change the headline to Welcome to Our Community and enter a short subheadline.

2. Select the Content block. Add an introduction that describes your community site.

3. Choose Add page, enter News, and set its path to /news.

4. Switch between Home and News. Use Undo and Redo on a recent change.





*Editor layout in an earlier build.*

# Add an image and a PDF

1. Open the Media library and import a sample image from the images and icons folder.

2. Choose the image and select Add to page. Click the target location on the canvas or drag the image into place. Enter a short image description in its properties.

3. Import Community_Bulletin_Sample.pdf from samples. Preview it in the media library or add it to a page.




*Media library grid in an earlier build.*

04 / VERIFY

# Preview save and reopen the site

1. Check Desktop, Tablet, and Mobile previews. Read the page text and use the navigation links. Open the sample bulletin and test its page controls.

2. Save the editable project. Use Save as to make a separate copy. Keep the suggested .webstudio.zip extension when the project includes media.

3. Open the saved project and check that the pages, photo, and PDF are present.

4. Export a website ZIP and extract it to a separate folder. Open the exported index.html. If the browser restricts the PDF viewer on a file URL, open the export through a local web server.

An editable project ZIP stores the editor data. A website ZIP contains files for a browser or web host.

05 / TROUBLESHOOT

# Check the build and project files

## The editor does not start

Run DelphiWebStudioPro.exe from bin\Win32 or bin\Win64 with its editor folder and WebView2Loader.dll. Check that the Microsoft Edge WebView2 Runtime is installed.

## The Save project command is unavailable

Create or open a project, then return to the editor.

## An image or PDF is missing after reopening

Open the editable project ZIP and check the media library. Keep a copy of the project file so it can be inspected without changing your working draft.

## A save is interrupted

Use the recovery command if the editor reports a staged file. Save and check the recovered copy separately.

When reporting a problem, include the editor build, the page, the command you used, and a screenshot where possible.