DELPHI WEB STUDIO PRO

Capabilities and Publishing Reference

Choosing connections hosting and future integrations with a clear view of what is available

Delphi Web Studio Pro can take a local project a long way before any hosting decision is needed. This reference explains the optional connections and the boundaries between editing, exporting and publishing, so you can choose the next step without confusing it with work the editor has already done.

Windows desktop edition
Last changed November 10, 2026

Illustrated explanations and examples for the Win32 and Win64 desktop editions.


Contents

Google Gemini keys and everyday editing....3
What a compatible website host must provide....3
How the editor compares with Wix....4
How the editor compares with WordPress....4
GitHub hosting and a domain of your own....5
Pushing files and publishing are separate actions....5
Authors acknowledgments and source credits....5
Future translation integration....6
Where to check the details....6

Google Gemini keys and everyday editing

You can create a starter, arrange pages, import media and export a website without a Gemini key. The key is for the optional cloud generation path. Local AI is a separate option that uses compatible runtime and model files on the computer, and the ordinary starter selection on the Dashboard is separate from either AI service.

To obtain a key, sign in to Google AI Studio at https://aistudio.google.com/ and open its API Keys area. Choose or create the appropriate Google Cloud project and follow the current key-creation instructions. Account eligibility, permissions, access restrictions, quotas and billing belong to Google's service, so check its current documentation when setting up the connection.



Project settings and application settings separate website information from the Windows account connection.

In the Windows app, enter the key in Application settings and choose Save key. It is stored in Windows Credential Manager for the current Windows account and can be reused across projects. It is not embedded in the editable project or exported website. The separate consent to allow cloud generation resets for each session, so retaining a key does not mean every brief is automatically sent.

The app does not set an expiry date for the saved credential, but Google can restrict or revoke it and service policies can change. Replace it when the provider or your organization requires. Treat it like a password, and do not include it in a project, screenshot or repository. A successful Test confirms the tested response rather than guaranteeing every model or future request.

What a compatible website host must provide

The complete website export contains index.html, other generated page files and the assets they reference. A suitable static host serves those files at the intended paths and supports their styles, browser scripts and

media types. Keep the directory structure intact and check whether the site lives at a domain root or under a subfolder, because that affects links and metadata.

Ordinary pages, responsive galleries, stored calendar events and biography readers can run from static output. A form-processing backend, an external video provider or another online service has its own requirements. Static hosting does not automatically provide mail delivery simply because a Contact block is visible.

Before choosing a host, review the largest media file, the total transfer you expect, custom-domain needs and any form service. Test the exported site through local HTTP first, then verify the intended host path before directing visitors to it. Directly opening a disk file is useful for a quick look but can restrict features such as PDF modules.

How the editor compares with Wix

Both products let you build visually with text, pictures, sections and reusable elements. The familiar goal is to work on the page rather than write every line of HTML. Delphi Web Studio Pro now includes independent section objects, movable panels, layered collages, focused property windows, responsive galleries and Navbar submenus that support many of those everyday editing tasks.

The working arrangement is different. This application keeps an editable local project and produces static files for a compatible host you choose. Wix combines its editor with a hosted platform and integrated services. Their project formats are not interchangeable, and matching an interaction such as dragging a photo does not establish full feature parity.

Wix import remains a future area of interest rather than a supported conversion promise. Keep any original Wix material as the reference for a rebuild, and identify the specific content and interactions that need to be carried over. Provider export and hosting policies should be checked directly before planning a migration around them.

How the editor compares with WordPress

WordPress organizes content through a server-based system with themes and plugins. Delphi Web Studio Pro organizes a local model and generates visitor files from it. That makes an informational static website straightforward to host, but it does not supply WordPress PHP, accounts, plugin behavior or its database editing environment.

The current WordPress XML importer converts supported pages and posts into editable content with a report of the conversion. It is useful for recovering content, not for reproducing a theme or installing plugins. Preserve the original export and inspect images, links, drafts and retained source before treating the result as complete.

Exporting an intact site into WordPress is a separate desired capability. The current website ZIP does not become an editable WordPress theme by uploading it. That future work would need a defined WordPress integration and tests showing that the intended pages and interactions survive the transfer.

GitHub hosting and a domain of your own

GitHub Pages is one possible static-hosting destination, and other providers offer static hosting as well. An owned custom domain can avoid showing a provider's default domain in the visitor address, but registering or retaining that domain and configuring DNS remain separate responsibilities.


The application does not currently create a GitHub account, repository or Pages configuration for a website owner. Someone with the appropriate account and permissions must establish those pieces. A repository-based site can also live under a path rather than at the domain root, so review the exported links and public base URL for the intended arrangement.

Cloudflare Pages, Netlify and GitHub Pages are examples to evaluate rather than a guarantee that any plan will fit. Their account rules, upload limits, usage allowances and domain requirements change. Compare the current official information with your file sizes and expected traffic instead of relying on an old free-plan limit.

Pushing files and publishing are separate actions

Saving updates the editable project, and Export prepares visitor files. Neither action automatically creates a GitHub site or pushes those files to it. The GitHub button opens the application's software repository; it is not a deployment wizard for the website being edited.

A future Push command and a distinct Push and publish command would make that intention clearer, but they are requested directions rather than current automatic behavior. When a Pages source has been deliberately enabled outside the app, subsequent eligible pushes can trigger GitHub's own publication process. That is a property of the configured repository and must be understood before sending files there.



Local export and review finish before an independently authorized upload or publication.

The native SFTP workflow does provide separate connection, destination inventory, backup, review and transfer stages. It requires a configured host and a deliberate reviewed operation. A failed upload can leave a partial result, so its receipt and recovery arrangements are part of the task rather than optional housekeeping.

Authors acknowledgments and source credits

Use an article's author field for a byline and its optional summary and tags for context. Draft articles remain in the project and are left out of the website export until ready. These fields describe content; they do not create a public author account or verify ownership.

Site-wide acknowledgments can appear in the Footer, an ordinary text box or a dedicated About This App page. Credit photographs, documents and other borrowed material where the relevant permission or license requires. The application retains its OpenPage origin and license attribution, while the site owner remains responsible for the rights to the content they add.

The original OpenPage application is attributed to Federico De Ponte and distributed under the MIT license in this repository. Keep the license text and required notices with redistributed software. Do not remove legal attribution when changing product branding or rewriting explanatory documentation.

Future translation integration

Delphi App Translation could be evaluated for a later integration, but the application has two interface layers. Its VCL forms, menus and native dialogs are Pascal and DFM resources, while the editor is a React and TypeScript interface displayed in WebView2. Translating one layer does not automatically translate the other or the website content.

A sensible first evaluation would scan copies of the native forms and strings, prepare a small reviewed language pack and test switching with real dialog layouts and accelerators. Some resourcestring uses may need explicit translation calls, which should be checked against the translation tool's actual behavior. The React interface needs its own localization resources and coverage review.

Exported-page translation is another concern again. Preserve names and user-authored content appropriately, and test the chosen website translation approach separately. Compatibility, licensing and text expansion should be resolved in a trial before committing the whole application to a translation framework.

Where to check the details

The application evidence for this edition comes from Settings.tsx, generate-site.ts, Deploy.tsx, export-html.ts, ArticlesPanel.tsx, the native bridge and the desktop project units. Use the Engineering Guide to trace those modules, the User Guide for control-by-control operation and the Test Guide for a local acceptance session.

For current provider instructions, start with these official references. They are maintained outside this application and can change independently of a saved project or this guide.

1. Google Gemini keys and service setup: https://ai.google.dev/gemini-api/docs/api-key
2. Google troubleshooting and billing: https://ai.google.dev/gemini-api/docs/troubleshooting and https://ai.google.dev/gemini-api/docs/billing
3. GitHub Pages setup and custom domains: https://docs.github.com/en/pages
4. Cloudflare Pages setup: https://developers.cloudflare.com/pages/
5. Netlify deployment and configuration: https://docs.netlify.com/
6. Wix support and hosting guidance: https://support.wix.com/
7. WordPress features and documentation: https://wordpress.org/about/features/

This reference describes available code and clearly identified future directions. It does not establish that the application can import every site, recreate a hosted service or publish safely to an unreviewed destination. Keep the editable project private unless you intend to share everything retained inside it.