DELPHI WEB STUDIO PRO

User Guide

A practical companion for creating and looking after your website

Start with a page, shape it around your own words and pictures, and check how it will feel to a visitor. This guide takes you through the editor at a comfortable pace, with explanations of its controls and examples you can adapt to your own site.

Windows desktop edition
Last changed November 10, 2026

Illustrated explanations and examples for the Win32 and Win64 desktop editions.


Contents

Getting started with your first site....3
Try a small practice project....4
Opening saving and closing your work....4
Keeping a useful recovery copy....5
Finding your way around the editor....6
Adding pages and building a sensible navigation....8
Previewing undoing and using the keyboard....10
Selecting moving and resizing elements....12
Making a simple overlap....15
Working with properties and section dividers....16
Adding writing and formatting text....18
Panels buttons space and decorative lines....20
Linking pages pictures and named locations....22
Organizing media without losing page references....24
Choosing images galleries collages and other media....26
Keeping bulletins and PDFs easy to read....29
Building headers footers cards and visitor features....30
Calendars and staff biographies....32
Setting colors contact details and site information....33
Articles imports optional AI and custom code....35
Exporting checking and returning to the project....38

Getting started with your first site

You do not need to begin with a finished design. A starter gives you a few sections to change, while a blank project gives you an empty Home page where you can build your own arrangement. Throughout this guide, Riverside Community is a practice website. Its sample names and activities are simply a way to show a complete task without changing your real project.

Open **DelphiWebStudioPro.exe** from **bin\Win64** or **bin\Win32**. Leave the adjacent **editor** folder and **WebView2Loader.dll** with it, because together they make up the running application. The window opens maximized, and the Dashboard lets you create a project or return to work already stored on this computer.



The Dashboard brings together saved local drafts, starters and the command for opening a project file.

Control	What it does
Open project	Open an editable project ZIP or JSON. In Windows, select the file and confirm Open. A website export ZIP has a different purpose.
All local revisions	Show snapshots across projects, including revisions belonging to a removed dashboard draft.
Describe your site	Enter a short brief such as “A website for our neighborhood garden.” The quick prompts fill in starter ideas for you.
Personal site, Community group, Church, Documentation	Put an example brief in the description box. You can replace or extend it.

Control	What it does
Create starter	Create a local starter based on your brief. You can edit every starter block afterward.
Starter cards	Choose Personal, Portfolio, Community, Church, School club, Business, Documentation or Blog. The small block count describes the starting layout.
or start blank	Start with an empty Home page. Add a block before placing objects inside a section.
All, Published, Drafts	Filter project cards by saved app status. Clear filters returns to All and clears Search.
Search	Find a local project by name. This is a dashboard filter, separate from visitor site search.
Project card	Open the project in Editor. Hover or focus the card to expose its actions.
Rename, Duplicate, Delete	Change the local project name, make a separate local copy, or confirm removal of the draft. Keep your saved project file before deleting a draft.

Try a small practice project

1. Choose the Community starter and open its Home page. Replace the main heading with Riverside Community so you can see how an edit appears on the page.
2. Save the practice site to a name you will recognize, such as Riverside Community.webstudio.zip. Once pictures or documents are included, the ZIP carries them with the editable project.
3. Add an Events page, then add its destination to a Navbar. Turn on Preview and follow the new link before moving on to more complicated layouts.


The cards on the Dashboard are local working drafts. They are convenient for returning to a session, but your independently saved project file is the copy to keep when moving to another computer or protecting important work.

Opening saving and closing your work

A project file is the editable master of your website. Open it when you want to continue writing or rearranging pages, and use **Save** to update the same file. **Save as** is useful before a redesign, when you want an independent copy with another name. A website export has a different job: it contains the pages and files that visitors will use, so keep it separately from the master project.

When you reopen the same saved version, the editor looks for its matching local draft and reuses it rather than adding another identical entry. If that draft contains newer local edits, those edits are preserved. A genuinely different saved version can have a separate draft, allowing the two versions to remain distinguishable.

Control	What it does
Open project / Ctrl+O	Open a saved project ZIP or JSON. If replacing a session with changes, read the save or discard prompt before continuing.
Save / Ctrl+S	Update the currently opened or saved project file. On first save, choose a name and location. In Windows, check the status shows Saved and the intended filename.
Save as… / Ctrl+Shift+S	Choose a different path or filename. Use it to make a separate working copy before major edits. Confirm an overwrite only for the intended file.
Status beside file controls	Working means the operation is in progress. Unsaved changes means another save is needed. Save failed means the file write was not confirmed. A browser download request requires checking the destination.
Desktop File → Exit or window X	Close the editor. When prompted for unsaved work, Yes saves before closing if the save succeeds, No discards the unsaved session changes, and Cancel returns to the editor.
Editor File → Recent projects	Return to the Dashboard. Open a saved project with Open project or resume a listed local draft.



The File menu offers familiar project commands. The desktop menu also provides backup and recovery operations.

After saving, wait for **Saved** and check the displayed filename. If you continue editing while a save is being prepared, the file may represent the earlier snapshot and the editor will still regard the newer changes as unsaved. When you close a clean project, it should close directly. If changes remain, the save prompt gives you the choice of saving, leaving without another file update, or returning to the editor.

Keeping a useful recovery copy


Use a clearly named project file for long-term work and an independent backup before major changes. Local revisions are useful checkpoints within this app profile, especially before moving a group of objects, but they depend on local storage until you save them as files. Completed ordinary saves do not keep creating an extra recovery folder for every update.

Control	What it does
File → Back up project…	Create a separate recovery package using the desktop file dialog. Choose a location you control.
File → Restore project backup…	Restore the selected recovery package to a separate filename through the desktop dialog. Open the restored project to check its pages and media before relying on it.
Local revisions / All local revisions	Expand the revision list in Editor or Dashboard. A local revision is stored in this app profile and is separate from undo history.
Create local revision	Capture the current project and its media. Use a revision to record a checkpoint such as the point before rearranging Home.
Open as a separate project	Open a revision as a separate local project. Save that project to disk if you want to keep it outside this Windows profile.
Save revision as file	Write a portable copy of the selected revision to a destination you choose.
Remove…	Delete the selected local revision after confirmation. Removing a local revision is permanent.
Recover staged file…	Use this when the desktop startup screen offers a staged recovery file. Review the destination before attempting recovery.

For example, save Riverside Community before redesign.zip before changing the Home layout. You can then experiment with the current file while retaining a copy that opens with the earlier arrangement and its media.

Finding your way around the editor

The canvas is where you compose the page. Around it, the menus organize commands, the page tabs choose what you are editing, and the device controls let you examine the same page at different widths. The left panel starts collapsed to give the page more room; open it when you need Elements, Layers, Media or Articles, then close it again when arranging the design.



The editor keeps page selection and common commands above the canvas. The dotted area belongs to the workspace, outside the website.

Control	What it does
Dashboard / Editor	Return to the project list or work on the active project.
Export / Settings / GitHub	Open website output controls, project and app settings, or the software repository in a browser.
File / Edit / Insert / View / Advanced	Open command menus in the editor. Click outside or press Escape to dismiss a menu.
Projects and project name	Identify the active site. Use the breadcrumb to return to the project list.
Left chevron	Expand or collapse the panel that holds Layers, Components, Media and Articles. It starts collapsed in the editor.
Object properties	Open the floating settings window for the current selection. With no selected component, choose one or use Site design.
Preview / question mark / Export	Switch to visitor view, see shortcuts, or choose an export action.

Control	What it does
File → New project… / Recent projects	Return to the Dashboard to pick a starter, start blank or select a draft.

Control	What it does
File → Open project… / Save / Save as…	Open a file, update the current file, or create a separate saved copy.
File → Export website…	Open the Export screen for site files and review.
Edit → Undo / Redo	Step backward or forward through the current editing history. Use Ctrl+Z or Ctrl+Y outside a text field.
Edit → Cut / Copy / Paste	Use the text selection and keyboard equivalents if the browser restricts menu clipboard access. For a whole object, use its context menu where the command is offered.
Edit → Layers and selection / View → Layers	Show the page hierarchy. Select objects there when they overlap on the canvas.
Insert → Text / Panel / Line	Arm placement. Click the destination section. Escape cancels.
Insert → Image, video or document… / View → Media library	Open the project's visual media picker.
Insert → More elements… / View → Elements	Show the Components palette.
View → Preview / Keyboard shortcuts	Switch between edit and visitor mode, or open the shortcut list.
Advanced → Import HTML folder… / Import WordPress content…	Open an import review. Review skipped content before creating a draft.
Advanced → Project JSON / Undo history	Open the code drawer or inspect the current undo history.


Properties open in a floating window for the selected item. You can move that window by its title bar and scroll its contents without losing the page underneath. If you need to find an object that is covered by another item, open Layers rather than repeatedly clicking the same crowded part of the canvas.

The light dashed vertical guides mark the desktop safe content area while you edit. They help you keep important content comfortably inside the page, but they are not part of the visitor design. Use Preview to judge the page without those guides and handles.

Adding pages and building a sensible navigation

Use **Add page** or the same command under **Page tools** whenever the site needs another destination. Give the page a useful name and a short, unique address such as /events. The name helps you find it in the editor, while the address is what a link opens. The current Home route is / and is protected from ordinary address changes.

Control	What it does
Add page	Open the new page dialog from the toolbar or Page tools. In the dialog, Add page creates the page and Cancel closes without creating it.
Page name / Page address	Name appears in the editor tab. Address becomes the route. Keep addresses distinct and use simple lowercase names such as /weekly-bulletin.
Page tab	Switch the active page. Each page holds its own blocks.
Pencil / Duplicate / Search details	Rename the active page, create a copy, or edit page-specific metadata.
Link icon / Trash	Change the address of a non-Home page or confirm its deletion when allowed. Recheck navigation links after either action. Home keeps the root address /.
Page tools → Plan pages / Check site	Review suggested standard pages or inspect issues. Plan pages is separate from the optional AI tools.



A page name identifies the page in the editor. Its address supplies the destination used by visitor links.

The tabs stay together in a scrollable strip. If a page is out of view, use **Go to page** to select it by name. Rename, Duplicate, Search details, Change address and Delete stay in a fixed group beside Add page and always act on the selected page. Adding a page does not, by itself, decide where it appears in the visitor Navbar.

Control	What it does
Page address dialog	Edit the route for a non-Home page. Use a unique address such as /community-events. Select Save address to apply it.
Update links option	Choose whether the editor should update supported references to the old route. Check custom code and any links that use a full web address afterward.
Page search details	Enter a page-specific title and description. A blank field uses the site default when applicable. Choose Save details to apply, or Cancel to leave the page unchanged.
Delete page confirmation	Review the warnings and listed referring pages. Cancel if the page is still needed. Remove or repair references after deletion and run Check site.

Control	What it does
Duplicate page	Make a new page copy and edit its tab name and address. A duplicated article starts as a draft.

When you only want to rename Events to Community Events, leave /events unchanged so existing links keep their destination. If you also change the address, use the option to update supported links, then check the Navbar, Footer and inline links. Custom code and links outside the project may still refer to the previous address.

Control	What it does
Page tools → Plan pages	Show the available page plans. Tick the pages you want, then select Review plan to see proposed additions.
Review changes	Read the plan before applying it. Change selection returns to the checkboxes. Add pages applies the reviewed additions. Cancel closes the planner.
Page tools → Check site	Scan the project for issues. Read the issue message and location before making changes.
Open this block / Open this page	Navigate to the flagged object or page and close the report. Rerun Check site after correcting the issue.
Close	Dismiss the report. Export has a separate review of the actual generated files.
Search details	Use Search details in the fixed command group beside Add page. It applies to the selected page, with blank values using the relevant defaults from Settings.


Plan pages helps you choose common additions and review the proposed structure before creating them. **Check site** looks for supported problems such as missing destinations or media. Treat its report as a useful review list, then follow the important links yourself in Preview.

Previewing undoing and using the keyboard

Preview lets you step out of editing and use the site as a visitor. Follow the Navbar, open a photograph, try a calendar month and read a bulletin without handles covering the content. When a link opens another page without a named anchor, that page starts at the top; a link with an anchor instead takes you to its named location.

Control	What it does
Desktop / Tablet / Mobile	Choose a viewing preset. Check all three before exporting, especially pages with text beside a portrait or several photos in one row.
Width slider	Simulate any width from 320 to 1920 px. Check widths between presets to catch abrupt wrapping.

Control	What it does
Mode	Beginner is the regular editing view. Designer exposes additional controls. Professional (JSON) adds code-oriented work. Select a mode when the guide names a control you cannot see.
Preview / P	Hide editing affordances and follow supported page and anchor links. Press again to edit.
Hide on desktop / tablet / mobile	In a block's responsive settings, mark widths where the block should be hidden for visitors. An editing badge can still show the block at that width.
Stack section objects on phones	Use a flowing stack for section objects on narrow screens when the option is present. Check the resulting reading order.



The same composition can keep related content side by side on a tablet and stack it on a phone.

Build the main arrangement at a desktop width, then examine Tablet, Mobile and a few widths between them. Related headings, photos and captions are easier to reflow when they belong to the same section or panel. If a page extends beyond the visible editor window, use its scrollbar so you can inspect the complete simulated width.


Control	What it does
Undo / Ctrl+Z	Undo the last project change outside text-editing controls. Use the text field's own undo during typing.
Redo / Ctrl+Y	Reapply an undone change. Making a new edit can replace the redo path.
Advanced → Undo history / H	Open the session history. Choose an entry to return to that state. Save separately for a checkpoint that survives a restart.

Control	What it does
Keyboard shortcuts / ?	Open shortcut help. Escape closes a menu, cancels placement or clears the current selection as applicable.
Shift+click / Alt+click	Add objects to a multiple selection or cycle through overlapping objects. Use Layers to identify the intended object by name.
Arrow keys / Shift+arrow	Nudge a selected section object. Shift uses a larger increment. When text is being edited, arrows move the text cursor.
Ctrl+C / Ctrl+X / Ctrl+V	Use standard keyboard commands for selected text. Confirm the caret or outline is where you intend before pasting.
Delete / Ctrl+D	Remove or duplicate the focused section object. Delete in a text field edits text. Undo immediately if the wrong object is affected.
P / J / H	Toggle Preview, Project JSON or Undo history when focus is outside text entry. The shortcut dialog also lists numbered navigation shortcuts.

Undo is helpful while experimenting, but it belongs to the current editing history. It cannot replace a saved project or a backup from an earlier session. When the caret is inside text, typing shortcuts act on that text; leave text editing before using an object shortcut such as Delete or the arrow keys to move the whole box.

Selecting moving and resizing elements

Begin by deciding whether you want the whole section or an object inside it. A single click selects an object for movement and sizing, while a double-click enters editable text. Panels can hold child objects, so an area that looks like one card may contain a panel, a portrait and several separate text boxes. Layers makes those relationships visible when the surface alone is difficult to select.




Elements offers text presets and component categories. Layers provides the corresponding view of items already on the page.

Control	What it does
Layers / Components / Media / Articles	Switch between object hierarchy, addable elements, media and article details.
Category / Search components…	Narrow the component list by category or type. Choose All or clear the search to see more choices.
Heading 1 / Heading 2 / Heading 3 / Paragraph text	Start a text object at 36, 28, 22 or 16 px. Select the preset, then click the target section or panel.
Add text	Arm general text placement. Click the canvas to create the editable box. Press Escape to cancel placement.
Component tile	Click to add a page block, or drag a supported tile to place it. Panel uses click-to-place when selected from the palette.
Reusable sections	Select a block, enter Section name and save a copy. Click a saved name to insert a new copy on the current page. Remove deletes the saved reusable entry.

Control	What it does
Single click	Select an object. Clicking a panel body selects the panel. Click a blank area of a section to select its block or section.
Double click	Edit the text of a text object or an editable text area. With a panel, double-click its text to edit it without moving the panel.

Control	What it does
Drag / four-way cursor	Move a selected object from its surface or available move edge. For text, leave editing before dragging the box.
White handles	Resize a selected object by an edge or corner. A photo preserves its aspect ratio where the image control supports it. The box tracks the resized item.
Right-click → Properties	Open focused properties for the item under the pointer. An object menu also offers actions such as Copy, Duplicate, ordering and Delete.
Click elsewhere / Escape	Dismiss the active menu or selection. Click the item again if you need its handles.

Drag the selected surface or move edge when the four-way cursor appears, and use the white handles to adjust the outline. Keep the grab point near the place you intend to move, then release over the destination section. If the result is wrong, undo it before trying another arrangement so you can compare the two positions clearly.



Expand a block and its section in Layers to select a covered object by identity rather than by its visible surface.

Control	What it does
Layers list	Expand the current block and its sections to select an object by its label or type. Use the list when a picture or text box covers the item you need.
Drag a Layers row	Reorder or move a section object to an eligible Layers destination. Check the selected item and the destination after the drop.

Control	What it does
Shift+click	Select several section objects for supported group movement. Drag one of the selected objects to move the selection together.
Alt+click / Select layer	Cycle stacked objects at a point or choose one from the context menu when overlapping candidates are shown.
Bring to front / Bring forward	Put a selected object above all other local layers or one step closer to the front.
Send backward / Send to back	Move one step down or below the other local layers.
Copy / Paste / Duplicate / Delete	Copy an object for placement elsewhere, paste into a compatible section using its menu where available, duplicate in place, or remove it.
Selected object tools	Select two objects in the same section to enable Left, Center, Right, Top and Bottom. Select three or more for Distribute. Bring to front, Properties, Duplicate and Delete act on the current selection where enabled.
Layer order	Set stacking numerically. A higher layer appears in front of a lower one within its local stacking area.


Control	What it does
Overlapping item selection	Choose the default priority for selecting a parent or child when elements overlap. Alt+click still cycles candidates.
Block row drag handle	Drag to reorder page blocks. Duplicate and Remove act on the block row, including the items it contains.
Section or object row	Select the row to locate the item on the canvas. Open the block's section list when several rows have the same name.
Object row arrows	Move a section object's order forward or backward. Confirm the stacking on the canvas.
Properties / Bring to front	Open selected object fields or move the selection forward in the local stack.
Align Left / Center / Right / Top / Bottom	Select multiple objects in the same section first. The buttons align their corresponding edges or horizontal centers.
Distribute	Select at least three objects in the same section. Use it to space comparable elements evenly and then review the final arrangement.

Making a simple overlap

Place two photos beside one another and add a small emblem over their join. Bring the emblem to the front, then use Layers to select either underlying photo when you need its handles. For several objects in one section, Shift-click the group and use alignment or distribution to establish a tidy starting arrangement before making deliberate offsets.

Working with properties and section dividers

The Properties command should follow the item you selected. An Image window shows its file, description and geometry; Section or Block Properties takes you up to the surrounding container. Position and size fields are paired horizontally so you can compare related values, while longer text or file fields use the available width.




Focused properties keep the selected image separate from the surrounding block settings.

Control	What it does
Properties	Use the object's context menu to edit only that selection. The window is anchored near the object when there is room.
Window title / X	Drag the title area to move the window. Use X to close. Scroll within the window to reach fields below the visible area.
Section / Block Properties	Step up from the selected object to its containing block. Use the canvas or Layers to select the individual item again.
Properties / Site design	Switch between selection-specific fields and theme settings for the site.
Left (%) / Top (px)	Set horizontal position within the section and vertical offset in pixels.
Width (%) / Height (px)	Set size relative to the section width and in pixels vertically. Move or resize directly on the canvas if you prefer.
Layer order	Choose which nearby objects appear in front. Use the order commands for quick changes.

Control	What it does
Image / Browse images… / Image description	Use an existing media entry or compatible source. Describe the visible subject in a short phrase for accessibility.

Control	What it does
Block background / Background color	Set the fill behind that block's content. A light swatch can represent the theme default until a custom value is selected.
Content and Style sections	Expand a heading to show that group's fields. Variant changes the arrangement of the selected block.
Number of sections / Reset section widths	Choose one to four sections and reset divider proportions when needed.
Section N additional items	Edit earlier section content where present. Set text, image, image description, link or panel appearance on the relevant entry. The newer section object controls give each item its own geometry.
Choose image to adjust / Reset selected image	For composite blocks with several images, select the target image and use Image width, Image height, Move right or left, Move down or up, and Image layer order. Reset clears the selected image's adjustments.
Section text size and color	Set the section-wide text size and color where supported. Explicit rich text formatting can override these defaults.
Choose text to adjust / Font for selected text… / Reset selected text	Set size, color or font for a named field in the selected block, or clear its adjustment.
Screen visibility	Choose which device widths should omit this block in Preview and output.

Use one to four sections when a block needs distinct areas for content. Drag a vertical divider to give a picture more room or narrow a sidebar, and use Reset section widths when you want an even starting point again. Reducing the visible count preserves content in hidden extra sections, so inspect those sections before deciding that an object has disappeared.




Section badges identify placement targets. The light vertical divider can be dragged to change their proportions.

Control	What it does
Block context menu → Sections across	Set one, two, three or four sections. The first contains the original block. Other sections can hold independent objects. Lowering the number hides extra sections and preserves their contents.
Vertical separator	Drag between adjacent sections to change their proportions. Reset section widths returns them to equal widths.
Section badge	Identifies the target while editing. These labels and the light gray guides stay in the editor.
Add text / image / button / panel / collage	Create independent objects in the selected section. Placement commands let you choose the spot. Existing images and text can coexist in one section.
Snap section objects to alignment guides	Enable snapping to nearby edges or centers while dragging. Blue smart guides show when features align.
Stack section objects on phones	Let objects flow into a vertical order on a narrow screen when you want a simpler mobile arrangement.
Bottom and side handles	Adjust the height or width of the whole block. For a lower edge that stops shrinking, check the lowest object or remove excess section spacing first.
Block background / Reset background	Use the color picker to fill the whole block including resized space. Reset background clears the custom fill and restores the theme/variant choice.

For a split feature, add a Content block, remove the starter wording you do not need, and choose two sections. Make the first wider, place a landscape photo there, and put a heading, paragraph and button in the second. Adjust the block height after the objects are positioned, then check that its background continues through any added space.

Adding writing and formatting text

Choose **Add text** or **Insert > Text**, then click the section or panel where the new box belongs. Heading and paragraph presets give you a useful starting size without forcing the text into a full-width content block. You can place a box beside a photo, above another object or on a panel, and move it again without retyping its words.



Text settings keeps formatting near the active text. The desktop font control opens the Windows Font dialog.

Control	What it does
Insert → Text / Add text	Click the target section or panel to add a movable text box. Select a text style to start at a specific size.
Double-click text	Place the insertion point. Select the characters you intend to format. Click again where you want to type or paste.
Font / Font size (px) / Text color	Choose a typeface, enter a size from 6 to 200, or pick a color. In the Windows build the Font button opens the Windows font dialog.
Bold / Italic / Underline	Apply emphasis to the highlighted words. Keep the intended range selected when changing another formatting choice so the surrounding text retains its appearance.
Left / Center / Right / Justify	Apply alignment to the selected text range or paragraph runs. Use separate paragraphs if you want a heading centered and the following body left-aligned.
Bullets	In a multiline box, select lines and choose Bullets to format them as a list.
More actions / Done / X	Expand editing commands or close Text settings. Click the outline or use Layers to select the whole text box.

Control	What it does
Text box outline / handles	Select the whole object and drag an edge to give a long title more room. Keep some room on both sides of a heading.

Control	What it does
Clear text / Delete object	Select characters to erase them while keeping the box available for typing. Use Delete from the object menu or focused object outline when you intend to remove the entire box.
Cut / Copy / Paste / Select all	In Text settings, operate on text in the active box. For a reusable object with formatting, copy or duplicate the object itself where supported.
Content block → Body	Edit the block's built-in long-form copy. The body supports headings, bold, italic, lists and links through Markdown.
Bold / Italic / Heading / List	Select text in Body and apply the corresponding markup. For a multiline placed text box, use the Bullets control described in the text chapter.
Insert page link / Insert media link…	Select the words to use as the label. Choose a page or a project file to insert its link into Body.
Content Variant	Prose, Columns and Highlight change presentation of the built-in body. Independent section objects give precise placement beside or over other items.

Double-click to put the caret into the box, then highlight the words you want to change. Font, size, color and emphasis apply to the text selection; paragraph alignment uses the selected paragraph or line structure. Give headings and body copy separate paragraphs when they need different alignment, and use Bullets for a selected multiline list.

Selected words can also become a link. With the words highlighted, use **Link** in Text settings or **Ctrl+K**, choose a site page or enter a destination, and apply it. To change or remove an existing link, select its text again and reopen Link. This is useful for a sentence such as “Read our history,” where only part of the paragraph should be clickable.

Erasing the characters is different from removing the box. Keep the empty box when you want to replace its wording; choose Delete on the object when you want the entire item gone. To carry a styled paragraph to another section, move or duplicate the whole text object so its formatting travels with it.


Panels buttons space and decorative lines

A panel is useful when several things should read as one card. Start with a modest rectangle, choose its fill, and place a portrait and text on it. Attached contents follow when the panel moves, while unrelated objects may simply overlap it. If an item should move with the card, verify the attachment by moving the panel a short distance and undoing that trial.

Control	What it does
Insert → Panel / Components → Panel	Choose Panel and click a section. Drag or resize the selected panel independently of the block behind it.
Panel background color / Text color / Font size	Adjust the fill and the panel's own text. Use a color with sufficient contrast.

Control	What it does
Add text to panel / place on panel	Place a text object over the panel so the panel can own it. An attached object follows when the panel moves. An unrelated object can overlap without being attached.
Select panel / Select text	Click the panel surface to work on its geometry, or double-click its text. Use Layers or Alt+click when a child covers the surface.
Add button	Create a section button. Use its label for the visible wording and Link… for the page, anchor or web destination.
Position / Layer order	Set precise placement for the panel or button. Use front/back commands if an overlapping item is hidden.

Buttons are separate objects with visible wording and a destination. Keep labels short enough to describe the next step, such as View events or Contact us. When a design only needs breathing room, use a Space strip rather than stretching a text box full of empty lines. The strip can be resized and can hold independent text, images or a decorative divider.



Line presets make it easier to choose a stroke by appearance before placing it in the layout.


Control	What it does
Components → Media → Strip	Adds a strip, usually after the current selection. Use Space for blank space, Line or Dots for a visible separator.
Strip Width / Height (px)	Choose full, centered or narrow, then set its height or drag the top/bottom handles. A strip can hold independent section objects.
Insert → Line	Arm a line object for placement. Click inside the section where it belongs.
Horizontal lines / Vertical lines	Open the decorative presets. Choose Thin solid, Thick solid, Dashed, Dotted or Double, then click the canvas.

Control	What it does
Line direction / Line style / Line thickness / Line color	Change orientation, stroke pattern, weight and color in the line object's Properties. Resize the length with its handles.
Add space below / Enter on a selected image	Use the object context menu or the keyboard. Add 32 px of extra section space per press. Select the image object first. In a text box Enter creates a new text line instead.

For example, add a Space strip between a photo section and the Footer, leave roughly two lines of height, and place a thin gray horizontal line inside it. Preview the page on a phone to see whether the spacing still feels intentional. A vertical line can separate adjacent areas, but it should remain subtle enough that the content is still the main focus.

Linking pages pictures and named locations

A link answers where the visitor goes next. A page route such as /events opens a page, a fragment such as #mass-times jumps within the current page, and /events#volunteer combines the two. Give the destination a unique anchor name before connecting an image or text to it, so you can select an existing target instead of trying to remember its spelling.




Link settings offers destinations without mixing them into the ordinary position and size fields.

Control	What it does
Anchor…	On a supported object, use its context menu. For a whole block use Anchor (jump destination) in block Properties where shown.
Anchor name	Start with a letter. Use letters, numbers, hyphens or underscores. Keep the name unique on its page, for example parish-mass-times.
Link…	Open Link for a supported object, or select words and use Link in Text settings or Ctrl+K. Choose a page or named location, or enter the destination address.
Choose a location on this page	Insert the #anchor destination for a named target on the current page.
Choose a site page	Insert the page route. For a page-plus-anchor link, use the route and hash when supported by the link field and verify it in the exported site.

Control	What it does
Save / Cancel / Close	Commit the destination, leave it unchanged, or dismiss the settings window. Clear an existing value to remove its link or name.

To make a photo open Mass times, name the schedule block parish-mass-times. On the photo, open Link and choose that location or enter #parish-mass-times. In Preview, click the picture and confirm that the schedule appears. Repeat the check in the exported site, particularly if the destination sits on a nested page.


Use the Navbar for the main visitor menu, and share it across pages when those pages should have matching navigation. Its parent label can remain a link while a separate arrow opens a submenu. In the Navigation Links list, expand the entry you want, edit its label and destination, and add or reorder its children there.



The Navigation Links list keeps each destination in its own expandable entry.

Control	What it does
Components → Navbar	Adds a navigation block at the top of the page. Its links are controlled by the editor. Set up or reuse it on each page where visitors need navigation.
Share across pages / Stop sharing across pages	Right-click the Navbar or Footer. Share it to link copies across pages, or stop sharing to edit each copy independently.
Properties → Navigation Links	Open the compact list. Click a link name to expand just that link's fields.

Control	What it does
Add link	Append a new entry. Enter a Label and Destination or use Choose a site page. Home uses /.
Drag handle / Up / Down / Remove link	Reorder entries by dragging or using arrows, or delete one entry. Dragging the links on the Navbar is also available in editing.
Logo Text / Logo Image URL	Leave both blank for a text-only navigation bar. Set these only if you want a brand label or image.
CTA Button / CTA Destination	Set an optional highlighted link and its destination. Leave the button label blank to omit it.
Variant / Navbar width / Navbar height / Background	Use Default or Centered, set size and choose a contrasting fill. Resize on the canvas with the block handles. Use Site design text colors for theme-driven link text.




A clickable parent and a separate dropdown arrow let About open its own page as well as offer child pages.

Try About with History and Historical Photos underneath it. Click About itself, then return and open its arrow to choose a child. Press Escape while the submenu is open to close it and return keyboard focus to the arrow. Repeat from another page to confirm that any shared or separately maintained Navbar has the same intended links.

Organizing media without losing page references

The media library belongs to the project, so importing copies a file into the project rather than moving the original on disk. Use **Manage Media** when you want folders and organization, and the **Media library** picker when you want to choose a file for the page. These are two views of the same collection, with different tasks in mind.




Manage Media provides folders and movement controls for organizing a large collection.

Control	What it does
Import media / Import folder	Choose individual files or a directory. Use a folder for a group such as Event Photos. Supported media can also be dropped into an import area.
Allow ZIP archives	Permit importing compatible files from an archive. Leave off when selecting individual files.
When files match	Reuse existing shares the stored asset, Keep separate copies creates distinct entries, and Skip duplicates omits matching files.
All folders / Unfiled / Search media…	Restrict to the imported folder, items without a folder, or names matching the search.
All types / Name	Filter Images, PDFs, Audio, Video or Other documents. Sort by Name, Date, Size or Type.
Thumbnail / Previous / Next	Select a file and read its name, size and available dimensions. Browse more result pages with Previous or Next.
Add to page / Choose file / Close	Place or add media to the page, fill the property that opened the picker, or dismiss the window.

Control	What it does
Rename shown…	Give the currently filtered result set a numbered prefix. Review the confirmation and its sample name before applying.
Undo renames	Restore available prior names for the project's renamed assets.
Replace / Undo replacement	Substitute a new file for an existing asset where offered. Check every page using the asset. Undo replacement restores the available prior asset.

Control	What it does
Cancel / Resume import / Discard list	Stop a running import, resume the remaining list in the original project, or discard the remaining list. Already imported files can remain in Media.
Import failures	Expand the failures summary to see which files were skipped and why. Correct or convert files before retrying.
Preview PDF	Open a stored PDF for review from its card. Close the viewer to return to the collection.
Media card drag	Drag from the left Media view to a target. Images can be placed within a section. Other media use their supported block or link behavior.

Create folders such as Bulletins, Events and Historical Photos. You can import into the current folder, drag existing files onto a folder or select several and use Move to folder. These moves change organizational metadata while retaining the asset identity and portable path, so you do not have to reconnect pictures or PDFs already used on a page.



The picker narrows the collection by folder, type and search, then places or returns the selected file.

For a collection of 100 event pictures, choose its folder, filter to Images and search for part of the filename. Select the thumbnail before choosing Add to page. When you opened the library from an existing image property, Choose file updates that property instead of creating another item. Save a project ZIP afterward so the organized collection travels with the editable site.

Choosing images galleries collages and other media


A placed image is an independent object inside a section. An Image block is a complete page section that may include a title, supporting copy or several pictures. Choose the first when you want a picture beside existing text, and the second when the picture itself is the main structure of that part of the page.

Control	What it does
Image object / Image block	A placed image is an independently movable item inside a section. The Image palette tile is a full block with variants and optional adjacent content.
Image URL / Browse images…	Use a safe image URL or pick a local file through the library. For a portable project, prefer imported media.
Alt Text / Image description	Describe the subject or purpose, such as “Entrance to Riverside Park from Oak Street.”
Image link	Set a page, anchor or web URL. On a placed image use its Link… action.
Title / Subtitle / Image Side	Add supporting copy and select the side for the side-by-side block variant where appropriate. Leave optional text blank for an image alone.
Hero image / Side by side / Grid	Choose a wide photo, a photo paired with copy, or a list of images. In a grid, use the Images list to add and order entries.
Image fit	Cover fills and can crop, Contain shows the full photo with possible spare space, and Fill can stretch.
Section width / Image height / Left position / Vertical spacing / Layer order	Set the block's size, offset, optional overlap and stacking. Use the handles for visual adjustments.

A Gallery is suited to a collection visitors browse, while a collage is suited to a composition you arrange by hand. In a responsive gallery, the images keep their natural proportions and the row adapts to available width. A collage gives each photo its own position and layer, so a small emblem can overlap several larger pictures.

Control	What it does
Gallery → Title / Images / Variant	Give the collection a heading and choose its available layout, including Responsive for natural image proportions. Add media, descriptions and optional captions, then arrange the entries in the intended order.
Photo collage	Use a whole-block collage or an independent collage in a section. For an existing compatible block, use Move collage into a section… and click a destination.
Collage photos / Browse collage images…	Add images from the library. Set a readable description for each and remove unwanted entries in the collage's own properties.
Image handles	Select a photo inside the collage to move and resize it. Select the collage container to move or resize the entire arrangement.
Left / Top / Width / Height	For photos in the collage editor, percentages describe their positions and sizes within the collage. Change one photo at a time to keep its neighbors in place.
Layer order / Bring to front / Send to back	Set how photos overlap. A larger layer number is in front.

Control	What it does
Remove / Duplicate	Use the item list or context menu to change a specific entry. Verify whether you selected an individual photo or the container first.



An enlarged gallery image can show its caption beside it when the available width allows.


For a historical archive, add descriptions and captions as you build the collection, then reorder the entries into a useful sequence. Enable the photo viewer and test the enlarged view. For a tall newspaper scan, an individual Image block may offer a more comfortable reading width than a small thumbnail in a large gallery.

Control	What it does
Video component → Video URL / Title / Platform	Paste a supported YouTube or Vimeo URL, choose the matching platform and give the embed a title. Internet access and the provider's embed policy apply.
Uploaded video / audio	Import a supported local file and add it from Media. Give the resulting block a title. Visitor playback depends on browser support for the file's format.
Visitor media controls	Play or pause, seek, adjust volume or open fullscreen where the browser exposes it. Test the exported files in your target browser.
Document	Add a stored file as a document block or choose it as a content link. Title is the visible document label.
Document library → Title / Documents	Give the collection a heading. Add entries, choose files, and edit each title and description. In the regular library visitors can search titles and descriptions.
PDF viewer	Use a PDF block for an embedded document. For a current bulletin and recent archive use the Weekly Bulletin page.

Imported video and audio use the visitor browser’s supported playback controls. YouTube and Vimeo embeds depend on their providers and an internet connection. A regular document library can help visitors find files by title or description, but it does not search the contents of a scanned document.

Keeping bulletins and PDFs easy to read


A Weekly Bulletin page is designed around one current issue and a small recent archive. Add the PDFs through **Add bulletin PDF**, giving each edition a useful title. The newest chosen edition moves to the first position, and the page presents up to five valid entries: the current bulletin and four earlier editions when they exist.



The authoring command adds a bulletin PDF. Visitors choose the published bulletin links.

1. Open the Weekly Bulletin page and choose Add bulletin PDF. In the picker, import the document if necessary, then select it and choose Choose file.
2. When building the archive for the first time, add older editions before the newest. Review the final order in the document list and correct the titles while the dates are easy to compare.
3. Turn on Preview and open the current issue. Check its pages and readability, then save the editable project so the PDFs remain packaged with it.

If you are configuring a new page from a generic Document library, the current build uses its **weekly-bulletins** variant. Where no direct variant control is offered, save a practice copy, open Project JSON, locate the documentLibrary block and change only its variant from default to weekly-bulletins. Apply the change and confirm that Add bulletin PDF appears. Leave its existing block ID and properties intact.



The bulletin reader separates its toolbar from the page area so an enlarged PDF can scroll in both directions.

Control	What it does
Close PDF	Return to the bulletin list. In Preview a local bulletin opens in this viewer. The exported bulletin page links to the PDF for the visitor's browser to open.
Previous / Page / Next	Go back one page, type a valid page number, or go forward one page. “of” shows the page count.
Minus / zoom readout / Plus / Fit page	Zoom out or in with the buttons. The readout shows the current scale. The bulletin starts at 150%. Use Fit page when you need the whole page at once.
Scroll bars / Fullscreen	Move horizontally and vertically when the zoomed page extends past the reading area. Use Fullscreen for more space.
Search PDF text / Search	Type a word or phrase and press Enter or Search. Use page thumbnails or Open PDF to print when those options are enabled. An image-only scan needs a text layer to be searchable.
Open or download PDF	Use the original document outside the viewer. Browser settings determine whether the file opens or downloads.
PDF block settings	Set Title, Caption, Accessibility label, Height, Starting page, Fit mode and Mobile display. Show thumbnails, search, print, download and fullscreen control which tools are offered.

Use the 150 percent starting view for comfortable reading and Fit page when you want to see an entire sheet. Search works only when the PDF contains a text layer. In an exported bulletin list, the original PDF is opened by the visitor’s browser; an embedded PDF Viewer block instead supplies its own viewer. Test each route through a local website review, because opening files directly from disk can restrict PDF modules.

Building headers footers cards and visitor features

Use a Hero to introduce the page, a Banner for a short announcement and a Footer for details visitors need from many pages. These are editable sections rather than mandatory decoration. Leave optional labels or logo fields empty when they do not serve the design, and use the shared-section commands when the same Footer should stay synchronized throughout the site.

Control	What it does
Footer → Variant	Choose Simple, Multi-column, Minimal or Resources. Use Resources for a group of linked graphics and separate text buttons.
Logo Text / Logo Image URL / Description	Set optional brand details. Clear the logo fields for a footer without branding. The footer omits the former default placeholder brand and green dot.
Copyright	Enter your credit, for example “© 2026 Riverside Community.” Add an independent text object for longer attribution, a photo credit or contact details.
Navigation destinations / Legacy text-only labels	Choose real links for visitor navigation. Review older text-only entries if you open an existing footer.

Control	What it does
Resource images and links	Add one item per image. Select its media, then set visible label or description and the destination address.
Resource buttons	Add a short label and an internal, external or anchor destination. Use reorder controls to put the most important resources first.
Share across pages	Use the footer context menu to keep the footer in sync across pages. Stop sharing if one page needs its own version.
Footer text boxes	Click to select the box and double-click to edit its words. Select empty footer space to edit the block itself. Use Layers when items overlap.

Control	What it does
Hero → Badge / Headline / Subheadline	Enter the small optional label, main heading and supporting sentence. Resize or reposition the headline and subheadline boxes. Use their reset controls if they move out of sight.
Primary CTA / Primary CTA URL / Secondary CTA / Secondary CTA URL	Set optional action labels and destinations. Leave labels empty when you do not want buttons.
Hero Image URL / Variant	Choose an image and Centered, Split, Gradient or Minimal presentation. Check contrast across the full image when placing text over it.
Hero width / Hero height	Set exact dimensions or use canvas handles. A section can require more height when it contains tall objects or long wrapped text.
Banner → Text / Link Text / Link URL	Write a short announcement. Fill in link text and destination if visitors should be able to open more information.
Banner Variant	Choose Ribbon or Bar. Check the banner at phone width to see whether its message wraps.
Call to Action → Headline / Subheadline / Button Text / Button URL	Make an invitation and supply its destination. Choose Simple or Split in Variant.

A resource footer can combine linked images with a separate row of buttons. Give each resource an understandable label and test the destination, then inspect the same footer at tablet and phone widths. Content should wrap into a readable order rather than depend on an exact desktop line length.


Control	What it does
Features → Section Label / Title / Subtitle / Feature Cards	Introduce the list and add cards with a title and description. Try Grid, List or Alternating.
FAQ → Title / Subtitle / Questions	Add a question and answer per entry. In Preview open and close the accordion entries.

Control	What it does
Team → Title / Subtitle / Members	Add names, roles and available portrait fields for the team grid. Use the media picker for images.
Testimonials → Title / Subtitle / Testimonials	Add a quote and its attribution details. Switch between Cards, Carousel and Spotlight.
Stats → Title / Stats	Enter each value and label. Compare Grid, Bar and Counter in Preview.
Logo Cloud → Title / Logos	Add logo source entries for partners or sponsors. Keep contrast and image clarity consistent.
Item rows / Add item / Remove / drag / arrows	Add, remove, duplicate or reorder repeated entries where supported. A row's fields depend on the component.


Repeated-entry components work best when their content is prepared as a collection. Add real questions to an FAQ, real figures to Stats and permitted portraits to a Team directory. Each item row manages one entry, so you can change or remove it without rebuilding the section.

Calendars and staff biographies

For Calendar, use Manage events while editing to add titles, dates, times and optional location details. Preview changes the visitor's displayed month without editing the saved events. In Team Directory, add or remove members and choose their portraits. Long biographies keep a short two-line card preview and offer Read the complete biography in a separate scrollable window.



Manage events belongs to editing. The displayed month and its event list are visitor controls.



The biography reader lets a long description remain readable without stretching every staff card.

Close the biography or press Escape to return to the directory. Check names, portrait descriptions and the first two lines of each biography so the short cards remain meaningful before a visitor opens the longer text.


Setting colors contact details and site information

Site design provides a coordinated starting point for backgrounds, text and accents. The Base background includes exposed page margins; a block or panel can have its own fill over that base. If you see dark side strips beside an otherwise light composition, compare the Base setting with the nearby block backgrounds before changing every individual object.

Control	What it does
Site design → Presets	Apply a coordinated set of theme colors, fonts and corner radii. Change individual values afterward if needed.
Backgrounds → Base / Surface 1 through 5	Base is the page background, including exposed side gutters in Editor and Preview. Surface values are used by component fills.
Text → Primary / Secondary / Muted / Dimmed	Set the theme's text hierarchy. Existing text with explicit formatting keeps its assigned color.
Accent / Accent Dim	Set accent treatments used by elements that follow the theme. Review links and button contrast in Preview.
Borders → Default / Subtle / Hover	Choose the theme colors used by borders and interactive hover treatments.
Fonts → Body / Display / Mono	Choose fonts for regular copy, headings and monospace uses. A separately formatted text box can use its own font.
Radius → Default / Large	Set the usual and larger rounding amounts in pixels.
Block background / Panel background color	Override one block or one panel without changing the site's Base. Use the color swatch or enter a valid hex value where the field is offered.

Explicit text formatting takes precedence over theme defaults. Changing Primary text therefore will not recolor a heading that was given its own blue value. Use the theme for a consistent general appearance and individual formatting for deliberate exceptions, then review contrast in both Editor and Preview.

Control	What it does
Site Name / Site Description	Set general site metadata. The project card name and individual page names can be edited separately.
Webmaster contact email / Favicon URL	Set a default contact address and a valid icon URL used by the site.
Site search	Choose Off or Include in website ZIP. If enabled, link to the search page from the Navbar or another element and test the exported search.
Language	Set the site's language metadata. Choose English, German, Spanish or French as appropriate for the content.
SEO → Page Title / Meta Description	Set site-wide defaults. Use a page tab's Search details to customize a particular page.
Public site URL / OG Image URL	Enter the actual HTTPS base URL when known and an image URL for link previews. The base URL also supports sitemap and related metadata generation.
Draft updated	Settings changes update the draft. Return to Editor and save the portable project to keep them in the file.



Settings separates information saved with the project from application settings for the Windows account.

Enter the webmaster contact email in Project settings if several forms should use one default. A particular Contact block can override it. A live contact form also needs a suitable service or the supported visitor email-draft behavior; simply adding the block does not create a mail server.

Control	What it does
Contact → Title / Subtitle	Explain why visitors should use the form and what to expect after submitting.
Webmaster contact email	Set the default recipient in Settings → Project settings. Save the project after changing it.
Contact Email	Set a recipient for this block if it should override the project default.
Form service HTTPS URL	Enter the URL of a compatible external form service when you want direct submissions. Test that service with a non-sensitive message.
Privacy and consent notice	Enter the optional notice. When supplied, the visitor must tick the accompanying box before sending.
Name / Email / Message / Send Message	Fill in the required visitor fields and submit. Editor Preview shows the behavior without sending. An exported form without a service uses the visitor's email app if configured.
Newsletter → Title / Subtitle / Button Text / Social Proof	Set the presentation and test the exported behavior. A newsletter block alone does not set up a mailing list or subscription service.

During testing, use only an approved safe recipient and do not exercise a real submission unless that action is intended. The editor’s Preview lets you review the form without sending a message. When the website is eventually configured for public use, verify the service and destination separately from the page layout.

Articles imports optional AI and custom code

An article is an ordinary non-Home page with extra information such as an author, summary and tags. Draft status keeps unfinished material in the editable project while excluding it from the website export. Mark it Ready when it is intended for visitors, and check its appearance in the generated article list or search output where those features are enabled.

Control	What it does
Articles tab	Select a non-Home page, then choose Make this page an article to keep its current content and add article metadata.
Export status	Draft omits the article from the website ZIP. Ready includes it. Change the status only after checking the page and any links to it.
Author / Summary	Add a byline and short description. Review how these appear on the article and its index.
Tags / Add tag / Remove	Type a topic and add it with the button or Enter. Remove individual tags with their adjacent control.

Control	What it does
Article links and index	Link to a ready article or the generated articles index when available. Review the ZIP to verify both paths.
Footer credits / Text box	Use the Footer Copyright field for site-wide credit where present. Add an ordinary text box for photo attribution, author notes or other visible credits.

Imports give you a starting point rather than a complete reconstruction of another system. Static HTML and WordPress XML can supply supported content, while themes, scripts, server features and some attachments need separate review. Preserve the original input and read the report before treating the converted project as complete.


Control	What it does
Advanced → Import HTML folder…	Choose the folder containing a static site's HTML pages and assets. Inspect detected pages, skipped files and reference issues in the import report.
Review reference issues	Check links and assets that need attention. Where the report provides source paths, use them to identify missing files.
Advanced → Import WordPress content…	Select the WordPress XML export file. Read the page, article and conversion summary before importing.
Create imported project / Cancel	Create a separate local draft from the reviewed import or dismiss the review. Keep the original source files until you have compared the result.
Inspect imported source	Use Professional mode and the code drawer to inspect available original source snapshots.

Control	What it does
Mode → Professional (JSON) / Advanced → Project JSON	Open the active configuration. Save a separate copy before making hand edits.
Edit / Apply / Cancel	Make a draft, validate and apply it, or discard it. Read validation messages. If the project changes while editing, copy your draft, cancel and reopen.
Inspect page HTML / Inspect imported source / Back to JSON	Inspect generated markup or stored imported files, then return to the editable configuration view.
Custom HTML/CSS/JS	Edit custom code for the active page using the supplied fields. Review script behavior and use trusted code only.
Apply custom code / Preview HTML/CSS / Cancel draft	Save custom code to the page, view the available preview, or discard changes. Verify the exported site separately for script-dependent behavior.
Close	Dismiss the drawer and return to editing.

Optional AI can help propose a page or a color change, but ordinary editing does not require it. Local AI uses a separately selected compatible runtime and model; cloud generation sends the request to the

configured service after the required consent. Review the proposed content and changes before applying them, just as you would review a suggested layout from another person.

Control	What it does
Settings → Application settings → Gemini API Key	Enter a Google Gemini key if you use an AI feature that needs it. Treat the value like a password and use your own account.
Save key / Remove saved key	Store the key in Windows Credential Manager for the current Windows account or remove it. It can be reused across projects on that account. A revoked or restricted key may need replacing.
Remove older saved key	Remove an older locally saved credential if this control appears. Keep a working key in the secure store if needed.
Deploy Access Key	Enter the key for a configured hosting service, when offered. It serves a different purpose from the Gemini key.
Desktop Local AI… → runtime / model / Browse…	Select the llama.cpp Windows CPU ZIP and a GGUF model. Download runtime, Download 1.7B and Download 4B are shortcuts for obtaining those files. The larger model uses more memory.
Describe the website / What would you like to do?	Type the request and select a supported operation. A five-page plan needs a blank project. Color and single-page proposals can be made against an existing project.
Generate / Cancel / proposal review	Generate a proposal, cancel, or review the result. Apply only the intended proposal. Save the resulting project explicitly.




The Local AI window gathers the runtime, model and request before producing a proposal for review.

In the desktop app, **Save key** stores a Gemini key in Windows Credential Manager for the current Windows account, allowing it to be reused across projects. The separate permission to allow cloud

generation resets for each session. Obtain or replace a key through Google AI Studio and check Google's current restrictions and terms when setting it up; saving the key in the app does not prevent Google from revoking or restricting it.

Exporting checking and returning to the project

Save the editable project before preparing website files. Export creates a new website snapshot containing the supported pages and referenced assets, while Review files lets you inspect what will be included. A local review does not upload the site, and the GitHub button opens the software repository rather than automatically publishing your own pages.




Website output and local review are separate from saving the editable master project.

Control	What it does
Static HTML / JSON Config / Preview in Browser	Save a standalone HTML view, download raw configuration, or open a standalone preview. Use the complete site ZIP for a site with multiple pages or media.
Website ZIP / orange Export	Generate website output with supported page files and assets. Keep the folder structure intact when unpacking or uploading.
Review files	Build and list the generated output. Read validation results and confirm the expected pages and media are included.
Download reviewed ZIP / Prepare file manifest / Download file manifest	Save the reviewed website or produce a separate inventory used to compare versions.
Compare manifest or destination scan	Select a previous inventory and inspect Added, Changed and Removed paths.
Review a restore plan / Review website changes	Choose the requested backup and destination scan files. Read the comparison before selecting any separate deployment command.

For a complete site, keep the exported folder structure intact, including index.html, the other page files and assets. Use Open reviewed site in browser for a local HTTP review when available, especially for PDFs. Follow actual links, open several gallery images and inspect each important page at desktop, tablet and phone widths.

Control	What it does
Static hosting	Use hosting that serves the generated HTML, CSS, scripts and assets and supports the exported paths. Test the site from its actual host path before directing visitors to it.
GitHub button	Opens the Delphi Web Studio Pro software repository. Create and configure any website repository and Pages hosting separately. Saving or exporting a project does not push or publish it.
Publish to Web / Copy URL / Visit site	When a compatible publishing service is configured, review its separate publishing controls. Copy URL copies the assigned address. Visit site opens it.
SFTP connection… → Host / Username / Port / Destination folder	Enter the connection and target details supplied by your host. Use Test connection before deployment.
Private key / Trusted hosts file / Browse…	Select the SSH identity and the trusted host record. Keep secrets and recovery files out of public website directories.
Download snapshot… / Scan destination… / Back up destination…	Read the remote state, create its inventory, or back it up. Choose storage you control.
Review website… / Review files / Check destination	Select the Website ZIP, destination scan, backup ZIP and private recovery folder as requested. Inspect changes and destination checks before authorizing an upload.
Publish… / Review added rollback / Retain added files… / Close	Use the separate review and confirmation flows where available. A rollback review uses the original receipt. Close exits the dialog.

Hosting is a separate choice. A static host must serve the generated paths and files, and forms or other online features may need a service of their own. The SFTP tools provide deliberate review and transfer operations for a configured destination; use them only when you intend that upload and have reviewed its files and recovery arrangements.



SFTP connection and review tools have their own destination settings and confirmation steps.

Control	What it does
Black page margins	Open Site design → Backgrounds → Base. Compare with the block background. Check the same page in Preview.
Cannot select an item	Exit Preview, press Escape, then click once or find the item under Layers. Use Alt+click for overlapping objects and double-click to edit text.
Cannot shrink a block	Look for low or hidden objects and extra space. Move the lowest item up, then use the bottom handle and inspect the background.
Text formatting did not apply	Highlight the intended text before changing its font, color, size or alignment. Click Done and check Preview.
Media missing	Check the project ZIP or media filters. Select the asset again if the property refers to a path that no longer exists.
Link goes to the wrong place	Check the page address, anchor spelling and unique anchor name. Run Check site and test the link in Preview and in exported output.
Project still marked unsaved	Wait for an active save to finish. Verify the filename and timestamp. If it failed, use Save as to a known writable location and reopen the new file to confirm.
Diagnostics…	Open the desktop diagnostics screen for details when the editor cannot start or a native operation fails. Review the information before sharing it.