```
link null
title: 珠峰架构师成长计划
description: src/router.js
keywords: null
author: null
date: null
publisher: 珠峰架构师成长计划
stats: paragraph=62 sentences=111, words=918
```

1. 安装 dva-cli

```
$ npm install dva-cli -g
$ dva -v
```

2. 创建新应用

```
$ dva new zhufeng-umi-dva
$ cd zhufeng-umi-dva
$ npm start
```

3. 使用 antd

- babel-plugin-import 是用来按需加载 antd 的脚本和样式的
- 编辑 .webpackrc,使 babel-plugin-import 插件生效。

```
cnpm i antd -S
cnpm i babel-plugin-import -D

{
    "extraBabelPlugins": [
        ["import", { "libraryName": "antd", "libraryDirectory": "es", "style": "css" }]
    ]
}
```

4. 首页导航

src/router.js

去掉exact属性

src\routes\IndexPage.js

src\components\NavBar\index.js

src\components\NavBar\index.less

```
.header{
    height:48px;
    line-height: 48px;
    background-color: #FFF;
    img{
        height:48px;
    }
    .menu{
        display:inline-block;
        height:48px;
    }
}
```

5. 实现路由

src/routes/IndexPage.js

```
import React from 'react';
import { connect } from 'dva';
import (styles from './IndexPage.less';
import (Layout) from 'antd';
import NavBar from '../components/NavBar';
import (Route,Switch,Redirect) from 'dva/router';
import Home from './Home';
import User from './User';
import Profile from './Profile';
import Register from './Register';
import Login from './Login';
const {Content} = Layout;
 function IndexPage (props) {
   return (
      <Layout>
         <NavBar {...props}/>
         <Content>
           <Switch>
              Switch>
         Content>
     Layout>
   );
export default connect() (IndexPage);
```

6. 配置式路由

src/router.js

src/routes/IndexPage.js

```
import React from 'react';
import React from 'react';
import (connect) from 'dva';
import (Layout) from 'antd';
import NavBar from '../components/NavBar';
import (Switch) from 'dva/router';
import NoWatch from '../components/NoMatch';
import (renderRoutes, renderRedirect) from '../utils/routes';
 const {Content} = Layout;
function IndexPage(props) {
   return (
      <Layout>
          <NavBar {...props}/>
          <Content>
             <Switch>
                {renderRoutes(props.routes)}
                 1/**把/重定向到/h
                 {renderRedirect('/',true,props.routes)}
                 <NoMatch/>
             Switch>
          Content>
      Layout>
export default connect()(IndexPage);
```

src/utils/routes.js

src/routeConfig.js

```
import IndexPage from './routes/IndexPage';
import Home from './routes/Home';
import User from './routes/User';
import Profile from './routes/Profile';
import Register from './routes/Register';
import Login from './routes/Login';
 export default [
      path:'/',
       component:IndexPage,
       routes:[
             path:'/home',
             redirect:true,
             component:Home
            path:'/user',
             component:User
            path:'/profile',
             component:Profile
            path:'/login',
             component:Login
            path:'/register',
             component:Register
```

src\components\NoMatch\index.is

7. 按需加载

src/routeConfig.js

```
export default [
   path:'/',
   component:()=>import('./routes/IndexPage'),
   routes:[
       path:'/home',
       models:[import('./models/home')],
       component:() =>import('./routes/Home')
      path:'/user',
       component:() =>import('./routes/User')
      path:'/profile',
       component:() =>import('./routes/Profile')
      path:'/login',
       component:() =>import('./routes/Login')
       path: '/register',
       component:()=>import('./routes/Register')
 }
```

src/router.is

src/routes/Home/index.js

src/routes/IndexPage.js

```
import React from 'react';
import { connect } from 'dva';
import {Layout} from 'antd';
import NavBar from '../components/NavBar';
import (Switch) from 'dva/router';
import NoMatch from '../components/NoMatch';
import {renderRoutes,renderRedirect} from '../utils/routes';
const {Content} = Layout;
 function IndexPage (props) {
  return (
     <Layout>
       <NavBar {...props}/>
          <Switch>
            {renderRoutes(props.routes,props.app)}
{renderRedirect('/',true,props.routes)}
             <NoMatch/>
          Switch>
       Content>
    Layout>
export default connect()(IndexPage);
```

src/utils/routes.js

```
import {Route,Redirect} from 'dva/router';
function dynamic({app,models,component}) {
  class Dynamic extends React.Component{
   state={Component: null}
      componentDidMount() {
          Promise.all(
              Promise.all(models()),
         ).then(([models,Component])=>{
  models.map(item=>item.default).forEach(model=>app.model(model));
           this.setState({Component});
         });
    render(){
      let Component = this.state.Component;
return Component&&<Component {...this.props}/>
   return Dynamic;
  xport function renderRoutes(routesConfig,app) {
   return routesConfig.map(({path,exact=false,component,routes=[],models=[]},index)=>(
           path={path} exact={exact} key={index}
           component={dynamic({
             app,
models:()=>models,
             component: () => {
                return component().then(result=>{
                       let Component = result.default || result;
                       return props=><Component {...props} routes={routes}/>;
               })
         />
    ))
 export function renderRedirect(from, exact, routesConfig) {
    let (path) = routesConfig.find(route=>route.redirect)||routesConfig[0];
return <Redirect exact={exact} from={from} to={path}/>
```

src/models/home.js

```
export default {
    namespace: 'home',
    state: {
        title:'我是首页'
    }
}
```

src/routeConfig.js

```
{
    path:'/profile',
    component:()=>import('./routes/Profile'),
    authority:true
},
```