```
link null
title: 珠峰架构师成长计划
description: Home.vue
keywords: null
author: null
date: null
publisher: 珠峰架构师成长计划
stats: paragraph=31 sentences=50, words=800
```

### 菜单数据列表 #

```
$\psi x4E2A; &\psi x4EBA; &\psi x4E2D; &\psi x5FC3; Profile.vue
$\psi x5546; &\psi x5E97; Shop.vue
$\psi x5546; &\psi x5E97; Shop.vue
$\psi x2569; &\psi x6FC6; Cart.vue
$\psi x2514; &\psi x2500; &\psi x8E9C6; Cart.vue
$\psi x2514; &\psi x2500; &\psi x500; &\psi x5546; &\psi x7269; &\psi x8E66; &\psi x5217; &\psi x8868; CartList.vue
$\psi x2512; &\psi x2500; &\psi x2500; &\psi x5546; &\psi x5401; Product.vue
$\psi x2514; &\psi x2500; &\psi x5F69; &\psi x7968; Lottery.vue
```

#### admin权限,后台返回的数据 #

#### 服务端返回权限#

# 递归菜单 #

```
et getMenuList = (list) => {
let auths = [];
 function getList(pid) {
  return list.filter(l=>{
    if(1.pid === pid) {
      auths.push(1.auth); // 提取用户权限
      let children = getList(1.id);
1.children = children.length>0?children:null;
      return 1;
 \texttt{let menuList} = \texttt{getList(-1); // \&\#x901A; \&\#x8FC7; \&\#x6839; \&\#x5FAA; \&\#x73AF; \&\#x5217; \&\#x8868;}
 return {menuList,auths};
// 获 取 菜 单 列 表
export default new Vuex.Store({
  menuList:[], // 菜单列表
authList:[], // 权限列表
  hasAuthMenu: false //
#x9ED8;认没有权限菜单,如果获取菜单后改为true
 mutations: {
  setMenuList(state.menuList){
    state.menuList = menuList;
    state.authList = auths;
  hasAuthMenu(state){
   state.hasAuthMenu = true;
  1
 actions: {
  async getMenuList({commit}){
    let {data} = await axios.get('http://localhost:3000/roleAuth');
    let {menuList,auths} = getMenuList(data.menuList);
    commit('setMenuList',menuList);
    commit('authList',auths);
    commit('hasAuthMenu');
    return auths;
```

#### 静态菜单#

# 递归组件#

Home.vue

ReSub.vue

### 拆分路由#

```
// 权限路由
export let authRoutes = [
   name:'cart',
    component:() =>import('@/views/menu/Cart'),
   children:[
        path:'cart-list',
name:'cart-list',
        component:() =>import('@/views/menu/CartList'),
        children:[
           path:'lottery',
           name:'lottery',
component:()=>import('@/views/menu/Lottery'),
         },
           path: 'product',
           component:() =>import('@/views/menu/Product'),
  ]
   path:'/profile',
   name: 'profile',
   component:()=>import('@/views/menu/Profile'),
   path:'/shop',
name:'shop',
   component:()=>import('@/views/menu/Shop'),
 // 默认路由
 let defaultRoutes = [
  path: '/',
name: 'home',
   component: Home
   path: '*',
   component: NotFound
```

# 通过权限筛出路由推