

```
link: null
title: 珠峰架构师成长计划
description: src/router.js
keywords: null
author: null
date: null
publisher: 珠峰架构师成长计划
stats: paragraph=70 sentences=105, words=876
```

1. 安装 dva-cli

```
$ mkdir zhufeng-umi-dva4
$ cd zhufeng-umi-dva4
$ yarn create umi
```

2. 创建新应用

```
$ dva new zhufeng-umi-dva
$ cd zhufeng-umi-dva
$ npm start
```

3. 使用 antd

- babel-plugin-import 是用来按需加载 antd 的脚本和样式的
- 编辑 .webpackrc, 使 babel-plugin-import 插件生效。

```
cnpm i antd -S
cnpm i babel-plugin-import -D
```

```
{
  "extraBabelPlugins": [
    ["import", { "libraryName": "antd", "libraryDirectory": "es", "style": "css" }]
  ]
}
```

4. 首页导航

src/router.js

- 去掉exact属性

```
+ <Route path="/" component={IndexPage} />
```

src/routes/IndexPage.less

src/routes/IndexPage.js

```
import React from 'react';
import { connect } from 'dva';
import styles from './IndexPage.less';
import { Layout } from 'antd';
import NavBar from '../components/NavBar';
const { Content } = Layout;
function IndexPage(props) {
  return (
    <Layout>
      <NavBar {...props}/>
      <Content>内容Content
    </Layout>
  );
}
export default connect()(IndexPage);
```

src/components/NavBar/index.js

```
import { Menu } from 'antd';
import styles from './index.less';
import { Link } from 'dva/router';
import React, { Component } from 'react';
import { Layout } from 'antd';
let logo = require('../../assets/logo.png');
export default class NavBar extends Component {
  render() {
    return (
      <Layout.Header className={styles.header}>
        <img src={logo}/>
        <Menu className={styles.menu} mode="horizontal" selectedKeys={[this.props.location.pathname]} >
          <Menu.Item key="/home"><Link to="/home">主页Link</Menu.Item>
          <Menu.Item key="/user"><Link to="/user">用户管理Link</Menu.Item>
          <Menu.Item key="/profile"><Link to="/profile">个人中心Link</Menu.Item>
          <Menu.Item key="/login"><Link to="/login">登录Link</Menu.Item>
          <Menu.Item key="/register"><Link to="/register">注册Link</Menu.Item>
        </Menu>
      </Layout.Header>
    );
  }
}
```

src/components/NavBar/index.less

```
.header{
  height:48px;
  line-height: 48px;
  background-color: #FFF;
  img{
    height:48px;
  }
  .menu{
    display:inline-block;
    height:48px;
  }
}
```

5. 实现路由

src/routes/IndexPage.js

```
import React from 'react';
import { connect } from 'dva';
import styles from './IndexPage.less';
import {Layout} from 'antd';
import NavBar from '../components/NavBar';
import {Route,Switch,Redirect} from 'dva/router';
import Home from './Home';
import User from './User';
import Profile from './Profile';
import Register from './Register';
import Login from './Login';
const {Content} = Layout;
function IndexPage(props) {
  return (
    <Layout>
      <NavBar {...props}/>
      <Content>
        <Switch>
          <Route path="/home" component={Home} />
          <Route path="/user" component={User} />
          <Route path="/profile" component={Profile} />
          <Route path="/register" component={Register} />
          <Route path="/login" component={Login} />
          <Redirect to="/home"/>
        </Switch>
      </Content>
    </Layout>
  );
}
export default connect()(IndexPage);
```

6. 配置式路由

src/router.js

```
import React from 'react';
import { Router, Switch } from 'dva/router';
import {renderRoutes} from './utils/routes';
import routesConfig from './routeConfig';
function RouterConfig({ history }) {
  return (
    <Router history={history}>
      <Switch>
        {renderRoutes(routesConfig)}
      </Switch>
    </Router>
  );
}
export default RouterConfig;
```

src/routes/IndexPage.js

```
import React from 'react';
import { connect } from 'dva';
import {Layout} from 'antd';
import NavBar from '../components/NavBar';
import {Switch} from 'dva/router';
import NoMatch from '../components/NoMatch';
import {renderRoutes,renderRedirect} from '../utils/routes';
const {Content} = Layout;
function IndexPage(props) {
  return (
    <Layout>
      <NavBar {...props}/>
      <Content>
        <Switch>
          {renderRoutes(props.routes)}
          {renderRedirect('/',true,props.routes)}
          <NoMatch/>
        </Switch>
      </Content>
    </Layout>
  );
}
export default connect()(IndexPage);
```

src/utils/routes.js

```
import {Route,Redirect} from 'dva/router';
export function renderRoutes(routesConfig) {
  return routesConfig.map(({path,exact=false,component:Component,routes=[]},index)=>{
    <Route path={path} exact={exact} key={index} render={props=><Component {...props} routes={routes}/>/>
  })
}
export function renderRedirect(from,exact,routesConfig) {
  let {path} = routesConfig.find(route=>route.redirect)||routesConfig[0];
  return <Redirect exact={exact} from={from} to={path}/>
}
```

src/routeConfig.js

```
import IndexPage from './routes/IndexPage';
import Home from './routes/Home';
import User from './routes/User';
import Profile from './routes/Profile';
import Register from './routes/Register';
import Login from './routes/Login';
export default [
  {
    path: '/',
    component: IndexPage,
    routes: [
      {
        path: '/home',
        component: Home
      },
      {
        path: '/user',
        component: User
      },
      {
        path: '/profile',
        component: Profile
      },
      {
        path: '/login',
        component: Login
      }, {
        path: '/register',
        component: Register
      }
    ]
  }
]
```

src/components/NoMatch/index.js

```
import React from 'react'
export default () => {
  return (
    <div>
      此页面不存在
    </div>
  )
}
```

7. 按需加载

src/routeConfig.js

```
export default [
  {
    path: '/',
    component: ()=>import('./routes/IndexPage'),
    routes: [
      {
        path: '/home',
        models:[import('./models/home')],
        component: ()=>import('./routes/Home')
      },
      {
        path: '/user',
        component: ()=>import('./routes/User')
      },
      {
        path: '/profile',
        component: ()=>import('./routes/Profile')
      },
      {
        path: '/login',
        component: ()=>import('./routes/Login')
      }, {
        path: '/register',
        component: ()=>import('./routes/Register')
      }
    ]
  }
]
```

src/router.js

```

import React from 'react';
import { Router, Switch } from 'dva/router';
import {renderRoutes} from './utils/routes';
import routesConfig from './routeConfig';
function RouterConfig({ history,app }) {
  return (
    <Router history={history}>
      <Switch>
        {renderRoutes(routesConfig,app)}
      <Switch>
        Router>
    </Router>
  );
}
export default RouterConfig;

```

src/routes/Home/index.js

```

import React, { Component } from 'react'
import styles from './index.less';
import { connect } from 'dva';
class componentName extends Component {
  render() {
    return (
      <div>
        {this.props.title}
      </div>
    )
  }
}
export default connect(state=>state.home) (componentName);

```

src/routes/IndexPage.js

```

import React from 'react';
import { connect } from 'dva';
import {Layout} from 'antd';
import NavBar from '../components/NavBar';
import {Switch} from 'dva/router';
import NoMatch from '../components/NoMatch';
import {renderRoutes,renderRedirect} from '../utils/routes';
const {Content} = Layout;
function IndexPage(props) {
  return (
    <Layout>
      <NavBar {...props}/>
      <Content>
        <Switch>
          {renderRoutes(props.routes,props.app)}
          {renderRedirect('/',true,props.routes)}
        </Switch>
        <NoMatch/>
      </Content>
    </Layout>
  );
}
export default connect() (IndexPage);

```

src/utils/routes.js

```

import {Route,Redirect} from 'dva/router';
import dynamic from 'dva/dynamic';
export function renderRoutes(routesConfig,app){
  return routesConfig.map(({path,exact=false,component,routes=[],models=[]},index)=>(
    <Route
      path={path} exact={exact} key={index}
      component={dynamic({
        app,
        models: ()=>models,
        component: ()=>{
          return component().then(result=>{
            let Component = result.default || result;
            return props=><Component {...props} routes={routes} app={app}/>;
          })
        }
      })}
    </Route>
  ))
}

export function renderRedirect(from,exact,routesConfig){
  let {path} = routesConfig.find(route=>route.redirect)||routesConfig[0];
  return <Redirect exact={exact} from={from} to={path}/>
}

```

src/models/home.js

```
export default {  
  
  namespace: 'home',  
  
  state: {  
    title: '我是首页'  
  },  
  
  subscriptions: {  
    setup ({ dispatch, history }) {  
    },  
  },  
  
  effects: {  
    *fetch ({ payload }, { call, put }) {  
      yield put ({ type: 'save' });  
    },  
  },  
  
  reducers: {  
    save (state, action) {  
      return { ...state, ...action.payload };  
    },  
  },  
  
};
```

8. 路由守卫

```
component: () => {  
+   if (authority && !localStorage.getItem('token')) {  
+       return () =>;  
+   }  
}
```

src/routesConfig.js

```
{  
  path: '/profile',  
  component: () => import('./routes/Profile'),  
+  authority: true  
},
```