

Table of Contents

Click to jump to page.

[Index \(index.php\)](#)

[Page Header \(header.php\)](#)

[Page Footer \(footer.php\)](#)

[Home Page \(pubhome.php\)](#)

[Gear Exchange \(gear.php\)](#)

[Main Events Page \(events.php\)](#)

[Events Details \(eventDetails.php\)](#)

[Blog Page \(blog.php\)](#)

[Registration Page \(register.php\)](#)

[Address Registration page \(regAddress.php\)](#)

[Log In \(login.php\)](#)

[Log Out page \(logout.php\)](#)

[Administration Main Page \(admin.php\)](#)

[Address Update \(addUpdate.php\)](#)

[Administration Update \(addUpdate.php\)](#)

[Admin Profile Update \(adminProfileUpdate.php\)](#)

[Admin Manage Gear \(adminManageGear.php\)](#)

[Manage Events \(manageEvent.php\)](#)

[Member's Page \(member.php\)](#)

[Member Profile Update \(memProfileUpdate.php\)](#)

[Member Update \(memberUpdate.php\)](#)

[Update Email \(updateEmail.php\)](#)

Manage Gear (manageGear.php)

DataBase Connect (dbconnect.php)

Functions (functions.php)

Session Functions (session_functions.php)

Validation Functions (validation_functions.php)

403 ERROR (403.php)

404 ERROR (404.html)

```

<?php
/*****
 * Author: Howard La Flamme      *
 * Title: Index (index.php)      *
 * Description: Directs all traffic on website. *
 * Revision: 0.1.5 5/6/2015      *
 *****/

require_once('controllers/dbconnect.php');
require_once('functions/functions.php');
require_once('functions/validation_functions.php');
require_once('functions/session_functions.php');

//get action

if (isset($_POST['action'])) {
    $action = $_POST['action'];
} else if (isset($_GET['action'])) {
    $action = $_GET['action'];
} else {
    $action = 'pubhome';
}

//if user not logged in

if(!isset($_SESSION['nickName']))
{
    $_SESSION['accessLevel'] = null;
}

$_SESSION['action'] = $action ;

//perform action

switch($action) {
    case "login":

        include('views/login.php');
        break;
    //Log In Validation
    case "logMeIn":

        $nickName = $_POST['trail_Name'];
        $password = $_POST['password'];

        $required_fields = array('trail_Name', 'password');

    //reCaptcha
    if(isset($_POST['g-recaptcha-response'])&& $_POST['g-recaptcha-response'])
    {

        $secret = "6Le_MgYTAAAAAG77bicOJQUy3GtoLot5YP6WrCl8";
        $ip = $_SERVER['REMOTE_ADDR'];
        $captcha = $_POST['g-recaptcha-response'];
    }
}

```

```

    $rsp = file_get_contents("https://www.google.com/recaptcha/api/siteverify?
secret=$secret&response=$captcha&remoteip=$ip");
    $arr = json_decode($rsp,TRUE);

    if($arr['success'])
    {
        validate_presences($required_fields);
        if (!empty($errors))
        {
            $_SESSION["errors"] = $errors;

            include('views/login.php');
        }
        if (is_valid_login($nickName, $password))
        {

            if($_SESSION['accessLevel'] === '1')
            {
                $action = 'admin';
                $_SESSION['adminUpdates'] = NULL;
                include('views/admin.php');
                break;
            }
            elseif($_SESSION['accessLevel'] === '2')
            {
                $action = 'member';
                $_SESSION['memberUpdates'] = NULL;
                include('views/member.php');
                break;
            }
        }
    }
    }else{
        $_SESSION['error_message'] = 'Invalid Captcha Validation';
        include('views/login.php');
        break;
    }
    break;

//Home Page
case "pubhome":

    $_SESSION['selected'] = 'home';
    include('views/pubhome.php');
    break;

//Registration Page
case "register":

    include('views/register.php');
    break;

//First New Register Page
case "newRegister":

```

```

$firstName = $_POST['first_Name'];
$lastName = $_POST['last_Name'];
$nickName = $_POST['trail_Name'];
$password = $_POST['password'];

$required_fields = array('first_Name', 'last_Name', 'trail_Name', 'password');

validate_presences($required_fields);
if (!empty($errors))
{
    $_SESSION["errors"] = $errors;
    include('register.php');
} else {

    addMember($firstName, $lastName, $nickName, $password);

    $_SESSION['trail_Name'] = $nickName;

    include('views/regAddress.php');
}
break;

//Second Registration Page
case "registerAddress":

$email = $_POST['email'];
$address1 = $_POST['address1'];
$address2 = $_POST['address2'];
$address3 = $_POST['address3'];
$city = $_POST['city'];
$zipCode = $_POST['zipCode'];
$region = $_POST['region'];
$country = $_POST['country'];
$type = $_POST['type'];

$required_fields = array('email', 'address1', 'city', 'zipCode', 'region', 'type');

validate_presences($required_fields);
if (!empty($errors))
{
    $_SESSION["errors"] = $errors;
    include('views/regAddress.php');
} else {
    addAddress( $email, $type, $address1, $address2, $address3, $city, $zipCode, $region);

    include('views/login.php');
}
break;

//Member's Area Validation
case "member":

```

```

        memberValidate($action);
        break;

//Administration Area Validation
case "admin":

    adminValidate($action);
    break;

//Member's Profile Update Validation
case "memProfileUpdate":

    $_SESSION['memberUpdates'] = $action;
    memberValidate($action);

    break;

//Member's Profile Update
case "memUpdate":

    $fName = $_POST['firstName'];
    $lName = $_POST['lastName'];
    $nName = $_POST['nickName'];
    $userID = $_SESSION['user_id'];

    memUpdate($fName, $lName, $nName);

    $userInfo = getMemberByID($userID);

    $_SESSION['firstName']= $userInfo['firstName_usr'];
    $_SESSION['lastName']= $userInfo['lastName_usr'];
    $_SESSION['nickName']= $userInfo['nickName_usr'];

    $_SESSION['memberUpdates'] = NULL;
    $action = 'member';
    include('views/member.php');
    break;

//Admin Profile Update Validation
case "adminUpdate";

    $_SESSION['adminUpdates'] = $action;
    adminValidate($action);
    break;

//Admin Profile Update
case "admUpdate":

    $fName = $_POST['firstName'];
    $lName = $_POST['lastName'];
    $nName = $_POST['nickName'];
    $hLevel = $_POST['hikerLevel'];
    $aLevel = $_POST['accessLevel'];

```

```

$userID = $_SESSION['user_id'];

admUpdate($fName, $lName, $nName, $hLevel, $aLevel);

$userInfo = getMemberByID($userID);

$_SESSION['userID'] = $userInfo['id_usr'];
$_SESSION['firstName'] = $userInfo['firstName_usr'];
$_SESSION['lastName'] = $userInfo['lastName_usr'];
$_SESSION['nickName'] = $userInfo['nickName_usr'];
$_SESSION['accessLevel'] = $userInfo['accessLevel_ual_id_ual'];
$_SESSION['userLevel'] = $userInfo['level_lvl_id_lvl'];
$_SESSION['email'] = $userInfo['email_uad'];

$action = 'admin';

include('views/admin.php');
break;

//Member Email Update Validation
case "updateEmail":

    $_SESSION['memberUpdates'] = $action;
    memberValidate($action);
    break;

//Admin Email Update Validation
case "adminUpdateEmail":

    $_SESSION['adminUpdates'] = $action;
    adminValidate($action);
    break;

//Admin & Member Email Update
case "emailUpdate";

$email = $_POST['email'];
updateEmail($email);

if($_SESSION['accessLevel'] === '2'){
    $action = 'member';
    include('views/member.php');
    break;
}elseif($_SESSION['accessLevel'] === '1'){
    $action = 'admin';
    include('views/admin.php');
    break;
}

//Member Update address Validation
case "updateAddress":

    $_SESSION['memberUpdates'] = $action;

```

```

        memberValidate($action);
        break;

//Admin Update address Validation
case "adminAddUpdate":

    $_SESSION['adminUpdates'] = $action;
    adminValidate($action);
    break;

//Admin & Member Address Update
case "addressUpdate":

    $userID = $_SESSION['user_id'];
    $type = $_POST['type'];
    $add1 = $_POST['add1'];
    $add2 = $_POST['add2'];
    $add3 = $_POST['add3'];
    $city = $_POST['city'];
    $state = $_POST['state'];
    $zipCode = $_POST['zipCode'];

    addressUpdate($userID, $type, $add1, $add2, $add3, $city, $state, $zipCode);

    if($_SESSION['accessLevel'] === '2'){
        $action = 'member';
        include('views/member.php');
        break;
    }elseif($_SESSION['accessLevel'] === '1'){
        $action = 'admin';
        $_SESSION['adminUpdates'] = NULL;
        include('views/admin.php');
        break;
    }
    break;

//Gear Exchange
case "gear":

    include('views/gear.php');
    break;

//Gear Search
case "gearItemSearch":

    $action = 'gear';
    include('views/gear.php');
    break;

//Member Manage Gear Validation
case "manageGear":

    $_SESSION['memberUpdates'] = $action;
    memberValidate($action);

```



```

break;

//Admin Manage Gear Validation
case "adminManageGear";

    $_SESSION['adminUpdates'] = $action;
    adminValidate($action);
    break;

//Events Page
case "events":

    $_SESSION['selected']= 'events';
    include('views/events.php');
    break;

//Events Details
case "eventDetails":

    $eventName = $_POST['eventName'];

    $_POST['eventName'] = NULL;
    $_SESSION['eventDetail'] = $eventName;
    $action = 'events';
    include('views/events.php');
    break;

//Manage Events
case "manageEvents":

    $_SESSION['adminUpdates'] = $action;
    adminValidate($action);
    break;

//Hiker Blog
case "blog":

    include('views/blog.php');
    break;

//Logout
case "logout":

    $nickNameLogOut = $_SESSION['nickName'];
    logout();

    include('views/logout.php');
    break;

//404 error default
default:
    include('errors/404.html');
    break;

```

}
?>

```

<!--/*****
* Author: Howard La Flamme
* Title: Page Footer (footer.php)
* Description: Footer of site pages
* Revision: 0.1.5 5/6/2015
*****/-->

<footer class="pageFooter1">
<article class="contentFooter">
    <ul>
        <li ><a href="index.php?action=pubhome" title="Home">Trail Head</a>

        <?php
            if(!isset($_SESSION['user_id']))
            { ?>

        <li><a href="index.php?action=login" title="Login">Login</a>
        <li><a href="index.php?action=register" title="registration">Join Us</a>
        <?php } ?>

        <?php if(isset($_SESSION['accessLevel'])) {
            if($_SESSION['accessLevel'] === '1' ) { ?>
                <li><a href="index.php?action=member" title="Member's Area">Member's Area</a>

                <li><a href="index.php?action=admin" title="Administration">Administration</a>
            <?php } elseif($_SESSION['accessLevel'] === '2') { ?>
                <li><a href="index.php?action=member" title="Member's Area">Member's Area</a>
            <?php }; } ?>

    </ul>

    <h5>&copy; Copyright 2015 Couch Potato Hikers. All rights reserved. </h5>
    <div> Icons made by <a class="link" href="http://www.flaticon.com/authors/freepik" title="Freepik"
target="_blank">Freepik</a> from <a class="link" href="http://www.flaticon.com" title="Flaticon"
target="_blank">www.flaticon.com</a> is licensed by <a class="link"
href="http://creativecommons.org/licenses/by/3.0/" title="Creative Commons BY 3.0" target="_blank">CC BY
3.0</a></div>
    </article>

</footer>
</div> <!--/wrapper-->
</body>
</html>

```

```

<?php
/*****
* Author: Howard La Flamme
* Title: Page Header (header.php)
* Description: Header of site pages
* Revision: 0.1.5 5/6/2015
*****/

require_once('./functions/functions.php');
?>

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>Couch Potato Hikers</title>
<link href="css/maincss.css" rel="stylesheet" >
<meta name="viewport" content="initial-scale=1.0" />
<script src='https://www.google.com/recaptcha/api.js'></script>
</head>
<body>

<!-- Go to www.addthis.com/dashboard to customize your tools -->
<script type="text/javascript" src="//s7.addthis.com/js/300/addthis_widget.js#pubid=ra-5447b37266fcdcf"
async="async"></script>

<div class="wrapper">
<header>
<div>
<h1>Couch Potato Hikers</h1>

<!--Header Navigation-->
<nav>
<ul>
<li><a <?php if ($action === 'pubhome'){ ?> class="selected" <?php } ?> href="index.php?action=pubhome "
title="Home">Trail Head</a>

<?php if(isset($_SESSION['accessLevel']))){
if($_SESSION['accessLevel'] === '1'){ ?>

<li><a <?php if ($action === 'admin'){ ?> class="selected" <?php } ?>href="index.php?action=admin"
title="Administration">Administration</a>
<?php }elseif($_SESSION['accessLevel'] === '2'){ ?>
<li><a <?php if ($action === 'member' || $action === 'memberUpdate' || $action === 'updateEmail' || $action
=== 'memProfileUpdate' || $action === 'updateAddress' || $action === 'manageGear'){ ?> class="selected" <?php } ?
>href="index.php?action=member" title="Member's Area">Member's Area</a>
<?php }; ?>

<li><a <?php if ($action === 'gear'){ ?> class="selected" <?php } ?>href="index.php?action=gear " title="Gear
Exchange">Gear Exchange</a>

<li><a <?php if ($action === 'events'){ ?> class="selected" <?php } ?>href="index.php?action=events "
title="Events Page">Events</a>

```

```
<?php if(!isset($_SESSION['user_id'])){?>
<li><a <?php if ($action === 'register'){?> class="selected" <?php } ?> href="index.php?action=register"
title="registration">Join Us</a>
<?php } ?>

<?php
    if(isset($_SESSION['user_id']))
    {?>
    <li><a <?php if ($action === 'logout'){?> class="selected" <?php } ?> href="index.php?action=logout"
title="Logout">Welcome <?php echo htmlentities($_SESSION['nickName']);?>, Logout</a><?php }else{?>
    <li><a <?php if ($action === 'login' || $action === 'LogMeIn'){?> class="selected" <?php } ?>
href="index.php?action=login" title="Login">Login</a> <?php } ?>
</ul>
</nav>
</div>
</header>
```

```

<?php
/*****
* Author: Howard La Flamme
* Title: Home Page (pubhome.php)
* Description: Home page that Everyone can see.
* Revision: 0.1.5 5/6/2015
*****/

include('views/includes/header.php');
?>
<article class="content1">
    <h1 class="pageTitle">Welcome to the Trail Head</h1>
</article>
<!--About CPH-->
<article class="content2">

    <h2>About Us</h2>
    <p>Like many families, we spend far too much time sitting whether it be on the couch watching TV or playing video games, or in front of a computer working, surfing the Internet, or playing. We sit and &quot;vegetate&quot;, relax and chill, but rarely get up and out to see the sun, feel the breeze, and sense the earth under our feet. </p>

    <p>This is where the Couch Potato Hikers comes in. Started as a lark to motivate ourselves to get up off the couch and explore this big wonderful world we live in, CPH is growing into a community of like minded people that want to get out of the house and explore. Like our community, the CPH website is always growing and improving.</p>

    <p>Wont you join use and share the experience of be part of a community that encourages exploring the great outdoors.</p>

</article>
<!-- Events Table -->
<article class="contentTable">
    <h2>Events</h2>
    <p class="eventLink">For more information,<br>Vist the <a class="link" href="index.php?action=events">Events page</a></p>

    <table>
        <thead>
            <tr>
                <th>Name</th><th>Location</th>
                <th>Date/Time</th>
            </tr>
        </thead>
    <?php
        $events = getEvents();
        foreach ($events as $event):
    ?>
        <tbody>
            <tr>
                <td><?php echo $event['name_evt']; ?></td>
                <td><?php echo $event['location_evt']; ?></td>
                <td><?php echo $event['dateTime_evt'] ?></td>

```

```
        </tr>
    <?php endforeach; ?>
    </tbody>
</table>
</article>

<article class="content2">
    <h1>Coming Soon</h1>
    <h2>Hiker Blog</h2>
    <p><a href="index.php?action=blog" title="Hiker Blog">Click Here</a> to visit the Hiker Blog</p>
</article>

<div class="floatReset"></div>

<?php
    include('views/includes/footer.php');
?>
```

```

<?php
/*****
* Author: Howard La Flamme          *
* Title: Gear Exchange (gear.php)   *
* Description: Displays Gear for sale/trade. *
* Revision: 0.1.5 5/6/2015          *
*****/

    include('includes/header.php');
?>

<article class="content1">
    <h1>Gear Exchange</h1>
</article>

<div class="contentTable1">
    <form action="index.php" method="post" id="gearItemSearchForm" name="gearItemSearchForm">
        <?php
            $errors = errors();
            echo form_errors($errors);
        ?>

        <input type="hidden" name="action" value="gearItemSearch">

        <input type="text" name="searchItem" placeholder="Item Name">

        <input type="submit" value="Search Gear" />
    </form>

    <table>

        <tr>
            <th>Catagory</th><th>Description</th>
            <th>Condition</th><th>Listing Member</th><th>Date Listed</th>
        </tr>

        <?php
            if(!isset($_POST['searchItem'])){
                $gears = getGear();
            }else{
                $item = $_POST['searchItem'];
                $_POST['searchItem'] = null;
                $gears = findGear($item);

                if(isset($_SESSION['error_message']))
                {
                    ?><h3><span class='redText'>Sorry, <?php echo
htmlentities($_SESSION['error_message']);?>, Please try again.</span></h3>
                    <?php
                        $_SESSION['error_message']= NULL;
                    }
                }
            }
        ?>
    </div>

```



```
}
```

```
foreach ( $gears as $gear):
```

```
?>
```

```
<tbody>
```

```
<tr>
```

```
<td><?php echo $gear['name_gex']; ?></td>
```

```
<td><?php echo $gear['description_gex']; ?></td>
```

```
<td><?php echo $gear['condition_con']; ?></td>
```

```
<td><?php echo $gear['nickName_usr']; ?></td>
```

```
<td><?php echo $gear['dateAdded_gex']; ?></td>
```

```
</tr>
```

```
<?php endforeach; ?>
```

```
</tbody>
```

```
</table>
```

```
</div><!--/contenttable1-->
```

```
<div class="floatReset"></div>
```

```
<?php
```

```
include('views/includes/footer.php');
```

```
?>
```

```

<?php
/*****
* Author: Howard La Flamme          *
* Title: Main Events Page (events.php)      *
* Description: Displays events with links for more *
*          information.                *
* Revision: 0.1.5 5/6/2015          *
*****/

include('includes/header.php');
?>

<article class="content1">
    <h1 class="pageTitle">Events</h1>
</article>
<!-- Events Table -->
<?php if (isset($_SESSION['eventDetail']))
{?>
    <article class="contentTable">
<?php }else{
    ?>
    <article class="contentTable1">
    <?php
    }?>

    <table>
        <thead>
            <tr>
                <th>Name</th><th>Location</th>
                <th>Date/Time</th>
            </tr>
        </thead>

        <?php
        $events = getEvents();

        foreach ($events as $event):?>

            <tbody>
                <tr><?php $_POST['eventName'] = NULL; ?>
                    <td><?php echo $event['name_evt'];?><form action="index.php" method="post"
id="SelectEvent"><input type="hidden" name="action" value="eventDetails">
                    <input type="hidden" name="eventName" value="<?php echo $event['name_evt'];?>"><input
type="submit" value="More Info"></form></td>
                    <td><?php echo $event['location_evt']; ?></td>

                    <td><?php echo $event['dateTime_evt'] ?></td>

                </tr>

            <?php endforeach; ?>

        </tbody></table>
</article>

```

```
<!-- Event Details-->
<?php
include('includes/events/eventDetail.php');
?>

</article>
```

```
<div class="floatReset"></div>
<?php include('includes/footer.php');
?>
```

```

<?php
/*****
* Auther: Howard La Flamme          *
* Title: Events Details (eventDetails.php)      *
* Description: displays details of selected event.    *
* Revision: 0.1.5 5/6/2015          *
*****/

    if(isset($_SESSION['eventDetail']))
    { ?>
        <article class="content2">
<?php

        $_SESSION['eventDetail'] = $eventName;
        $eventDetails = getEventDetails($eventName);

        foreach ($eventDetails as $key => $eventDetail):

            ?><h2 class="pageTitleH2"><?php echo htmlentities($eventDetail['name_evt']);?></h2>
            <h3>When:</h3>
                <p><?php echo htmlentities($eventDetail['dateTime_evt']);
                ?></p>
            <h3>Where:</h3>
                <p><?php echo htmlentities($eventDetail['location_evt']); ?><br><?php echo
htmlentities($eventDetail['name_sre']);echo ', ';
                echo htmlentities($eventDetail['country_cou']);?></p>
            <h3>Description:</h3>
                <p><?php echo htmlentities($eventDetail['description_evt'])?></p>
        <?php endforeach;
    }
    $_SESSION['eventDetail'] = NULL;
    ?>
</article>

```

```

<?php
/*****
* Author: Howard La Flamme      *
* Title: Blog Page (blog.php)   *
* Description: Everyone can see, members can post, admin*
* can post & edit.  A place to share stories & tips.  *
* Revision: 0.1.5 5/6/2015      *
*****/

include('views/includes/header.php');
?>

<article class="content1">
    <h1 class="pageTitle">Hiker Blog</h1>
</article>
<!--About CPH-->
<article class="content1">

    <h2>Coming Soon</h2>
    <p>A place to share stories, tips, and gear reviews.</p>
    <p><a class="link" href="index.php?action=pubhome" title="Return to the Trail Head">Click Here</a> to
return to the Trail Head</p>

</article>

<?php include('views/includes/footer.php');
?>

```

```
require_once('functions/session_functions.php');
require_once('functions/validation_functions.php');
include('views/includes/header.php');
?>
```

```
<?php
    if (isset($error_message))
    {
        echo $error_message;
    }

    //Field Validation
    $errors = errors();
    echo form_errors($errors);
?>

<form action="index.php" method="post" id="registerForm">

    <fieldset><h1>New Member Registration</h1></fieldset>
    <p>Fields marked with an asterisks (<span class="redText">*</span>) are required.</p>

    <input type="hidden" name="action" value="newRegister">

    First Name <span class="redText">*</span><br>
        <input type="text" name="first_Name" placeholder="John" required value="<?php
if(isset($_POST['first_Name'])) echo $_POST['first_Name'];?>"><br>

    Last Name <span class="redText">*</span><br>
        <input type="text" name="last_Name" placeholder="Doe" required value="<?php
if(isset($_POST['last_Name'])) echo $_POST['last_Name'];?>"><br>

    Trail Name (User ID) <span class="redText">*</span><br>
        <input type="text" name="trail_Name" placeholder="Nick Name" required value="<?php
if(isset($_POST['trail_Name'])) echo $_POST['trail_Name'];?>"><br>

    Password <span class="redText">*</span><br>
        <input type="password" name="password" required placeholder="*****" pattern="(?!
=.*\d)(?=.*\W+)(?![\.n])(?=.*[A-Z])(?=.*[a-z]).*$" title="Password must be at least 8 characters long a
Uppercase, Lowercase, Number, and Special Character (ex: ! @ # $ % ^ )."><br>

    <input type="submit" value="Next">

</form>
```

</article>

<?php
include('views/includes/footer.php');
?>

```

<?php
/*****
* Author: Howard La Flamme
* Title: Address Registration page (regAddress.php)
* Description: Second page of registration for address*
* and email.
* Revision: 0.1.5 5/6/2015
*****/

require_once('functions/session_functions.php');
require_once('functions/validation_functions.php');
include('views/includes/header.php');

?>

<article class="content1">
<?php
    if (isset($error_message))
    {
        echo $error_message;
    }
?>

<div>
<?php
    //Field Validation
    $errors = errors();
    echo form_errors($errors);
?>

<form action="index.php" method="post" id="registerAddressForm">

    <fieldset><h1>New Member Registration</h1>
        <h3>Add Address</h3></fieldset>
        <p>Fields marked with an asterisks (*) are required.</p>

        <input type="hidden" name="action" value="registerAddress">

        email<span class="required">*</span><br>
            <input type="text" name="email" placeholder="example@email.com" required value="<?php
if(isset($_POST['email'])) echo $_POST['email'];?>"><br>

        Address Type:<br>
            <select name="type" required>
                <option value="">Please Select</option>
                <option value="home">Home</option>
                <option value="business">Business</option>
                <option value="other">Other</option>
            </select>
            <br>

        Address<span class="required">*</span><br>
            <input type="text" name="address1" placeholder="555 Example St" required value="<?php

```



```

if(isset($_POST['address1']))echo $_POST['address1'];?>"><br>

    Address 2:<br>
        <input type="text" name="address2" placeholder="optional" value="<?php
if(isset($_POST['address2'])) echo $_POST['address2'];?>"><br>

    Address 3:<br>
        <input type="text" name="address3" placeholder="optional" value="<?php
if(isset($_POST['address3'])) echo $_POST['address3'];?>"><br>

    City<span class="required">*</span>:<br>
        <input type="text" name="city" placeholder="Asheville" required value="<?php
if(isset($_POST['city'])) echo $_POST['city'];?>"><br>

    State/Provence<span class="required">*</span>:<br>
        <select name="region" required>
            <option value="">Please Select</option>
            <?php $regions = allRegions();

                foreach ($regions as $region): ?>
                    <option value="<?php echo htmlentities($region['id_sre'])?>"><?php echo
htmlentities($region['name_sre']);?></option>
                <?php endforeach;?>
            </select>
        <br>

    Country:<br>
        <select name="country">
            <option value="">Please Select</option>
            <?php $countrys = allCountrys();

                foreach ($countrys as $country): ?>
                    <option value="<?php echo htmlentities($country['id_cou'])?>"><?php echo
htmlentities($country['country_cou']);?></option>
                <?php endforeach;?>
            </select>
        <br>

    Postal Code/ Zip Code:<br>
        <input type="text" name="zipCode" placeholder="00000-0000" required value="<?php
if(isset($_POST['zipCode'])) echo $_POST['zipCode'];?>"><br>

        <input type="submit" value="Continue" />
    </form>

</div><!--/form-->
</article>

<?php
    include('views/includes/footer.php');
?>

```

```

<?php
/*****
* Author: Howard La Flamme
* Title: Log In (login.php)
* Description: Login page for Members & Admin.
* Revision: 0.1.5 5/6/2015
*****/

include('views/includes/header.php');
?>

<article class="content1">

    <?php if(isset($_SESSION['error_message']))
    {
    ?>
        <h2><span class="redText"><?php echo htmlentities($_SESSION['error_message']); ?></span></h2>
        <p>Please try again. Not yet a member? <a href="index.php?action=register">Register Here</a> to join
the hike.</p>
        <?php
        }
        $_SESSION['error_message'] = null;
    ?>
<div><!-- login form-->
    <?php
    //Field Validation
    $errors = errors();
    echo form_errors($errors);
    ?>
    <form action="index.php" method="post" id="loginForm">

        <h1>CPH Member Login</h1>
        <p>Fields marked with an asterisks (<span class="redText">*</span>) are required.</p>

        <input type="hidden" name="action" value="logMeIn">

        Trail Name <span class="redText">*</span>:<br>
        <input type="text" name="trail_Name" required placeholder="User Name" value="<?php
if(isset($_SESSION['trail_Name'])) {echo $_SESSION['trail_Name'];} ?>"><br>

        Password <span class="redText">*</span>:<br>
        <input type="password" name="password" required placeholder="*****" ><br>

        <!--reCaptcha-->
        <div class="g-recaptcha" data-
sitekey="6Le_MgYTAAAAALAtSdipFL2xWNpb4PGvg7Gs3GGF"></div>

        <input type="submit" value="login" >
    </form><!-- form -->
</div><!--/form-->
</article>

<?php
include('views/includes/footer.php');

```

?>
</div><!--/wrapper-->

```
<?php
/*****
* Author: Howard La Flamme          *
* Title: Log Out page (logout.php)  *
* Description: Logout page for Members & Admin.      *
* Revision: 0.1.5 5/6/2015          *
*****/

    include('views/includes/header.php');
?>
<article class="content1">
    <h1>You have logged out</h1>
    <p>Goodbye <?php echo htmlentities($nickNameLogOut); ?>, would you like to <a href="index.php?
action=login">login</a> again?</p>
</article>

<?php include('views/includes/footer.php');
?>
```

```

<?php
/*****
 * Author: Howard La Flamme *
 * Title: Administration Main Page (admin.php) *
 * Description: Administration Page display Admin info*
 * and links for admionistration *
 * Revision: 0.1.5 5/6/2015 *
 *****/
include('includes/header.php');
?>

<article class="content1">
  <h1 class="pageTitle">Admin Page</h1>
</article>
<!-- show Admin info -->
<article class="content2">
  <?php
    $userID = $_SESSION['user_id'];
    $userInfo = getMemberByID($userID);

    if(($_SESSION['adminUpdates'] != 'adminManageGear') || ($_SESSION['adminUpdates'] === NULL))
    {
  ?>

  <h2>User Profile</h2>

  <div class="floatLeft">
    <h3>Name:</h3>
    <p><?php echo htmlentities($userInfo['firstName_usr']).' '.htmlentities($userInfo['lastName_usr']);?></p>

    <h3>Trail Name:</h3>
    <p><?php echo htmlentities($userInfo['nickName_usr']);?></p>

    <h3>Email:</h3>
    <p><?php echo htmlentities($userInfo['email_uad']);?></p>

    <h3>Hiker Level:</h3>
    <p><?php echo htmlentities($userInfo['name_lvl']);?></p>

    <h3>Access Level:</h3>
    <p><?php echo htmlentities($userInfo['accessLvl_uad']);?></p>
  </div>

  <div class="floatLeft">
    <h3>Address Type:</h3>
    <p><?php echo htmlentities($userInfo['type_uad']);?></p>

    <h3>Address:</h3>
    <p><?php echo htmlentities($userInfo['address1_uad']);?></p>

    <?php if($userInfo['address2_uad'] != NULL) { ?>
    <h3>Address 2:</h3>
    <p><?php echo htmlentities($userInfo['address2_uad']);?></p>
  }
}

```

```

<?php } ?>

<?php if($userInfo['address3_uad'] != NULL) { ?>
    <h3>Address 3:</h3>
    <p><?php echo htmlentities($userInfo['address3_uad']);?></p>
<?php } ?>

<h3>City:</h3>
<p><?php echo htmlentities($userInfo['city_uad']);?></p>

<h3>State/Province:</h3>
<p><?php echo htmlentities($userInfo['name_sre']);?></p>

<h3>Country:</h3>
<p><?php echo htmlentities($userInfo['country_cou']);?></p>

<h3>Postal/Zip Code:</h3>
<p><?php echo htmlentities($userInfo['postalCode_uad']);?></p>

</div>
<div class="floatReset"></div>
</article>
<!-- admin update links/forms-->
<?php
include('includes/admin/adminUpdate.php');
}elseif($_SESSION['adminUpdates'] === 'adminManageGear'){

    $userGears = getUserGear($userID);
    ?>

<h2>Listed Gear</h2>
<div>

    <?php
        if(isset($_SESSION['error_message']))
        {
            ?><h3>You have no items listed<br> on the Gear Exchange.</h3>
            <?php
                $_SESSION['error_message'] = NULL;
            }

            foreach($userGears as $userGear):
                ?>

                <h3>Item ID:</h3>
                <p><?php echo htmlentities($userGear['id_gex']);?></p>

                <h3>Category:</h3>
                <p><?php echo htmlentities($userGear['name_gex']);?></p>

                <h3>Condition:</h3>
                <p><?php echo htmlentities($userGear['condition_con']);?></p>

```

```
<h3>Description:</h3>
<p><?php echo htmlentities($userGear['description_gex']);?></p>
```

```
<h3>Date Added:</h3>
<p><?php echo htmlentities($userGear['dateAdded_gex']);?></p>
```

```
</div>
<?php
    endforeach;
?>
</article>
```

```
<?php
    include('includes/admin/adminUpdate.php');
}
?>
```

```
<div class="floatReset"></div>
<?php
    include('includes/footer.php');
?>
```

```

<?php
/*****
* Auther: Howard La Flamme      *
* Title: Address Update (addUpdate.php)      *
* Description: Provides Forms for updateing   *
*          address.                *
* Revision: 0.1.5 5/6/2015      *
*****/

if(isset($_SESSION['memberUpdates'])){
    $action = 'member';
    $page = 'Member';
    $_SESSION['memberUpdates'] = NULL;
}elseif(isset($_SESSION['adminUpdates'])){
    $action = 'admin';
    $page = 'Administration';
    $_SESSION['adminUpdates'] = NULL;
}

?>

<div class="content2">
    <h2>Update Your Address</h2>
    <form action="index.php" method="post" id="addressUpdateForm">

    <?php
        $errors = errors();
        echo form_errors($errors);
        $_SESSION['memberUpdates']=NULL;

    ?>

        <input type="hidden" name="action" value="addressUpdate">

        Address Type:<br>
        <select name="type">
            <option selected value="<?php echo htmlentities($UserInfo['type_uad']);?>"><?php echo
htmlentities($UserInfo['type_uad']);?></option>
            <option value="Home">Home</option>
            <option value="Business">Business</option>
            <option value="Other">Other</option>
        </select><br>

        Address:
        <br><input type="text" name="add1" value="<?php echo htmlentities($UserInfo['address1_uad']);?
>"><br>

        Address 2:
        <br><input type="text" name="add2" placeholder="Optional" value="<?php echo
htmlentities($UserInfo['address2_uad']);?>"><br>

        Address 3:
        <br><input type="text" name="add3" placeholder="Optional" value="<?php echo
htmlentities($UserInfo['address3_uad']);?>"><br>
        City:
        <br><input type="text" name="city" value="<?php echo htmlentities($UserInfo['city_uad']);?

```


>">

State/Province:

```
<br><select name="state">
  <option selected value="<?php echo htmlentities($userInfo['id_sre']);?>"><?php echo
htmlentities($userInfo['name_sre']);?></option>
  <?php $states = allRegions();

      foreach ($states as $state):
?>
  <option value="<?php echo htmlentities($state['id_sre']);?>"><?php echo
htmlentities($state['name_sre']);?></option>
  <?php
      endforeach;
?>
</select><br>
```

Country (Updated automatically based on State/Province):

```
<br><input type="text" name="zipCode" value="<?php echo
htmlentities($userInfo['country_cou']);?>"><br>
```

Postal/Zip Code:

```
<br><input type="text" name="zipCode" value="<?php echo
htmlentities($userInfo['postalCode_uad']);?>"><br>
```

```
<input type="submit" value="Update Address" />
```

```
</form>
```

```
</div><!--/form-->
```

```

<?php
/*****
* Auther: Howard La Flamme *
* Title: Administration Update (addUpdate.php) *
* Description: Provides Forms for updateing *
* address. *
* Revision: 0.1.5 5/6/2015 *
*****/

if (!isset($_SESSION['adminUpdates'])){

?>
<article class="content2">

<h2>Administrator Actions</h2>
<ul>
<li><a class="link" href="index.php?action=adminUpdate" title="Admin Update">Update Profile</a>

<li><a class="link" href="index.php?action=adminAddUpdate" title="Address Update">Update Address</a>

<li><a class="link" href="index.php?action=adminUpdateEmail" title="Update Email">Update Email</a>

<li><a class="link" href="index.php?action=adminManageGear" title="Manage Your Gear Exchange
Items">Manage Your Gear</a> on the Gear Exchange

<li><a class="link" href="index.php?action=manageEvents" title="Manage Events">Manage Events</a>
</ul>
</article>

<?php
}elseif($_SESSION['adminUpdates'] === 'adminUpdate'){
include('../updateForms/adminProfileUpdate.php');
}elseif($_SESSION['adminUpdates'] === 'adminUpdateEmail'){
include('../updateForms/updateEmail.php');
}elseif($_SESSION['adminUpdates'] === 'adminAddUpdate'){
include('../updateForms/addUpdate.php');
}elseif($_SESSION['adminUpdates'] === 'adminManageGear'){
include('../gearExchange/adminManageGear.php');
}elseif($_SESSION['adminUpdates'] === 'manageEvents'){
include('../events/manageEvents.php');
}

?>

```

```

<!--/*****
* Author: Howard La Flamme
* Title: Admin Profile Update (adminProfileUpdate.php)*
* Description: Provides links for various
* admin actions and forms for updates.
* Revision: 0.1.5 5/6/2015
*****/-->
<article class="content2">
<div>
<h2>Update Your Profile</h2>
<form action="index.php" method="post" id="adminUpdateForm">
<?php
$errors = errors();
echo form_errors($errors);

?>

<input type="hidden" name="action" value="admUpdate">

First Name:<br>
<input type="text" name="firstName" required autofocus value="<?php
if(isset($_SESSION['firstName'])) echo $_SESSION['firstName'];?>"><br>

Last Name:<br>
<input type="text" name="lastName" required value="<?php
if(isset($_SESSION['lastName'])) echo $_SESSION['lastName'];?>"><br>

Trail Name (User ID):
<br><input type="text" name="nickName" placeholder="Nick Name" required value="<?php
if(isset($_SESSION['nickName'])) echo $_SESSION['nickName'];?>"><br>

Hiker Level:<br>
<select name="hikerLevel">
<option selected value="<?php echo htmlentities($userInfo['name_lvl']);?>"><?php echo
htmlentities($userInfo['name_lvl']);?></option>

<?php $hikerLevels = allHikerLevels();

foreach ($hikerLevels as $hikerLevel): ?>
<option value="<?php echo htmlentities($hikerLevel['name_lvl'])?>"><?php echo
htmlentities($hikerLevel['name_lvl']).' ( '. htmlentities($hikerLevel['description_lvl']).' );?></option>
<?php endforeach;?>
</select>

<br>
Access Level:<br>
<select name="accessLevel">
<?php $accessLevels = allAccessLevels();

foreach ($accessLevels as $accessLevel): ?>
<option value="<?php echo htmlentities($accessLevel['accessLvl_ual'])?>"><?
php echo htmlentities($accessLevel['accessLvl_ual']);?></option>
<?php endforeach;?>

```

```
        </select>
        <br><br>
        <input type="submit" value="Update" />
    </form>
</div><!--/form-->
</article>
```

```

<?php
/*****
* Author: Howard La Flamme      *
* Title: Admin Manage Gear (adminManageGear.php)      *
* Description: Provides forms to manage gear an *
*   admin has listed on the Gear Exchange and      *
*   provides ability to remove any listings.      *
* Revision: 0.1.5 5/6/2015      *
*****/

    if($_SESSION['accessLevel'] === '2'){
        $action = 'member';
        $page = 'Member';
        $_SESSION['memberUpdates'] = NULL;
    }elseif($_SESSION['accessLevel'] === '1'){
        $action = 'admin';
        $page = 'Administration';
        $_SESSION['adminUpdates'] = NULL;
    }
?>

<article class="content2">
    <h1>Coming Soon</h1>
    <h2>Manage Your Gear<br> on the Gear Exchange</h2>
    <p><a class="link" href="index.php?action=?php echo htmlentities($action)?>" title="Return to Member's
Page">Click Here</a> to return to <?php echo htmlentities($page)?> Actions</p>
</article>

```

```

<?php
/*****
 * Auther: Howard La Flamme *
 * Title: Manage Events (manageEvent.php) *
 * Description: Provides forms for administrators*
 * to manage Evnets *
 * Revision: 0.1.5 5/6/2015 *
 *****/

if($_SESSION['accessLevel'] === '1'){
    $action = 'admin';
    $page = 'Administration';
    $_SESSION['adminUpdates'] = NULL;
}

?>

<article class="content2">
    <h1>Coming Soon</h1>
    <h2>Manage Events</h2>
    <p><a class="link" href="index.php?action=<?php echo htmlentities($action)?>" title="Return to Administrator
Page">Click Here</a> to return to <?php echo htmlentities($page)?> Actions</p>
</article>

```

```

<?php
/*****
 * Author: Howard La Flamme      *
 * Title: Member's Page (member.php)      *
 * Description: Provides Member information and *
 * links for various member actions.      *
 * Revision: 0.1.5 5/6/2015      *
 *****/

include('includes/header.php');
?>

<article class="content1">
  <h1 class="pageTitle">Member Page</h1>
</article>

<!-- show member info -->
<article class="content2">
  <?php
    $userID = $_SESSION['user_id'];
    $userInfo = getMemberByID($userID);

    if(($_SESSION['memberUpdates'] != 'manageGear') || ($_SESSION['memberUpdates'] === NULL))
    {
      ?>

<h2>User Profile</h2>
<div class="floatLeft">
  <h3>Name:</h3>
  <p><?php echo htmlentities($userInfo['firstName_usr']).' '.htmlentities($userInfo['lastName_usr']);?></p>

  <h3>Trail Name:</h3>
  <p><?php echo htmlentities($userInfo['nickName_usr']);?></p>

  <h3>Email:</h3>
  <p><?php echo htmlentities($userInfo['email_uad']);?></p>

  <h3>Hiker Level:</h3>
  <p><?php echo htmlentities($userInfo['name_lvl']);?></p>

  <h3>Access Level:</h3>
  <p><?php echo htmlentities($userInfo['accessLvl_uad']);?></p>
</div>

<div class="floatLeft">
  <h3>Address Type:</h3>
  <p><?php echo htmlentities($userInfo['type_uad']);?></p>

  <h3>Address:</h3>
  <p><?php echo htmlentities($userInfo['address1_uad']);?></p>

  <?php if($userInfo['address2_uad'] != NULL) { ?>
    <h3>Address 2:</h3>

```

```

        <p><?php echo htmlentities($UserInfo['address2_uad']);?></p>
    <?php } ?>

    <?php if($UserInfo['address3_uad'] != NULL) { ?>
        <h3>Address 3:</h3>
        <p><?php echo htmlentities($UserInfo['address3_uad']);?></p>
    <?php } ?>

    <h3>City:</h3>
    <p><?php echo htmlentities($UserInfo['city_uad']);?></p>

    <h3>State/Provence:</h3>
    <p><?php echo htmlentities($UserInfo['name_sre']);?></p>

    <h3>Country:</h3>
    <p><?php echo htmlentities($UserInfo['country_cou']);?></p>

    <h3>Postal/Zip Code:</h3>
    <p><?php echo htmlentities($UserInfo['postalCode_uad']);?></p>

    </div>
    <div class="floatReset"></div>
</article>
<!-- member update links/forms-->
<?php
    include('includes/members/memberUpdate.php');
    }elseif($_SESSION['memberUpdates'] === 'manageGear'){

        $userGears = getUserGear($userID);
        ?>

    <h2>Listed Gear</h2>
    <div>

        <?php
            if(isset($_SESSION['error_message']))
            {
                ?><h3>You have no items listed<br> on the Gear Exchange.</h3>
                <?php
                    $_SESSION['error_message'] = NULL;
                }echo $_SESSION['error_message'];
                foreach($userGears as $userGear):
                    ?>

                    <h3>Item ID:</h3>
                    <p><?php echo htmlentities($userGear['id_gex']);?></p>

                    <h3>Category:</h3>
                    <p><?php echo htmlentities($userGear['name_gex']);?></p>

                    <h3>Condition:</h3>
                    <p><?php echo htmlentities($userGear['condition_con']);?></p>

                    <h3>Description:</h3>

```



```
<p><?php echo htmlentities($userGear['description_gex']);?></p>

<h3>Date Added:</h3>
<p><?php echo htmlentities($userGear['dateAdded_gex']);?></p>
<hr/>
</div>
<div class=".floatReset"></div>
<?php
    endforeach;
?>
</article>
<?php
    include('includes/members/memberUpdate.php'); }
?>

<div class="floatReset"></div>
<?php
    include('includes/footer.php');
?>
```

```

<!--/*****
* Author: Howard La Flamme
* Title: Member Profile Update (memProfileUpdate.php)*
* Description: Provides links for various
* member actions and forms for updates.
* Revision: 0.1.5 5/6/2015
*****/-->

<article class="content2">
<div>
<h2>Update Your Profile</h2>
<p>Fields marked with an asterisks (<span class="redText">*</span>) are required.</p>

<form action="index.php" method="post" id="memUpdateForm">
<?php
$errors = errors();
echo form_errors($errors);
$_SESSION['memberUpdates']=NULL;
?>

<input type="hidden" name="action" value="memUpdate">

First Name <span class="redText">*</span>:<br>
<input type="text" name="firstName" required autofocus value="<?php
if(isset($_SESSION['firstName'])) echo $_SESSION['firstName'];?>"><br>

Last Name <span class="redText">*</span>:<br>
<input type="text" name="lastName" required value="<?php if(isset($_SESSION['lastName']))
echo $_SESSION['lastName'];?>"><br>

Trail Name (User ID) <span class="redText">*</span>:
<br><input type="text" name="nickName" placeholder="Nick Name" required value="<?php
if(isset($_SESSION['nickName'])) echo $_SESSION['nickName'];?>"><br>

<input type="submit" value="Update Profile" />
</form>
</div><!--/form-->

<div class="userInfo">
<p>Access Level: <?php echo htmlentities($_SESSION['accName']); ?></p>
<p>Hiker Level: <?php echo htmlentities($_SESSION['userLevelName']); ?></p>
</div>
</article>

```

```

<?php
/*****
* Author: Howard La Flamme      *
* Title: Member Update (memberUpdate.php)      *
* Description: Provides links for various      *
* member actions and forms for updates.      *
* Revision: 0.1.5 5/6/2015      *
*****/

    if (!isset($_SESSION['memberUpdates']))
    {
?>
<article class="content2">

    <h2>Member Actions</h2>
    <ul>

        <li><a class="link" href="index.php?action=memProfileUpdate" title="Member Update">Update Profile</a>

        <li><a class="link" href="index.php?action=updateEmail" title="Update Email">Update Email</a>

        <li><a class="link" href="index.php?action=updateAddress" title="Update Address">Update Address</a>

        <li><a class="link" href="index.php?action=manageGear" title="Manage Your Gear Exchange Items">Manage
Your Gear</a> on the Gear Exchange
    </ul>
</article>
<?php
    }elseif($_SESSION['memberUpdates'] === 'memProfileUpdate'){
        include('../updateForms/memProfileUpdate.php');
    }elseif($_SESSION['memberUpdates'] === 'updateEmail'){
        include('../updateForms/updateEmail.php');
    }elseif($_SESSION['memberUpdates'] === 'updateAddress'){
        include('../updateForms/addUpdate.php');
    }elseif($_SESSION['memberUpdates'] === 'manageGear'){
        include('../gearExchange/manageGear.php');
    }
?>

```

```

<?php
/*****
* Author: Howard La Flamme          *
* Title: Update Email (updateEmail.php)      *
* Description: form to update email          *
* Revision: 0.1.5 5/6/2015              *
*****/

    if(isset($_SESSION['memberUpdates'])){
        $action = 'member';
        $page = 'Member';
        $_SESSION['memberUpdates'] = NULL;
    }elseif(isset($_SESSION['adminUpdates'])){
        $action = 'admin';
        $page = 'Administration';
        $_SESSION['adminUpdates'] = NULL;
    }
?>

<article class="content2">
    <h2>Update Your Email</h2>
    <form action="index.php" method="post" id="emailUpdateForm">
        <?php
            $errors = errors();
            echo form_errors($errors);
            $_SESSION['memberUpdates']=NULL;
        ?>

        <input type="hidden" name="action" value="emailUpdate">

        Email:
        <br><input type="text" name="email" placeholder="example@email.com" required value="<?php
echo htmlentities($userInfo['email_uad']);?>"><br>

        <input type="submit" value="Update Email" />
    </form>
</article>

```

```

<?php
/*****
* Author: Howard La Flamme      *
* Title: Manage Gear (manageGear.php)      *
* Description: Provides forms to manage gear a *
*          member has listed on the Gear Exchange  *
* Revision: 0.1.5 5/6/2015      *
*****/

    if($_SESSION['accessLevel'] === '2'){
        $action = 'member';
        $page = 'Member';
        $_SESSION['memberUpdates'] = NULL;
    }elseif($_SESSION['accessLevel'] === '1'){
        $action = 'admin';
        $page = 'Administration';
        $_SESSION['adminUpdates'] = NULL;
    }
?>

<article class="content2">
    <h1>Coming Soon</h1>
    <h2>Manage Your Gear<br> on the Gear Exchange</h2>
    <p><a class="link" href="index.php?action=<?php echo htmlentities($action)?>" title="Return to Member's
Page">Click Here</a> to return to <?php echo htmlentities($page)?> Actions</p>
</article>

```

```

<?php
/*****
 * Author: Howard La Flamme      *
 * Title: DataBase Connect (dbconnect.php)    *
 * Description: Provides connectivity to database*
 * Revision: 0.1.5 5/6/2015      *
 *****/
if ($_SERVER['HTTP_HOST'] == 'localhost:8080')

{ /*Local Host*/
    $dsn = 'mysql:host=localhost;dbname=cph';
    $username = 'root';
    $password = "";
    //echo "Phase 3: Showing data from cph.user_usr and cph.accesslevel_ual on Localhost";
}
else
{
    /*WebHost*/
    $dsn = 'mysql:host=localhost;dbname=techrat_cph';
    $username = 'techrat_hiker';
    $password = 'hike>';
    //echo "Phase 3: Showing data from cph.user_usr and cph.accesslevel_ual on web server";
}

try {
    $db = new PDO($dsn, $username, $password);
} catch (PDOException $e) {
    $_SESSION['error_message'] = "OH SNAP!";

    exit();
}
?>

```

```

<?php
/*****
 * Author: Howard La Flamme      *
 * Title: Functions (functions.php) *
 * Description: function providing functionality*
 * Revision: 0.1.5 5/6/2015      *
 *****/

require_once('/session_functions.php');
require_once('../controllers/dbconnect.php');
require_once('/validation_functions.php');

/*****
 *function name: form_errors      *
 *arguments: $errors (array)      *
 *returned data: if error returns*
 *   error message.              *
 *description: if errors in for   *
 *   are found, returns error     *
 *   message.                    *
 *Dependencies:                  *
 *****/
function form_errors($errors=array())
{
    $output = "";
    if(!empty($errors))
    {
        $output .= "<div class=\"error\">";
        $output .= "Please fix the following errors:";
        $output .= "<ul>";
        foreach ($errors as $key => $error)
        {
            $output .= "<li>{$error}</li>";
        }
        $output .= "</ul>";
        $output .= "</div>";
    }
    return $output;
}

```

// login functions

```

/*****
 *function name: captchaValidate *
 *arguments:                  *
 *returned data:              *
 *description: If captcha test *
 *not passed will not allow login*
 *Dependencies:              *
 *****/

function captchaValidate()

```

```

{
    $secret = "6Le_MgYTAAAAAG77bicOJQUy3GtoLot5YP6WrCl8";
    $ip = $_SERVER['REMOTE_ADDR'];
    $captcha = $_POST['g-recaptcha-response'];
    $rsp = file_get_contents("https://www.google.com/recaptcha/api/siteverify?
secret=$secret&response=$captcha&remoteip=$ip");
    $arr = json_decode($rsp,TRUE);
    if($arr['success'])
    {
        return;
    }else{
        $_SESSION['error_message'] = 'Invalid Captcha Validation';
        include('./views/login.php');
        break;
    }
}

}

/*****
*function name: password_check *
*arguments: $password, $pwHash *
*returned data: *
*description: checks entered *
* password against stored *
* password. *
*Dependencies: *
*****/
function password_check($password, $pwHash)
{
    global $db;
    $hashCheck = password_verify($password, $pwHash);

    if( $hashCheck === true)
    {
        return true;
    } else {
        $_SESSION['error_message']='You entered an invalid Trail Name or Password.';
        $action = 'login';
        include('views/login.php');
    }
}

/*****
*function name: is_valid_login *
*arguments: $password, $nickname*
*returned data: user information*
*description: checks entered *
* password and userID(Nick *
* Name) against stored *
* password and userID, if *
* passed, returns user *
* information and sets related*
* session variables. *

```



```

*Dependencies:                                     *
*****/
function is_valid_login($nickName, $password)
{
    global $db;
    $action = $_POST['action'];

    $user = find_member($nickName);

    if ($user['nickName_usr'] === $nickName) {
        if (password_check($password, $user["password_usr"])){

            $_SESSION['user_id'] = $user['id_usr'];
            $_SESSION['firstName'] = $user['firstName_usr'];
            $_SESSION['lastName'] = $user['lastName_usr'];

            $_SESSION['nickName'] = $user['nickName_usr'];

            $_SESSION['accessLevel'] = $user['accessLevel_ual_id_ual'];

            $_SESSION['accName'] = $user['accessLvl_ual'];
            $_SESSION['userLevelName'] = $user['name_lvl'];

            if($user['accessLevel_ual_id_ual'] === '2'){
                $_SESSION['memberUpdates'] = 'member';
            }elseif($user['accessLevel_ual_id_ual'] === '1'){
                $_SESSION['memberUpdates'] = 'admin';
            }

            return $user;
        }else{
            return false;
        }
    }else{
        $_SESSION['error_message']='You entered an invalid Trail Name or Password.';
        $action = 'login';
        include('views/login.php');
    }
}
}

```

//Admin Functions

```

/*****
*function name: adminValisdate *
*arguments: $action *
*returned data:
*description: directs to *
* admin page based on access *
* level *
*Dependencies:
*****/

```

```

function adminValidate($action)
{
    if($_SESSION['accessLevel'] === '1')
    {
        $action = 'admin';
        include('/views/admin.php');

    } else {
        $_SESSION['error_message'] = 'You must be an Administrator to access the Administration area.';
        include('errors/403.php');
    }
}

/*****
*function name: admUpdate          *
*arguments: $fName, $lName,      *
*           $nName, $hLevel,     *
*           $aLevel              *
*returned data:                  *
*description: Updates Admin      *
* information based on user      *
* input.                         *
*Dependencies:                  *
*****/
function admUpdate($fName, $lName, $nName, $hLevel,
                  $aLevel)
{
    $hikerLevel = getHikerLevelID($hLevel);

    $accessLevel = getAccessLevelID($aLevel);

    global $db;
    $query = 'UPDATE user_usr SET firstName_usr = :firstName, lastName_usr = :lastName,
nickName_usr = :nickName, level_lvl_id_lvl= :hikerLevel, accessLevel_ual_id_ual = :accessLevel WHERE id_usr =
:user_id';

    $statement = $db->prepare($query);

    $statement->bindValue( 'firstName', $fName);
    $statement->bindValue( 'lastName', $lName);
    $statement->bindValue( 'nickName', $nName);
    $statement->bindValue( 'hikerLevel', $hikerLevel['id_lvl']);
    $statement->bindValue( 'accessLevel', $accessLevel['id_ual']);
    $statement->bindValue( 'user_id', $_SESSION['user_id']);
    $statement->execute();
    $statement->closeCursor();
    $_SESSION['adminUpdates'] = NULL;
    return;
}

```

//member functions

```
/******
```

```
*function name: memberValidate *
```

```
*arguments: $action *
```

```
*returned data: *
```

```
*description: Directs user to *
```

```
* member's area page if *
```

```
* they are a valid member or *
```

```
* admin. *
```

```
*Dependencies: *
```

```
*****/
```

```
function memberValidate($action)
```

```
{
    if($_SESSION['accessLevel'] === '1' )
    {
        $_SESSION['action'] = 'member';
        include('views/member.php');
    } elseif($_SESSION['accessLevel'] === '2') {
        include('views/member.php');
    } else {
        $_SESSION['error_message'] = 'You must be logged in to see the Members section.';
        include('errors/403.php');
    }
}
```

```
/******
```

```
*function name: memUpdate *
```

```
*arguments: $fName, $lName, *
```

```
* $nName *
```

```
*returned data: *
```

```
*description: User enters First *
```

```
* name, last name, and *
```

```
* nickname to update *
```

```
* profile *
```

```
*Dependencies: *
```

```
*****/
```

```
function memUpdate($fName, $lName, $nName)
```

```
{
    global $db;
    $query = 'UPDATE user_usr SET firstName_usr = :firstName, lastName_usr = :lastName,
nickName_usr = :nickName WHERE id_usr = :user_id';

    $statement = $db->prepare($query);

    $statement->bindValue( 'firstName', $fName);
    $statement->bindValue( 'lastName', $lName);
    $statement->bindValue( 'nickName', $nName);
    $statement->bindValue( 'user_id', $_SESSION['user_id']);
    $statement->execute();
    $statement->closeCursor();
    $_SESSION['memberUpdates'] = NULL;
    return;
}
```

//Member and Admin functions (functions used for both)

```

/*****
*function name: getMemberByID *
*arguments: $userID *
*returned data: First name, Last*
*    nick name, user level (name *
*    and ID), access level (name *
*    and ID) *
*description: returns user info *
*    for use in the member's and *
*    administrator's areas by*
*    using the user ID.
*Dependencies: *
*****/
function getMemberByID($userID)
{
    global $db;

    $query = $sql = "SELECT * FROM user_usr JOIN level_lvl ON level_lvl_id_lvl = id_lvl JOIN
accesslevel_ual ON `accessLevel_ual_id_ual` = id_ual JOIN useraddress_uad ON user_usr_id_usr = id_usr JOIN
subregions_sre ON subregions_sre_id_sre = id_sre JOIN regions_cou ON id_cou = region_id_sre
    WHERE id_usr = '$userID'";

    $userInfo = $db->query($query);
    $user=$userInfo->fetch();

    return $user;
}

/*****
*function name: find_member *
*arguments: $nickName *
*returned data: First name, Last*
*    nick name, user level (name *
*    and ID), access level (name *
*    and ID) *
*description: returns user info *
*    for use in the member's and *
*    administrator's areas *
*    using the user's *
*    nick name *
*Dependencies: *
*****/
function find_member($nickName)
{
    global $db;

    $query = $sql = "SELECT * FROM user_usr JOIN accesslevel_ual a on a.id_ual = accessLevel_ual_id_ual
JOIN level_lvl l on level_lvl_id_lvl = l.id_lvl WHERE nickName_usr = '$nickName'";

    $user_set = $db->query($query);

```

```

$user_set = $user_set->fetch();

return $user_set;
}

/*****
*function name: addAddress      *
*arguments: $email, $address1, *
*           $address2, $address3, *
*           $city, $zipCode, $region, *
*           *
*returned data: *
*description: User enters *
*           address info to enter into *
*           database *
*           to update profile *
*Dependencies: *
*****/
function addAddress( $email, $type, $address1, $address2, $address3, $city, $zipCode, $region)
{
    $nickName = $_SESSION['trail_Name'];
    $user = find_member($nickName);
    $userID = $user['id_usr'];

    global $db;
    $query = "INSERT INTO useraddress_uad(`user_usr_id_usr`, `type_uad`, `address1_uad`,
`address2_uad`, `address3_uad`, `city_uad`, `subregions_sre_id_sre`, `postalCode_uad`, `email_uad`) VALUES
(:userID,:type,:add1,:add2,:add3,:city,:subReg,:zip,:email)";

    $statement = $db->prepare($query);

    $statement->bindValue( ':userID', $userID);
    $statement->bindValue( 'type', $type);
    $statement->bindValue( 'add1', $address1);
    $statement->bindValue( 'add2', $address2);
    $statement->bindValue( 'add3', $address3);
    $statement->bindValue( 'city', $city);
    $statement->bindValue( 'subReg', $region);
    $statement->bindValue( 'zip', $zipCode);
    $statement->bindValue( 'email', $email);

    $statement->execute();
    $statement->closeCursor();

    return;

}

/*****
*function name: updateEmail      *
*arguments: $email

```

```

*returned data:
*description: User enters
*    new email to update in the
*    database
*Dependencies:
*****/
function updateEmail($email)
{
    global $db;

    $query= $sql = "UPDATE useraddress_uad SET email_uad=:email WHERE user_usr_id_usr =
:userID";

    $statement = $db->prepare($query);

    $statement->bindValue( 'userID', $_SESSION['user_id']);
    $statement->bindValue( 'email', $email);

    $statement->execute();
    $statement->closeCursor();

}
/*****
*function name: addressUpdate
*arguments: $type, $add1,
*    $add2, $add3,
*    $city, $zipCode, $state
*
*returned data:
*description: User enters
*    address info to update in
*    database
*    to update profile
*Dependencies:
*****/
function addressUpdate($userID, $type, $add1, $add2, $add3, $city, $state, $zipCode)
{
global $db;

    $query = $sql = "UPDATE useraddress_uad SET type_uad=:type,address1_uad=:add1 ,address2_uad=:add2
,address3_uad=:add3 ,city_uad=:city ,subregions_sre_id_sre=:state ,postalCode_uad=:zip WHERE user_usr_id_usr =
:userID";

    $statement = $db->prepare($query);

    $statement->bindValue( 'userID', $userID);
    $statement->bindValue( 'type', $type);
    $statement->bindValue( 'add1', $add1);
    $statement->bindValue( 'add2', $add2);
    $statement->bindValue( 'add3', $add3);
    $statement->bindValue( 'city', $city);
    $statement->bindValue( 'state', $state);
    $statement->bindValue( 'zip', $zipCode);

```

```
$statement->execute();
$statement->closeCursor();
```

```
}
/*****
*function name: getUserAddress *
*arguments: *
*returned data: all user address*
* Info. *
*description: gets all user *
* address information *
* according to user ID *
*Dependencies: *
*****/
```

```
function getUserAddress($userID)
{echo 'in get address function :'.$userID;
  global $db;
```

```
    $query = $sql = "SELECT * FROM useraddress_uad JOIN subregions_sre ON subregions_sre_id_sre =
id_sre JOIN regions_cou ON region_id_sre = id_cou WHERE user_usr_id_usr = '$userID'";
```

```
    $user_set = $db->query($query);
    $userAddress = $user_set->fetch();
    $_SESSION['email_uad'] = $userAddress['email_uad'];
    return $userAddress;
```

```
}
```

//Public Functions

```
/*****
*function name: addMember *
*arguments: $firstName, *
* $lastName, $nickName, *
* $password *
*returned data: *
*description: On successful *
* registration, user is added *
* to database and redirected *
* to the login page. *
*Dependencies: *
*****/
```

```
function addMember($firstName, $lastName, $nickName, $password){
```

```
    global $db;
```

```
    $password = password_hash($password, PASSWORD_BCRYPT);
```

```
    $query = 'INSERT INTO user_usr (firstName_usr, lastName_usr, nickName_usr, password_usr)
VALUES(:firstName, :lastName, :nickName, :password)';
```

```

        $statement = $db->prepare($query);

        $statement->bindValue( 'firstName', $firstName);
        $statement->bindValue( 'lastName', $lastName);
        $statement->bindValue( 'nickName', $nickName);
        $statement->bindValue( 'password', $password);
        $statement->execute();
        $statement->closeCursor();

    return;

}

/*****
*function name: allCountryys      *
*arguments:   $regionID           *
*returned data: All Regions      *
*              Listing           *
*description: returns all        *
*      rows in regions_cou       *
*      table.                    *
*Dependencies:                  *
*****/
function allCountryys()
{
    global $db;
    $query = $sql = "Select * FROM regions_cou ORDER BY country_cou DESC";

    $result = $db->query($query);
    return $result;
}

/*****
*function name: allRegions        *
*arguments:   $regionID           *
*returned data: All Regions      *
*              Listing           *
*description: returns all        *
*      rows in regions_cou       *
*      table.                    *
*Dependencies:                  *
*****/
function allRegions()
{
    global $db;
    $query = $sql = "Select * FROM subregions_sre ORDER BY name_sre";

    $result = $db->query($query);
    return $result;
}

```

//gear exchange functions


```

/*****
*function name: getGear          *
*arguments:                      *
*returned data: All Gear Listing*
*description: returns all       *
*   rows in gearExchange_gex    *
*   table.                      *
*Dependencies:                  *
*****/
function getGear()
{
    global $db;
    $query = $sql = "Select g.name_gex, g.description_gex, c.condition_con,u.nickName_usr, g.dateAdded_gex
                     FROM gearexchange_gex g JOIN condition_con c
                     ON g.condition_con_id_con = c.id_con
                     JOIN user_usr u on u.id_usr = g.user_usr_id_usr";
    $result = $db->query($query);
    return $result;
}

/*****
*function name: getUserGear      *
*arguments:   $userID           *
*returned data: All Gear Listed *
* by user.    *
*description: returns all       *
*   rows in gearExchange_gex    *
*   table by user ID.           *
*Dependencies:                  *
*****/
function getUserGear($userID)
{
    global $db;
    $query = $sql = "Select g.id_gex, g.name_gex, g.description_gex, c.condition_con, g.dateAdded_gex
                     FROM gearexchange_gex g JOIN condition_con c
                     ON g.condition_con_id_con = c.id_con
                     JOIN user_usr u on u.id_usr = g.user_usr_id_usr
                     WHERE user_usr_id_usr = '$userID'";

    $result = $db->query($query);
    $result= $result->fetchAll();
    confirm_results($result);
    return $result;
}

/*****
*function name: findGear        *
*arguments: $item               *
*returned data: search results  *
*description: search            *
*   gearExchange_gex for gear   *

```

```

*    listing based on item name    *
*    inputed by user.              *
*Dependencies:                     *
*****/
function findGear($item)
{
    global $db;
    $query = $sql = "Select g.name_gex, g.description_gex, c.condition_con,u.nickName_usr, g.dateAdded_gex
                      FROM gearexchange_gex g JOIN condition_con c
                      ON g.condition_con_id_con = c.id_con
                      JOIN user_usr u on u.id_usr = g.user_usr_id_usr
                      WHERE g.name_gex = '$item'";

    $result = $db->query($query);
    $result = $result->fetchAll();
    confirm_results($result);
    return $result;
}

```

//Event Functions

```

/*****
*function name: getEvents          *
*arguments:                        *
*returned data: all events from *
*    events_evt table            *
*description: returns all        *
*    information from events_evt *
*    table to populate lists.    *
*Dependencies:                   *
*****/
function getEvents()
{
    global $db;
    $query = $sql = "Select e.name_evt, e.location_evt, s.name_sre,c.country_cou, e.dateTime_evt
                      FROM events_evt e JOIN subregions_sre s
                      ON e.subregions_sre_id_sre = s.id_sre
                      JOIN regions_cou c on s.region_id_sre = c.id_cou
                      ORDER BY dateTime_evt Desc";

    $result = $db->query($query);
    return $result;
}

/*****
*function name: getEventDetails *
*arguments:$eventDetail        *
*returned data: all information *
*    from one record in        *
*    events_evt table.         *
*description: returns          *
*    information from events_evt *
*    table based on selected    *
*    event name.                *
*****/

```

```

*Dependencies:                                     *
*****/
function getEventDetails($eventDetail)
{
    global $db;
    $query = $sql = "Select e.name_evt, e.location_evt, s.name_sre,e.description_evt, c.country_cou,
e.dateTime_evt
                        FROM events_evt e JOIN subregions_sre s
                        ON e.subregions_sre_id_sre = s.id_sre
                        JOIN regions_cou c on s.region_id_sre = c.id_cou
                        WHERE e.name_evt = '$eventDetail'";
    $result = $db->query($query);

    return $result;

}

```

//Miscellaneous Functions

```

/*****
*function name: getAccessName *
*arguments: $accNum *
*returned data: name of access *
*    associated with the ID *
*    number associated with the *
*    users access level *
*description: Takes the ID *
*    number associated with ID *
*    and returns the access level*
*    name. *
*Dependencies: *
*****/
function getAccessName($accNum)
{
    global $db;

    $query = $sql = "SELECT accessLvl_ual FROM accesslevel_ual WHERE id_ual = '$accNum'";

    $accResult = $db->query($query);
    $accResult = $accResult->fetch();
    return $accResult;
}

```

```

/*****
*function name: allHikerLevels *
*arguments: *
*returned data: all fields from *
*    the level_lvl table *
*    description: returns all *
*    fields in level_lvl table *
*    for populating lists. *
*Dependencies: *
*****/

```

```

function allHikerLevels()
{
    global $db;
    $query = $sql = "SELECT * FROM level_lvl";
    $hikerLevels = $db->query($query);

    return $hikerLevels;
}

/*****
*function name: allAccessLevels *
*arguments: *
*returned data: all fields from *
* the accesslevel_ual table *
* description: returns all *
* fields in accesslevel_ual *
* table for populating lists. *
*Dependencies: *
*****/
function allAccessLevels()
{
    global $db;
    $query = $sql = "SELECT * FROM accesslevel_ual";
    $accessLevels = $db->query($query);

    return $accessLevels;
}

/*****
*function name: getHikerLevelID *
*arguments: $hLevel *
*returned data: id number from *
* hike level name *
* description: gets ID # of *
* hiker level from hike level *
* name. *
*Dependencies: *
*****/
function getHikerLevelID($hLevel)
{
    global $db;
    $query = $sql = "SELECT id_lvl from level_lvl WHERE name_lvl = '$hLevel'";
    $hikerLevel = $db->query($query);
    $hikerLevel = $hikerLevel->fetch();

    return $hikerLevel;
}

/*****
*function name: getAccessLevelID*
*arguments: $aLevel *
*returned data: access level ID#*
*description: ID # from access *

```

```

*      level name      *
*Dependencies:          *
*****/
function getAccessLevelID($aLevel)
{
    global $db;
    $query = $sql = "SELECT id_ual FROM accesslevel_ual WHERE accessLvl_ual = '$aLevel'";
    $accessLevel = $db->query($query);
    $accessLevel = $accessLevel->fetch();
    return $accessLevel;
}

```

```
<?php
/*****
 * Author: Howard La Flamme      *
 * Title: Session Functions (session_functions.php)*
 * Description: Provides functions used by      *
 *              Session cookies                *
 * Revision: 0.1.5 5/6/2015      *
 *****/
```

```
session_start();
```

```
//login/out functions
```

```
/*****
 *function name: logout      *
 *arguments:                *
 *returned data:            *
 *description: logs out current *
 *    logged in member and clears *
 *    session variables.      *
 *Dependencies:              *
 *****/
function logout()
{
    $_SESSION['nickName'];
    $_SESSION['user_id'];
    $_SESSION['accessLevel'];
    $_SESSION = array();
    session_destroy(); // Clean up the session ID
}
```

```
//Error handling functions
```

```
/*****
 *function name: errors      *
 *arguments:                *
 *returned data: $errors     *
 *description:              *
 *    if $_SESSION['errors'] is *
 *    set, $errors is set and *
 *    returned.              *
 *Dependencies:              *
 *****/
function errors()
{
    if (isset($_SESSION['errors']))
    {
        $errors = $_SESSION['errors'];

        //clear session error
        $_SESSION['errors'] = null;

        return $errors;
    }
}
```

}
?>

```
<?php
/*****
 * Author: Howard La Flamme *
 * Title: Validation Functions (validation_functions.php) *
 * Description: Provides functions for validating data. *
 * Revision: 0.1.5 5/6/2015 *
 *****/
```

```
//Initiate errors array
$errors = array();
```

```
//editing functions
/*****
 *function name: fieldname_as_text *
 *arguments: $fieldname *
 *returned data: $fieldname *
 *description: removes spaces and *
 *      underscores from field name *
 *      and capitalizes first letter *
 *      of field name. *
 *Dependencies: *
 *****/
function fieldname_as_text($fieldname)
{
    $fieldname = str_replace("_", " ", $fieldname);
    $fieldname = ucfirst($fieldname);
    return $fieldname;
}
```

```
//Validation functions

/*****
 *function name: confirm_query *
 *arguments: $result_set *
 *returned data: *
 *description: determines if a *
 *      query returned a result. *
 *Dependencies: *
 *****/
function confirm_query($result_set)
{
    if (!$result_set) {
        $_SESSION['error_message'] = 'No results found';
        die("Database query failed.");
    }
}

function confirm_results($results)
{
    if(!$results)
```



```

    {
        $_SESSION['error_message'] = 'No Data Found';
        return;
    }
}

```

```

/*****

```

```

*function name: has_presence *
*arguments: $value *
*returned data: true/false *
*description: checks if the *
* field has a value entered *
*Dependencies: *
*****/

```

```

function has_presence($value)
{
    return isset($value) && $value !== "";
}

```

```

/*****

```

```

*function name: validate_presence *
*arguments: $required_fields (array)*
*returned data: if an empty field is*
* detected, error message returned*
*description: checks all form fields*
* for entries. *
*Dependencies: has_presence($value)*
* field_name_as_text($field) *
*****/

```

```

function validate_presences($required_fields)
{
    global $errors;

    foreach($required_fields as $field)
    {
        $value = trim($_POST[$field]);
        if(!has_presence($value))
        {
            $errors[$field] = fieldname_as_text($field)." cannot be blank!";
        }
    }
}

```

?>

```

<!doctype html>
<!--/*****
* Auther: Howard La Flamme
* Title: 403 ERROR (403.php)
* Description: displays if user tries to access
* a page they are not authorized to.
* Revision: 0.1.5 5/6/2015
*****/-->

<html>
<head>
    <meta charset="UTF-8">
    <title>Couch Potato Hikers ERROR</title>
    <link href="css/maincss.css" rel="stylesheet" >
    <meta name="viewport" content="initial-scale=1.0" />

</head>
<body class="bodyError">
<div class="wrapper">

<header>
    <h1>Couch Potato Hikers</h1>
    <h1>403 ERROR</h1>
</header>

    <article class="contentError">

        <h1>Looks like you have wandered off the trail.</h1>
        <?php
            if(isset($_SESSION['error_message'])){ ?>
                <h2 class="h2Error"><?php
                    echo htmlentities($_SESSION['error_message']);?></h2>

                <?php
                    $_SESSION['error_message'] = null;
            } ?>
        <h2 class="h2Error"><a class='link' href="index.php?action=pubhome">Click Here</a> to return to the
Trail Head</h2>
    </article>
    <div class="contentFooter">
        <h5>&copy; Copyright 2015 Couch Potato Hikers. All rights reserved. </h5>
        <div> Icons made by <a class="link" href="http://www.flaticon.com/authors/freepik"
title="Freepik">Freepik</a> from <a class="link" href="http://www.flaticon.com"
title="Flaticon">www.flaticon.com</a> is licensed by <a class="link"
href="http://creativecommons.org/licenses/by/3.0/" title="Creative Commons BY 3.0">CC BY 3.0</a></div>
    </div><!--/footer-->
</div> <!--/wrapper-->
</body>
</html>

```

```

<!doctype html>

<!--/*****
* Author: Howard La Flamme
* Title: 404 ERROR (404.html)
* Description: displays if user tries to access
* a page that does not exist.
* Revision: 0.1.5 5/6/2015
*****/-->

<html>
<head>
<meta charset="UTF-8">
<title>Couch Potato Hikers ERROR</title>
<link href="css/maincss.css" rel="stylesheet" >
<meta name="viewport" content="initial-scale=1.0" />

</head>
<body class="bodyError">
<div class="wrapper">

<header>
<h1>Couch Potato Hikers</h1>
<h1>404 ERROR</h1>
</header>

<article class="contentError">

<h1>Looks like you've wandered off the trail.</h1>

<h2 class="h2Error"><a class='link' href="index.php?action=pubhome">Click Here</a> to return to the
Trail Head</h2>

<h2 class="h2Error">or the Back button in your Browser to return to where you left the trail</h2>
</article>
<div class="contentFooter">
<h5>&copy;Copyright 2015 Couch Potato Hikers. All rights reserved. </h5>
<div> Icons made by <a class="link" href="http://www.flaticon.com/authors/freepik"
title="Freepik">Freepik</a> from <a class="link" href="http://www.flaticon.com"
title="Flaticon">www.flaticon.com</a> is licensed by <a class="link"
href="http://creativecommons.org/licenses/by/3.0/" title="Creative Commons BY 3.0">CC BY 3.0</a></div>
</div><!--/footer-->
</div> <!--/wrapper-->
</body>
</html>

```