Documentation Technique

Installation de GLPI 10 sur Debian 12 (VM VirtualBox) — BTS SIO 2 Option SLAM

Auteur	Camelin Matheo — BTS SIO 2 Option SLAM
Environnement	Oracle VirtualBox — Debian 12.7.0 Bookworm (amd64)
Stack	Apache 2.4.66 | PHP 8.2.30 | MariaDB 10.11.14
Version GLPI	GLPI 10.0.16 (derniere version stable)
Objectif	Déployer un outil ITSM open-source pour la gestion du parc et des incidents

1 Présentation de GLPI **1**
2 Prérequis — désactivation ISO et mise a jour **2**
2.1 Connexion en root et premier apt update 2
2.2 Désactivation de l'ISO dans sources.list 2
2.3 Mise a jour du système 2
3.1 Installation d'Apache 3
3.2 Installation de PHP 8.2 et extensions GLPI 4
3.3 Activation du module rewrite 4
4 Installation et securisation de MariaDB **4**
4.1 Installation 4
4.2 Securisation avec mysql_secure_installation 5
5 Creation de la base de donnees GLPI **5**
5.1 Erreurs SQL rencontrees 6
6 Telechargement et deploiement de GLPI **7**
6.1 Premiere tentative — URL generique invalide 7
6.2 Telechargement correct 7
7 Configuration du VirtualHost Apache **8**
7.1 Correction apache2.conf — AllowOverride 8
7.2 Creation du .htaccess manquant 9
8.1 Verification des prerequis 9
8.2 Installation de la base de donnees 9
8.3 Activation des timezones MariaDB 9
9 Tableau des problemes rencontres et solutions **10**
10 Resultat final et premiers pas dans GLPI **10**
10.1 GLPI accessible sur http://glpi.local 10
10.2 Dashboard Super-Admin 11
10.3 Actions de securisation post-installation 12

1 Présentation de GLPI

GLPI (Gestionnaire Libre de Parc Informatique) est une solution open-source de gestion ITSM. Elle permet de gérer le parc informatique (ordinateurs, logiciels, périphériques), de traiter les tickets d'incidents et de suivre les interventions du service IT.

Fonctionnalite	Description
Gestion du parc	Inventaire complet matériel et logiciels
Helpdesk / Tickets	Suivi des incidents et demandes d'assistance
Utilisateurs	Comptes, profils, entités et droits d'accès
Licence	Open-source — gratuit — communauté active

2 Prérequis — désactivation ISO et mise a jour

2.1 Connexion en root et premier apt update

Ouvrir un terminal depuis GNOME et passer root. Première tentative de mise à jour — echec car l'ISO DVD est encore déclarée :

```
matheo@Debian:~$ su -
Password:
root@Debian:~# apt update && apt upgrade -y
Ign:1 cdrom:[Debian GNU/Linux 12.7.0 _Bookworm_ - Official amd64 DVD Binary-1 with firmware 20240831-10:40] bookworm InRelease
Err:2 cdrom:[Debian GNU/Linux 12.7.0 _Bookworm_ - Official amd64 DVD Binary-1 with firmware 20240831-10:40] bookworm Release
  Please use apt-cdrom to make this CD-ROM recognized by APT. apt-get update cannot be used to add new CD-ROMs
Reading package lists... Done
E: The repository 'cdrom:[Debian GNU/Linux 12.7.0 _Bookworm_ - Official amd64 DVD Binary-1 with firmware 20240831-10:40] bookworm
ease' does not have a Release file.
N: Updating from such a repository can't be done securely, and is therefore disabled by default.
N: See apt-secure(8) manpage for repository creation and user configuration details.
root@Debian:~#
```

Erreur APT : 'cdrom:[Debian GNU/Linux 12.7.0]' — l'ISO DVD est encore declaree source de paquets

2.2 Désactivation de l'ISO dans sources.list

```
nano /etc/apt/sources.list
# Commenter la ligne : #deb cdrom:[Debian GNU/Linux 12.7.0...
# Ajouter si absent : deb https://deb.debian.org/debian bookworm main
# Ajouter si absent : deb https://security.debian.org bookworm-security main
```

```
GNU nano 7.2                                    /etc/apt/sources.list *
#deb cdrom:[Debian GNU/Linux 12.7.0 _Bookworm_ - Official amd64 DVD Binary-1 with firmware 20240831-10:40]/ bookworm contrib main r
deb https://deb.debian.org/debian bookworm main
deb https://security.debian.org/debian-security bookworm-security main
```

sources.list corrige — ligne cdrom commentee (#), depots officiels deb.debian.org actives

ATTENTION Sans cette correction, apt interrompt chaque installation pour demander d'inserer le DVD physique.

2.3 Mise a jour du système

```
apt update && apt upgrade -y
apt install -y curl wget unzip
```

```
root@Debian:~# apt update
Get:1 https://deb.debian.org/debian bookworm InRelease [151 kB]
Get:2 https://security.debian.org/debian-security bookworm-security InRelease [48.0 kB]
Get:3 https://deb.debian.org/debian bookworm/main amd64 Packages [8,792 kB]
Get:4 https://security.debian.org/debian-security bookworm-security/main amd64 Packages [295 kB]
Get:5 https://deb.debian.org/debian bookworm/main Translation-en [6,108 kB]
Get:6 https://deb.debian.org/debian bookworm/main amd64 DEP-11 Metadata [4,492 kB]
Get:7 https://security.debian.org/debian-security bookworm-security/main Translation-en [179 kB]
Get:8 https://deb.debian.org/debian bookworm/main DEP-11 48x48 Icons [3,595 kB]
Get:9 https://deb.debian.org/debian bookworm/main DEP-11 64x64 Icons [7,295 kB]
73% [3 Packages store 0 B] [9 icons-64x64 0 B/7,295 kB 0%]
```

apt update reussi — telechargement depuis deb.debian.org et security.debian.org (bookworm / bookworm-security)

```
root@Debian:~# apt install -y curl wget unzip
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
unzip is already the newest version (6.0-28).
unzip set to manually installed.
The following additional packages will be installed:
  libcurl3-gnutls libcurl4
The following NEW packages will be installed:
  curl
The following packages will be upgraded:
  libcurl3-gnutls libcurl4 wget
3 upgraded, 1 newly installed, 0 to remove and 321 not upgraded.
Need to get 2,031 kB of archives.
After this operation, 421 kB of additional disk space will be used.
Get:1 https://deb.debian.org/debian bookworm/main amd64 wget amd64 1.21.3-1+deb12u1 [937 kB]
Get:2 https://deb.debian.org/debian bookworm/main amd64 libcurl4 amd64 7.88.1-10+deb12u14 [392 kB]
Get:3 https://deb.debian.org/debian bookworm/main amd64 curl amd64 7.88.1-10+deb12u14 [316 kB]
Get:4 https://deb.debian.org/debian bookworm/main amd64 libcurl3-gnutls amd64 7.88.1-10+deb12u14 [386 kB]
```

Installation de curl (315 kB) — wget et unzip deja presents — systeme a jour

3.1 Installation d'Apache

```
apt install -y apache2
systemctl enable --now apache2
```

```
root@Debian:~# apt install -y apache2
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom
The following NEW packages will be installed:
  apache2 apache2-data apache2-utils
The following packages will be upgraded:
  apache2-bin
1 upgraded, 3 newly installed, 0 to remove and 320 not upgraded.
Need to get 2,005 kB of archives.
After this operation, 1,969 kB of additional disk space will be used.
Get:1 https://deb.debian.org/debian bookworm/main amd64 apache2-bin amd64 2.4.66-1~deb12u1 [1,400 kB]
23% [1 apache2-bin 587 kB/1,400 kB 42%]
```

Installation Apache 2.4.66 — apache2-bin, apache2-data, apache2-utils (2 Mo depuis deb.debian.org)

3.2 Installation de PHP 8.2 et extensions GLPI

GLPI 10 requiert PHP >= 8.1 avec plusieurs extensions. Deux tentatives ont ete necessaires :

```
# 1ere tentative (avec fautes) -- echec :
# php-mstring (inexistant) | php-zip (espace) | php-xlrpc (faute)
# Commande correcte :
 apt install -y php php-mysql php-xml php-curl php-gd php-mbstring \
 php-zip php-bz2 php-intl php-ldap php-apcu php-xmlrpc php-cas
```

```
Processing triggers for man-db (2.11.2-2) ...
root@Debian:~# apt install -y php php-mysql php-xml php-curl php-gd php-mstring \ php-zip php-bz2 php-intl php-ldap php-apcu php-xlrp
php-cas
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package php-mstring
E: Unable to locate package  php-zip
E: Unable to locate package php-xlrpc
```

Erreur 1ere tentative — E: Unable to locate package php-mstring / php-zip (espace) / php-xlrpc

ERREUR php-mstring n'existe pas → php-mbstring | php-xlrpc → php-xmlrpc | espace parasite devant php-zip

```
root@Debian:~# apt install -y php php-mysql php-xml php-curl php-gd php-mbstring php-zip php-bz2 php-intl php-ldap php-apcu php-xm
php-cas
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libapache2-mod-php8.2 libxmlrpc-epi0 libzip4 php-common php8.2 php8.2-apcu php8.2-bz2 php8.2-cli php8.2-common php8.2-curl
  php8.2-gd php8.2-intl php8.2-ldap php8.2-mbstring php8.2-mysql php8.2-opcache php8.2-readline php8.2-xml php8.2-xmlrpc php8.2-zi
Suggested packages:
  php-pear
The following NEW packages will be installed:
  libapache2-mod-php8.2 libxmlrpc-epi0 libzip4 php php-apcu php-bz2 php-cas php-common php-curl php-gd php-intl php-ldap php-mbstr
  php-mysql php-xml php-xmlrpc php-zip php8.2 php8.2-apcu php8.2-bz2 php8.2-cli php8.2-common php8.2-curl php8.2-gd php8.2-intl
  php8.2-ldap php8.2-mbstring php8.2-mysql php8.2-opcache php8.2-readline php8.2-xml php8.2-xmlrpc php8.2-zip
0 upgraded, 33 newly installed, 0 to remove and 320 not upgraded.
Need to get 5,725 kB of archives.
After this operation, 25.7 MB of additional disk space will be used.
Get:1 https://deb.debian.org/debian bookworm/main amd64 php-common all 2:93 [13.1 kB]
Get:2 https://deb.debian.org/debian bookworm/main amd64 php8.2-apcu amd64 5.1.22+4.0.11-2 [42.5 kB]
Get:3 https://security.debian.org/debian-security bookworm-security/main amd64 php8.2-common amd64 8.2.30-1~deb12u1 [690 kB]
```

2eme tentative reussie — 33 nouveaux paquets PHP installes : libapache2-mod-php8.2, php8.2-curl, php8.2-gd, php8.2-mbstring...

3.3 Activation du module rewrite

```
a2enmod rewrite
systemctl restart apache2
php -v # Verification : PHP 8.2.30 attendu
```

OK PHP 8.2.30 confirme — Apache 2.4.66 actif — mod_rewrite active

4 Installation et securisation de MariaDB

4.1 Installation

```
apt install -y mariadb-server
systemctl enable --now mariadb
```

```
root@Debian:~# apt install -y mariadb-server
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  galera-4 gawk libcgi-fast-perl libcgi-pm-perl libconfig-inifiles-perl libdbd-mariadb-perl libdbi-perl libfcgi-bin libfcgi-perl
  libfcgi0ldbl libhtml-template-perl libmariadb3 libsigsegv2 libterm-readkey-perl liburing2 mariadb-client mariadb-client-core
  mariadb-common mariadb-plugin-provider-bzip2 mariadb-plugin-provider-lz4 mariadb-plugin-provider-lzma mariadb-plugin-provider-l
  mariadb-plugin-provider-snappy mariadb-server-core mysql-common pv rsync socat
Suggested packages:
  gawk-doc libmldbm-perl libnet-daemon-perl libsql-statement-perl libipc-sharedcache-perl mailx mariadb-test netcat-openbsd doc-b
  openssh-server python3-braceexpand
The following NEW packages will be installed:
  galera-4 gawk libcgi-fast-perl libcgi-pm-perl libconfig-inifiles-perl libdbd-mariadb-perl libdbi-perl libfcgi-bin libfcgi-perl
  libfcgi0ldbl libhtml-template-perl libmariadb3 libsigsegv2 libterm-readkey-perl liburing2 mariadb-client mariadb-client-core
  mariadb-common mariadb-plugin-provider-bzip2 mariadb-plugin-provider-lz4 mariadb-plugin-provider-lzma mariadb-plugin-provider-l
```

Installation MariaDB 10.11.14 — galera-4, gawk, libmariadb3, mariadb-client, mariadb-server-core...

4.2 Securisation avec mysql_secure_installation

Cette commande permet de : definir le mot de passe root, supprimer les utilisateurs anonymes, desactiver l'acces root distant, supprimer la base test :

```
mysql_secure_installation
```

```
root@Debian:~# mysql_secure_installation

NOTE: RUNNING ALL PARTS OF THIS SCRIPT IS RECOMMENDED FOR ALL MariaDB
      SERVERS IN PRODUCTION USE!  PLEASE READ EACH STEP CAREFULLY!

In order to log into MariaDB to secure it, we'll need the current
password for the root user. If you've just installed MariaDB, and
haven't set the root password yet, you should just press enter here.

Enter current password for root (enter for none):
```

mysql_secure_installation — securisation recommandee pour tout environnement (mot de passe root, utilisateurs anonymes)

5 Creation de la base de donnees GLPI

Se connecter a MariaDB et creer la base ainsi que l'utilisateur dedie :

```
mysql -u root -p

CREATE DATABASE glpi CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci;
CREATE USER 'glpi_user'@'localhost' IDENTIFIED BY 'Glpi1234!';
GRANT ALL PRIVILEGES ON glpi.* TO 'glpi_user'@'localhost';
FLUSH PRIVILEGES;
EXIT;
```

```
root@Debian:~# mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 37
Server version: 10.11.14-MariaDB-0+deb12u2 Debian 12

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

Connexion MariaDB 10.11.14 reussie — connection id 37, prompt MariaDB [(none)]>

```
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 37
Server version: 10.11.14-MariaDB-0+deb12u2 Debian 12

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database glpi
    -> ;
Query OK, 1 row affected (0.000 sec)

MariaDB [(none)]> create user 'gpli_user' identified by 'GpLi97@k';
Query OK, 0 rows affected (0.014 sec)
```

Creation reussie : database glpi (Query OK) + user glpi_user (Query OK) + GRANT OK

5.1 Erreurs SQL rencontrees

Plusieurs erreurs ont ete commises lors des tentatives successives :

Commande erronee	Erreur MariaDB	Correction
GRANT ALL PRIVILLEGES ...	ERROR 1064 — syntax error 'privilleges'	PRIVILEGES (un seul L)
CREATE USER 'gpli_user'	Utilisateur gpli au lieu de glpi	glpi_user (g-l-p-i)

```
MariaDB [(none)]> grant all privilleges on glpi.* to 'glpi_user';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the righ
t syntax to use near 'privilleges on glpi.* to 'glpi_user'' at line 1
MariaDB [(none)]> grant all privilleges on glpi.* to glpi_user
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the righ
t syntax to use near 'privilleges on glpi.* to glpi_user' at line 1
```

Erreurs SQL : 'privilleges' (double L) + absence de @'localhost' — ERROR 1064 repete

```
MariaDB [(none)]> grand all privileges on glpi.* to 'glpi_user';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your Maria
t syntax to use near 'grand all privileges on glpi.* to 'glpi_user'' at line 1
MariaDB [(none)]> S
```

Erreur 1064 : 'grand' tape a la place de GRANT — erreur de frappe classique

6 Telechargement et deploiement de GLPI

6.1 Premiere tentative — URL generique invalide

La premiere tentative avec une URL generique a echoue (erreur 404) :

```
root@Debian:~# cd /var/www/html
root@Debian:/var/www/html# wget https://github.com/glpi-project/glpi/root@Debian:/var/www/html# wget ht
ithub.com/glpi-project/glpi/releases/latest/download/glpi-10.0.x.tgz
--2026-04-18 13:51:37--  https://github.com/glpi-project/glpi/releases/latest/download/glpi-10.0.x.tgz
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)|140.82.121.4|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://github.com/glpi-project/glpi/releases/download/11.0.6/glpi-10.0.x.tgz [following]
--2026-04-18 13:51:38--  https://github.com/glpi-project/glpi/releases/download/11.0.6/glpi-10.0.x.tgz
Reusing existing connection to github.com:443.
HTTP request sent, awaiting response... 404 Not Found
2026-04-18 13:51:39 ERROR 404: Not Found.
```

Erreur 404 — URL /releases/latest/download/glpi-10.0.x.tgz invalide — GitHub redirige vers release 11.0.6 inexistante

ERREUR Toujours specifier la version exacte dans l'URL. L'URL generique 'glpi-10.0.x.tgz' n'existe pas sur GitHub.

6.2 Telechargement correct

```
cd /var/www/html
wget https://github.com/glpi-project/glpi/releases/download/10.0.16/glpi-10.0.16.tgz
tar -xzf glpi-10.0.16.tgz
rm glpi-10.0.16.tgz
chown -R www-data:www-data /var/www/html/glpi
chmod -R 755 /var/www/html/glpi
```

```
root@Debian:/var/www/html# wget https://github.com/glpi-project/glpi/releases/download/10.0.16/glp
z
--2026-04-18 16:01:44--  https://github.com/glpi-project/glpi/releases/download/10.0.16/glpi-10.0.
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)|140.82.121.4|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://release-assets.githubusercontent.com/github-production-release-asset/39182755/2f
4ebb-82da-2efff1d84958?sp=r&sv=2018-11-09&sr=b&spr=https&se=2026-04-18T12%3A56%3A17Z&rscd=attachme
me%3Dglpi-10.0.16.tgz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947aa7ab0&s
4-997b-47e9-b12b-9515b896b4de&skt=2026-04-18T11%3A56%3A02Z&ske=2026-04-18T12%3A56%3A17Z&sks=b&skv=
ig=Zwmiq3%2BpJVzwKg5EGE7%2FDOIt6xci0m2%2B7eNdYlScnxE%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.e
XRodWIuY29tIiwiYXVkIjoicmVsZWFzZS1hc3NldHMuZ2l0aHVidXNlcmNvbnRlbnQuY29tIiwia2V5Ijoia2V5MSIsImV4cCI
wNSwibmJmIjoxNzc2NTEzNzA1LCJwYXRoIjoicmVsZWFzZWFzc2V0cHJvZHVjdGlvbi5ibG9iLmNvcmUud2luZG93cy5uZXQif
OQZ9DuIys-LKl6_yZXbqcLhslDCCnTP8Y&response-content-disposition=attachment%3B%20filename%3Dglpi-10.
ponse-content-type=application%2Foctet-stream [following]
--2026-04-18 16:01:45--  https://release-assets.githubusercontent.com/github-production-release-as
/2fbd0d5f-9330-4ebb-82da-2efff1d84958?sp=r&sv=2018-11-09&sr=b&spr=https&se=2026-04-18T12%3A56%3A17
hment%3B+filename%3Dglpi-10.0.16.tgz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd
0&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-04-18T11%3A56%3A02Z&ske=2026-04-18T12%3A56%3
kv=2018-11-09&sig=Zwmiq3%2BpJVzwKg5EGE7%2FDOIt6xci0m2%2B7eNdYlScnxE%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGc
9.eyJpc3MiOiJnaXRodWIuY29tIiwiYXVkIjoicmVsZWFzZS1hc3NldHMuZ2l0aHVidXNlcmNvbnRlbnQuY29tIiwia2V5Ijoi
cCI6MTc3NjUxNTUwNSwibmJmIjoxNzc2NTEzNzA1LCJwYXRoIjoicmVsZWFzZWFzc2V0cHJvZHVjdGlvbi5ibG9iLmNvcmUud2
QifQ.I8yVOwOTPxOQZ9DuIys-LKl6_yZXbqcLhslDCCnTP8Y&response-content-disposition=attachment%3B%20file
10.0.16.tgz&response-content-type=application%2Foctet-stream
```

Telechargement reussi glpi-10.0.16.tgz depuis github.com/glpi-project/glpi/releases/download/10.0.16/

```
root@Debian:/var/www/html# tar -xzf glpi-10.0.16.tgz
root@Debian:/var/www/html# chown -R www-data:www-data /var/www/html/glpi
root@Debian:/var/www/html# chmod -R 755 /var/www/html/glpi
```

7 Configuration du VirtualHost Apache

Creer un fichier VirtualHost dedie pour faire pointer glpi.local vers le dossier public de GLPI :

```
nano /etc/apache2/sites-available/glpi.conf
```



Fichier glpi.conf dans nano — VirtualHost *:80, ServerName glpi.local, DocumentRoot /var/www/html/glpi/public, AllowOverride All

```
a2ensite glpi.conf # Activer le site GLPI
a2dissite 000-default.conf # Desactiver le site par defaut
systemctl reload apache2 # Recharger la config
echo '127.0.0.1 glpi.local' >> /etc/hosts # Resoudre glpi.local
```

7.1 Correction apache2.conf — AllowOverride

Le fichier de configuration global Apache bloquait le .htaccess avec AllowOverride None :



apache2.conf avant correction — AllowOverride None dans bloque le fonctionnement du .htaccess

ATTENTION AllowOverride None empeche le .htaccess de GLPI de rediriger les URLs. Corriger en AllowOverride All dans la section .

```
nano /etc/apache2/apache2.conf
# Modifier dans :
# AllowOverride None → AllowOverride All
systemctl restart apache2
```

7.2 Creation du .htaccess manquant

GLPI 10 ne cree pas automatiquement le .htaccess dans /public — il faut le creer manuellement

```
: nano /var/www/html/glpi/public/.htaccess
# Contenu a coller :
# RewriteEngine On
# RewriteCond %{REQUEST_FILENAME} !-f
# RewriteRule ^(.*)$ index.php
[QSA,L]
```

GLPI 10 n'utilise plus d'assistant web (/install/install.php). L'installation se fait entierement en ligne de commande via la console PHP integree :

8.1 Verification des prerequis

```
php /var/www/html/glpi/bin/console glpi:system:check_requirements
```

Resultat — tous les prerequis valides [OK] : PHP Parser | Sessions | Memoire | mysqli | Extensions core | curl | gd | intl | zlib | sodium ldap | openssl | opcache | exif | Zend OPcache | PHP 64-bit | marketplace extensions

8.2 Installation de la base de donnees

```
php /var/www/html/glpi/bin/console db:install \
--db-host=localhost --db-name=glpi \
--db-user=glpi_user --db-password=Glpi1234! \
--no-interaction 0
```

8.3 Activation des timezones MariaDB

```
# Importer les timezones systeme dans MariaDB
mysql_tzinfo_to_sql /usr/share/zoneinfo | mysql -u root -p mysql
# Donner les droits de lecture a glpi_user
mysql -u root -p
GRANT SELECT ON mysql.time_zone_name TO 'glpi_user'@'localhost';
FLUSH PRIVILEGES; EXIT;
# Activer les timezones dans GLPI
php /var/www/html/glpi/bin/console database:enable_timezones
```

```
root@Debian:/var/www/html# mysql_tzinfo_to_sql /usr/share/zoneinfo | mysql -u root -p mysql
Enter password:
root@Debian:/var/www/html# php /var/www/html/glpi/bin/console database:enable_timezones
Timezones usage cannot be activated due to following errors:
 - Access to timezone database (mysql) is not allowed.
root@Debian:/var/www/html#
```

Timezones — Access to timezone database not allowed — droits manquants sur mysql.time_zone_name

OK Timezone usage has been enabled — apres GRANT SELECT sur mysql.time_zone_name

9 Tableau des problemes rencontres et solutions

L'installation a necessite la resolution de 8 problemes techniques distincts. Ce tableau recapitule chaque difficulte rencontree, sa cause et la solution appliquee :

	Probleme rencontre	Cause	Solution appliquee
1	apt demande le DVD	ISO cdrom: dans sources.list	Commenter la ligne 'deb cdrom:' dar /etc/apt/sources.li
2	Paquets PHP introuvables (php-mstring, php-xlrpc)	Fautes de frappe	php-mbstring et php-xmlrpc (noms corrects)
3	Erreurs SQL GRANT		@localhost manquant GRANT ALL PRIVILEGES ... ost'
4	wget GLPI 404		pi-10.0.x.tgz invalideURL avec version exacte :
5	404 sur glpi.local		ne dans apache2.conf AllowOverride All dans ww/>
6	Erreur acces log file		sur /var/www/html/glpi chown www-data + chmod 775
7	.htaccess manquant		iquement dans /public Creer .htaccess avec
8	Timezones non activees		its sur time_zone_name GRANT SELECT ON name

10 Resultat final et premiers pas dans GLPI

10.1 GLPI accessible sur http://glpi.local

Apres resolution de tous les problemes, GLPI 10 est accessible depuis Firefox sur la VM :



Page de connexion GLPI 10 — http://glpi.local — interface moderne avec champs Login / Password / Login source / Sign in

10.2 Dashboard Super-Admin

Connexion avec le compte administrateur par defaut (glpi / glpi) :

Dashboard GLPI 10 — Super-Admin connecte — Parc : logiciels, ordinateurs, equipements reseau, telephones, licences, moniteurs,



racks, imprimantes