

## **Product Sample Sanity Check List**

**Author: Michael Hung** 

B	BACKGROUND	
	HARDWARE REQUIREMENT:	
	SOFTWARE REQUIREMENT:	. 3



## Background

When we deliver the samples to customer, we check the following test items in order to make sure the hardware and software quality.

## **Hardware Requirement:**

Test Case	Criteria	Note
Power Module	Can power on the switch	Dual PSU should be tested.
(PSU1/PSU2/)		
Fan Module	Mounted securely and working.	1. Check noise level is ok.
		2. The module can mount the
		chassis tightly.
Management Port	Can ping other hosts	
Console Port	The baud rate is set to <value matches="" td="" that="" the<=""><td></td></value>	
	terminal server>. Can connect terminal server	
	to configure.	
Led	on/off/color change	
Data Port	1. See led color change when connect cable	This is optional test case. Need
	2. Forward traffic	network OS to support traffic
		forwarding.

## **Software Requirement:**

Test Case	Criteria	Note
ONIE	1. Able to upgrade ONIE with USB iso image	
	2. Able to choose option in grub menu	
	3. Check /etc/machine.conf. Make sure onie_platform and	
	onie_machine has correct format.	
	4. Able to load ICOS/ONL image.	
	5. ONIE does not erase NOS image when enter ONIE menu.	

DIAG	Pass all test cases	
MAC Address	MAC Address Check if correct MAC is programmed in ONIE/ICOS/ONL	
	management interface. It's not just a default MAC address.	
ONL Regression	ONL Regression Pass ONL regression test.	
		image.
Zero Touch	Pass the test cases in	
Provisioning With	https://github.com/DeltaProducts/SolutionCenter/blob/master/	
DHCP	Zero%20Touch%20Provisioning%20With%20DHCP.pdf	