

## Memo

### To

To whom it may concern

### Date

2020-02-06

### Our reference

001

### Number of pages

11

### Contact person

Jan Mooiman

### Direct line

+31 (0)88 335 8568

### E-mail

jan.mooiman@deltares.nl

### Subject

Manual to plot Climate and Forecast 1.7 standard compliant Time Series files

### Copy to

—


## Contents

1	Release Notes	2
2	Main window	3
3	Menu bar	3
3.1	File	3
3.1.1	Open file	3
3.1.2	Close	4
3.1.3	Exit	4
3.2	Export	4
3.2.1	Export to CSV	5
3.3	Help	5
3.3.1	User Manual	5
3.3.2	About	6
4	Filename	6
5	Select time series	6
6	Parameter, Location, Time series selection	7
7	Plotting	7
7.1	Button <i>New Plot</i>	7
7.2	Combobox next to button <i>Add</i>	7
7.3	Button <i>Add</i>	8
8	Global Attributes	8
9	Status bar	8
10	Plot area	8
10.1	Zooming	8
10.2	Select a graph	9
10.3	Select a graph	9
10.4	Editing labels	10
10.5	Multiple y-axis	10
10.6	Support ISO 10646 characters set (UTF-8)	11
11	Commandline argument	11
12	Source	11

## 1 Release Notes

Release	Description
2.11.00	- Memory bug repaired with respect to a reading global attribute which has a value longer then 256 characters.
2.10.00	- If a part of the time series is selected the, CSV export is now correct. The time and value did not correspond.
2.09.00	- Some parameters where listed without having the time-dimension. Now a parameter need the time-dimension, to be present in Parameter listbox.
2.08.00	- Export to CSV, commas (,) in names replaced by semi-coumn (;). - Fusion style theme used, advised by QT application.
2.07.00	- Show main window before loading the file given via the command line arguments. - Time unit, now assigned once, so independent on the length of the time-series (a performance issue).
2.06.00	- Disable reading a file with no time variable.
2.05.00	- Export of <*.csv> file is now to start up directory.
2.04.00	- Location of selected graph added to the top of the context menu. - Double click on a selected graph shows the location, time and value of the point where the cursor is when the double click is performed.
2.03.00	- Plot window is approximately a quarter of the main screen. - Main window size computed as percentage of the main screen. - Update spinners and tooltips if no files are in the file listbox.
2.02.02	- Close option added to file menu, close will close the files and exit will exiting the program.
2.02.01	- Set the tooltip to the filename which is selected in the file listbox.
2.02.00	- Upgrade to QT 5.12.1.
2.01.??	- No information available.


2 Main window



**Figure 1:** Openings window of the program PlotCFTS (**Plot Climate and Forecast Time Series**)


3 Menu bar

3.1 File




**Figure 2:** Menu →File

3.1.1 Open file  
Open a file, all NetCDF files are shown, even if they do not met the Climate and Forecast 1.7 standard. If the file does met the Climate and Forecast standard 1.7 the file will be read and the main window will updated with the current information.



**Figure 3:** Open window, to open a Climate and Forecast 1.7 standard compliant Time Series file (TSFILE)

If the file does not met the Climate and Forecast 1.7 standard or cannot be read due to unsupported characters a message will presented (see [Figure 4](#))




**Figure 4:** Message window when a file does not met the Climate and Forecast 1.7 standard or the path contains unsupported characters.

3.1.2 Close  
Close all plot windows and opened files.

3.1.3 Exit  
To exit the application PlotCFTS.


## 3.2 Export



**Figure 5:** Menu → Export


3.2.1 Export to CSV

Export the data selected in the main program window to a comma separated value file. The default file name has as basename the current date/time combination (ex. <2018-08-08\_230049>) and as extension <csv>.



**Figure 6:** Export window to export the data as indicated in the main window of the program PlotCFTS.

3.3 Help



**Figure 7:** Menu → Help

3.3.1 User Manual

Shows the user manual




Figure 8: PlotCFTS user manual

### 3.3.2 About

Shows the about box.




Figure 9: About box

## 4 Filename




Figure 10: List box for filenames.

## 5 Select time series





Figure 11: Combobox within group → Selected Time Series

## 6 Parameter, Location, Time series selection

The groups *Parameter*, *Location* and *Time series* are shown in [Figure 13](#):




**Figure 12:** List boxes for the *Parameter*, *Location* and *Time Series*.

With this group you are able to select a parameter(s) and a location(s) and the desired part of the time series. If no part of the time-series is selected the whole time series will be used for plotting the graph.


## 7 Plotting

The group *Plotting* is shown in [Figure 13](#):



**Figure 13:** Group *Plotting*.

### 7.1 Button *New Plot*



**Figure 14:** Initial plot after pressing button *New Plot*

See [section 10](#) for an explanation of available options to scale and rename some items of the plot area.

### 7.2 Combobox next to button *Add*

With this combobox you are able to select a plot by its number in which an additional graph can be plotted.

### 7.3 Button *Add*

When pressing this button the graph of the selected Parameter–Location will be added to the selected plot, indicated by the plot number.

## 8 Global Attributes

Showing the main global attributes as defined in the Climate and Forecast compliant Time Series file (NetCDF format, see [Figure 15](#)).

Global Attributes	
Attribute	Attribute value
institution	Deltares
references	<a href="http://www.deltares.nl">http://www.deltares.nl</a>
source	Deltares, D-Flow 1D Version 5.00.024.55203M, Mar 29 2018, 23:29:13

**Figure 15:** Status bar

## 9 Status bar


The status bar present the compilation date and time, the version number of the used QCustomPlot library and the progress bar when reading a file (see [Figure 16](#)).

PlotCFTS compiled: Dec 9 2018, 23:54:49	QCustomPlot version 2.0.1 (25 juni 2018)
---	--


**Figure 16:** Status bar

## 10 Plot area


### 10.1 Zooming



**(a)** Point multiplication



**(b)** x-axis zooming, scaled by the scroll wheel



**(c)** y-axis zooming, scaled by the scroll wheel

**Figure 17:** Several types of zooming: point multiplication, x-axis and y-axis. The zooming factor is scaled by the scroll wheel



## 10.2 Select a graph




Figure 18: Graph selected and edit window for graph name

## 10.3 Select a graph




Figure 19: Selected graph with context menu indicating the location in legend


### Context menu

The context menu may have four items:

- 1 **Legend item \*:**  
This item cannot be selected. If a graph is selected the name of the location as presented in the legend is shown. This context menu entry is useful when the plot area contains a lot of graphs and the legend area is too short.
- 2 **Rescale axes**  
Selecting this item the axes will be rescaled to the bounding box of the graphs.
- 3 **Remove selected graph**  
Selecting this item will remove the selected graph from the plot area and legend.
- 4 **Print to PDF**  
Selecting this item the plot will be saved to a pdf-file.

*Double click on a selected graph*

When a double click is given on een selected graph a message window will shown the location, time and value of the point on the graph where the double click is performed.




**Figure 20:** Selected graph with information window containing the location, time and value of the cursor location

## 10.4 Editing labels

## 10.5 Multiple y-axis


When multiple axis are needed each y-axis label gets a prefix, this label will also be visible as prefix in the legend.



**Figure 21:** Multiple y-axis, legend and y-axis labels has a prefix.

## 10.6 Support ISO 10646 charaters set (UTF-8)

The plot program support the ISO 10646 character set as seen in Figure 22, the location list box contains Norwegian and Chinese characters.



**Figure 22:** Location list box contains Norwegian and Chinese characters.

## 11 Commandline argument

The program can be started with the desired file with a command line argument:

--ncfile      Behind this argument the name of the NetCDF file need to be specified, including the file extension <.nc>.

**Example:**

```
$ plocfts --ncfile <filename>
```

## 12 Source

The source code is available on GitHub:

<https://github.com/Deltares/PlotCFTS>