

Pentest Scan Report

Target: https://example.com

Status: completed

Created: 2025-12-20 14:04:13.627734+00:00

Summary

High: 0 Medium: 12 Low: 0

Findings (17)

1. Finding 1

Severity: critical

2. Finding 2

Severity: medium

Evidence:

CSP helps prevent XSS and data injection

3. Finding 3

Severity: medium

Evidence:

Protects against clickjacking

4. Finding 4

Severity: medium

Evidence:

Prevents MIME sniffing

5. Finding 5

Severity: medium

Evidence:

Controls referrer information exposure

6. Finding 6

Severity: medium

Evidence:

Enforces HTTPS for all future requests

7. Finding 7

Severity: critical

Evidence:

Possible SSRF: server attempted internal fetch

8. Finding 8

Severity: critical

Evidence:

Possible SSRF: server attempted internal fetch

9. Finding 9

Severity: critical

Evidence:

Possible SSRF: server attempted internal fetch

10. Finding 10

Severity: critical

Evidence:

Possible SSRF: server attempted internal fetch

11. Finding 11

Severity: medium

Evidence:

HTTP detected on port 80

12. Finding 12

Severity: medium

Evidence:

HTTPS detected on port 443

13. Finding 13

Severity: medium

Evidence:

Proxy/Web detected on port 8080

14. Finding 14

Severity: medium

Evidence:

Found subdomain: www.example.com -> 104.18.27.120

15. Finding 15

Severity: medium

Evidence:

Possible WAF detected: marker 'cloudflare'

16. Finding 16

Severity: medium

Evidence:

Possible WAF detected: marker 'cloudflare'

17. Finding 17

Severity: medium

Evidence:

Possible WAF detected: marker 'cloudflare'

Raw Engine Response (truncated)

```
{
  "scan_id": null,
  "mode": "full",
  "results": [
    {
      "type": "basic_info",
      "message": "Unknown vulnerability",
      "severity": "critical",
      "confidence": 0.3342526312065515,
      "payload": null,
      "details": null,
      "explanation": "Impact",
      "cvss_score": 9.0,
      "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
    },
  ]
}
```

```
"type": "missing_security_header",
"message": "CSP helps prevent XSS and data injection",
"severity": "medium",
"confidence": 0.36411610167553243,
"payload": null,
"details": "CSP helps prevent XSS and data injection",
"explanation": "Impact",
"cvss_score": 5.0,
"cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "missing_security_header",
  "message": "Protects against clickjacking",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Protects against clickjacking",
  "explanation": "Impact",
  "cvss_score": 5.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "missing_security_header",
  "message": "Prevents MIME sniffing",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Prevents MIME sniffing",
  "explanation": "Impact",
  "cvss_score": 5.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "missing_security_header",
  "message": "Controls referrer information exposure",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Controls referrer information exposure",
  "explanation": "Impact",
  "cvss_score": 5.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "missing_security_header",
  "message": "Enforces HTTPS for all future requests",
  "severity": "medium",
  "confidence": 0.394125451373312,
  "payload": null,
```

```

    "details": "Enforces HTTPS for all future requests",
    "explanation": "Impact",
    "cvss_score": 5.0,
    "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
  },
  {
    "type": "ssrf",
    "message": "SSRF vulnerability detected",
    "severity": "critical",
    "confidence": 0.3342526312065515,
    "payload": "http://127.0.0.1",
    "details": "Possible SSRF: server attempted internal fetch",
    "signature_id": "SIG-SSRF-001",
    "signature_description": "Server-Side Request Forgery",
    "signature_recommendation": "Block internal address ranges and use network-level egress controls.",
    "autofix_summary": "Block internal IP ranges and use an allowlist for outbound URLs.",
    "autofix_example": "import ipaddress\nfrom urllib.parse import urlparse\n\ndef is_internal(url: str) ->
bool:\n  host = urlparse(url).hostname\n  if not host:\n    return True\n  ip = ipaddress.ip_address
(host)\n  return ip.is_private or ip.is_loopback\n\nif is_internal(user_supplied_url):\n  raise ValueError
('Blocked internal address')",
    "explanation": "Impact",
    "cvss_score": 8.8,
    "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
  },
  {
    "type": "ssrf",
    "message": "SSRF vulnerability detected",
    "severity": "critical",
    "confidence": 0.3342526312065515,
    "payload": "http://localhost",
    "details": "Possible SSRF: server attempted internal fetch",
    "signature_id": "SIG-SSRF-001",
    "signature_description": "Server-Side Request Forgery",
    "signature_recommendation": "Block internal address ranges and use network-level egress controls.",
    "autofix_summary": "Block internal IP ranges and use an allowlist for outbound URLs.",
    "autofix_example": "import ipaddress\nfrom urllib.parse import urlparse\n\ndef is_internal(url: str) ->
bool:\n  host = urlparse(url).hostname\n  if not host:\n    return True\n  ip = ipaddress.ip_address
(host)\n  return ip.is_private or ip.is_loopback\n\nif is_internal(user_supplied_url):\n  raise ValueError
('Blocked internal address')",
    "explanation": "Impact",
    "cvss_score": 8.8,
    "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
  },
  {
    "type": "ssrf",
    "message": "SSRF vulnerability detected",
    "severity": "critical",
    "confidence": 0.3342526312065515,
    "payload": "http://169.254.169.254/latest/meta-data/",

```

```

"details": "Possible SSRF: server attempted internal fetch",
"signature_id": "SIG-SSRF-001",
"signature_description": "Server-Side Request Forgery",
"signature_recommendation": "Block internal address ranges and use network-level egress controls.",
"autofix_summary": "Block internal IP ranges and use an allowlist for outbound URLs.",
"autofix_example": "import ipaddress\nfrom urllib.parse import urlparse\n\ndef is_internal(url: str) ->
bool:\n    host = urlparse(url).hostname\n    if not host:\n        return True\n    ip = ipaddress.ip_address
(host)\n    return ip.is_private or ip.is_loopback\n\nif is_internal(user_supplied_url):\n    raise ValueError
('Blocked internal address')",
"explanation": "Impact",
"cvss_score": 8.8,
"cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
},
{
"type": "ssrf",
"message": "SSRF vulnerability detected",
"severity": "critical",
"confidence": 0.3342526312065515,
"payload": "http://[::1]",
"details": "Possible SSRF: server attempted internal fetch",
"signature_id": "SIG-SSRF-001",
"signature_description": "Server-Side Request Forgery",
"signature_recommendation": "Block internal address ranges and use network-level egress controls.",
"autofix_summary": "Block internal IP ranges and use an allowlist for outbound URLs.",
"autofix_example": "import ipaddress\nfrom urllib.parse import urlparse\n\ndef is_internal(url: str) ->
bool:\n    host = urlparse(url).hostname\n    if not host:\n        return True\n    ip = ipaddress.ip_address
(host)\n    return ip.is_private or ip.is_loopback\n\nif is_internal(user_supplied_url):\n    raise ValueError
('Blocked internal address')",
"explanation": "Impact",
"cvss_score": 8.8,
"cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
},
{
"type": "open_port",
"message": "Open service port detected",
"severity": "medium",
"confidence": 0.45674058914850896,
"payload": null,
"details": "HTTP detected on port 80",
"signature_id": "SIG-PORT-001",
"signature_description": "Open service port",
"signature_recommendation": "Restrict unnecessary services, enforce network segmentation, and apply fire
wall rules.",
"explanation": "Impact",
"cvss_score": 3.0,
"cvss_vector": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
"type": "open_port",

```

```
"message": "Open service port detected",
"severity": "medium",
"confidence": 0.45674058914850896,
"payload": null,
"details": "HTTPS detected on port 443",
"signature_id": "SIG-PORT-001",
"signature_description": "Open service port",
"signature_recommendation": "Restrict unnecessary services, enforce network segmentation, and apply fire
wall rules.",
"explanation": "Impact",
"cvss_score": 3.0,
"cvss_vector": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "open_port",
  "message": "Open service port detected",
  "severity": "medium",
  "confidence": 0.45674058914850896,
  "payload": null,
  "details": "Proxy/Web detected on port 8080",
  "signature_id": "SIG-PORT-001",
  "signature_description": "Open service port",
  "signature_recommendation": "Restrict unnecessary services, enforce network segmentation, and apply fire
wall rules.",
  "explanation": "Impact",
  "cvss_score": 3.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "subdomain",
  "message": "Exposed subdomain detected",
  "severity": "medium",
  "confidence": 0.34344189457535046,
  "payload": null,
  "details": "Found subdomain: www.example.com -> 104.18.27.120",
  "signature_id": "SIG-SUB-001",
  "signature_description": "Exposed subdomain",
  "signature_recommendation": "Harden subdomains and remove unused DNS records.",
  "explanation": "Impact",
  "cvss_score": 2.5,
  "cvss_vector": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "waf_detected",
  "message": "Possible WAF detected: marker 'cloudflare'",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Possible WAF detected: marker 'cloudflare'",
```

```
"explanation": "Impact",
"cvss_score": 5.0,
"cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "waf_detected",
  "message": "Possible WAF detected: marker 'cloudflare'",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Possible WAF detected: marker 'cloudflare'",
  "explanation": "Impact",
  "cvss_score": 5.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
},
{
  "type": "waf_detected",
  "message": "Possible WAF detected: marker 'cloudflare'",
  "severity": "medium",
  "confidence": 0.3560062502770332,
  "payload": null,
  "details": "Possible WAF detected: marker 'cloudflare'",
  "explanation": "Impact",
  "cvss_score": 5.0,
  "cvss_vector": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N"
}
],
"attack_paths": [
  "basic_info -> subdomain -> waf_detected -> ssrf -> missing_security_header -> open_port"
],
"report_path": "reports/report_20251220_090413.pdf"
}
```