

Job Spool: KC03FE1.DCMAFD02.A3.CL.EDIT.JOB.SUMMARY

J E S 2 J O B L O G -- S Y S T E M 8 5 6 1 -- N O D E S V S C J E S 2

```

18.42.04 JOB00856 ---- SATURDAY, 18 OCT 2025 ----
18.42.04 JOB00856 IRR010I USERID KC03FE1 IS ASSIGNED TO THIS JOB.
18.42.04 JOB00856 IEF677I WARNING MESSAGE(S) FOR JOB KC03FE1 ISSUED
18.42.06 JOB00856 ICH70001I KC03FE1 LAST ACCESS AT 18:17:56 ON SATURDAY, OCTOBER 18, 2025
18.42.06 JOB00856 $HASP373 KC03FE1 STARTED - INIT 4 - CLASS A - SYS 8561
  1 //KC03FE1 JOB                                JOB00856
  2 //COBOL      EXEC PROC=IGYWCL,
    //          PARM.COBOLE='TEST,RENT,APOST,OBJECT,NODYNAM,LIB'
  3 XXIGYWCL PROC  LNGPRFX='IGY640',                00001000
    XX          LIBPRFX='CEE',                      00002000
    XX          PGMLIB='&&GOSET',GOPGM=GO             00003000
    XX*                                                00004000
    XX*****
    XX*
    XX* IBM Enterprise COBOL for z/OS                * 00006000
    XX*          Version 6 Release 3 Modification 0   * 00007000
    XX*                                                * 00008000
    XX*          LICENSED MATERIALS - PROPERTY OF IBM. * 00009000
    XX*                                                * 00010000
    XX*          5655-EC6 COPYRIGHT IBM CORP. 1983, 2022 * 00011000
    XX*                                                * 00012000
    XX*          US GOVERNMENT USERS RESTRICTED RIGHTS - USE, * 00013000
    XX*          DUPLICATION OR DISCLOSURE RESTRICTED BY GSA * 00014000
    XX*          ADP SCHEDULE CONTRACT WITH IBM CORP.      * 00015000
    XX*          * 00016000
    XX*          * 00017000
    XX*****
    XX*
    XX* COMPILE AND LINK EDIT A COBOL PROGRAM          00018000
    XX*                                                00019000
    XX*          00020000
    XX*          00021000
    XX*          PARAMETER  DEFAULT VALUE  USAGE      00022000
    XX*          LNGPRFX  IGY640          PREFIX FOR LANGUAGE DATA SET NAMES 00023000
    XX*          LIBPRFX  CEE             PREFIX FOR LIBRARY DATA SET NAMES 00024000
    XX*          PGMLIB   &&GOSET         DATA SET NAME FOR LOAD MODULE      00025000
    XX*          GOPGM    GO             MEMBER NAME FOR LOAD MODULE          00026000
    XX*          00027000
    XX*          CALLER MUST SUPPLY //COBOL.SYSIN DD ... 00028000
    XX*          00029000
    XX*          CALLER MUST ALSO SUPPLY //COBOL.SYSLIB DD ... for COPY statements 00030000
    XX*          00031000
    XX*          NOTE: SYSUT* datasets must be single-volume datasets 00032000
    XX*          00033000
  4 XXCOBOL EXEC PGM=IGYCRCTL,REGION=0M              00034000
  5 XXSTEPLIB DD DSN=DSNAME=&LNGPRFX..SIGYCOMP,DISP=SHR 00035000
    IEF653I SUBSTITUTION JCL - DSN=DSNAME=IGY640.SIGYCOMP,DISP=SHR
  6 XX          DD DSN=DSNAME=&LIBPRFX..SCEERUN,DISP=SHR 00036000
    IEF653I SUBSTITUTION JCL - DSN=DSNAME=CEE.SCEERUN,DISP=SHR
  7 XX          DD DSN=DSNAME=&LIBPRFX..SCEERUN2,DISP=SHR 00037000
    IEF653I SUBSTITUTION JCL - DSN=DSNAME=CEE.SCEERUN2,DISP=SHR
  8 XXSYSPRINT DD SYSOUT=*                          00038000
  9 XXSYSLIN  DD DSN=DSNAME=&&LOADSET,UNIT=SYSALLDA,    00039000

```

```

      XX          DISP=(MOD,PASS),SPACE=(CYL,(1,1)),VOL=(,,1)          00040000
10 XXSYSUT1 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00041000
11 XXSYSUT2 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00042000
12 XXSYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00043000
13 XXSYSUT4 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00044000
14 XXSYSUT5 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00045000
15 XXSYSUT6 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00046000
16 XXSYSUT7 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00047000
17 XXSYSUT8 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00048000
18 XXSYSUT9 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00049000
19 XXSYSUT10 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00050000
20 XXSYSUT11 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00051000
21 XXSYSUT12 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00052000
22 XXSYSUT13 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00053000
23 XXSYSUT14 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00054000
24 XXSYSUT15 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00055000
25 XXSYSMDECK DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,1)          00056000
26 //COBOL.SYSIN DD DSN=KC03FE1.DCMAFD02.A3.COBOL(EDIT),
// DISP=SHR
27 XXLKED EXEC PGM=IEWBLINK,COND=(8,LT,COBOL),REGION=0M          00057000
28 XXSYSLIB DD DSNNAME=&LIBPRFX..SCEELKEX,DISP=SHR          00058000
IEFC653I SUBSTITUTION JCL - DSNNAME=CEE.SCEELKEX,DISP=SHR
29 XX DD DSNNAME=&LIBPRFX..SCEELKED,DISP=SHR          00059000
IEFC653I SUBSTITUTION JCL - DSNNAME=CEE.SCEELKED,DISP=SHR
30 XXSYSPRINT DD SYSOUT=*          00060000
31 XXSYSLIN DD DSNNAME=&&LOADSET,DISP=(OLD,DELETE)          00061000
32 XX DD DDNAME=SYSIN          00062000
33 //LKED.SYSLMOD DD DSN=KC03FE1.DCMAFD02.A3.LOADLIB(EDIT),
// DISP=OLD
X/SYSLMOD DD DSNNAME=&PGMLIB(&GOPGM),          00063000
X/ SPACE=(CYL,(1,1,1)),          00064000
X/ UNIT=SYSALLDA,DISP=(MOD,PASS),DSNTYPE=LIBRARY          00065000
/*
IEFC653I SUBSTITUTION JCL - DSNNAME=&&G0SET(G0),SPACE=(CYL,(1,1,1)),UNIT=SYSALLDA,DISP=(MOD,PASS),
DSNTYPE=LIBRARY
STMT NO. MESSAGE
2 IEF001I PROCEDURE IGYWCL WAS EXPANDED USING SYSTEM LIBRARY SVTSC.PROCLIB
33 IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED
ICH70001I KC03FE1 LAST ACCESS AT 18:17:56 ON SATURDAY, OCTOBER 18, 2025
IEFA111I KC03FE1 IS USING THE FOLLOWING JOB RELATED SETTINGS:
SWA=ABOVE,TIOT SIZE=32K,DSENQSHR=DISALLOW,GDGBIAS=JOB
IEF236I ALLOC. FOR KC03FE1 COBOL COBOL
IEF237I 196E ALLOCATED TO STEPLIB
IEF237I 1001 ALLOCATED TO
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IGD100I 0D2F ALLOCATED TO DDNAME SYSLIN DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT1 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT2 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT3 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT4 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT5 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT6 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT7 DATACLAS ( )

```

```

IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT8  DATACLAS (      )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT9  DATACLAS (      )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT10 DATACLAS (      )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT11 DATACLAS (      )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT12 DATACLAS (      )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT13 DATACLAS (      )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT14 DATACLAS (      )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT15 DATACLAS (      )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSMDECK DATACLAS (      )

```

IGD103I SMS ALLOCATED TO DDNAME SYSIN

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211

Date 10/18/2025 Time 18:42:07 Page 1

Invocation parameters:

TEST,RENT,APOST,OBJECT,NODYNAM,LIB

IGYOS4090-I The "LIB" option specification is no longer required. COBOL library processing is always in effect.

Options in effect:

```

NOADATA
ADV
AFP(NOVOLATILE)
APOST
ARCH(10)
ARITH(COMPAT)
NOAWO
NOBLOCK0
BUFSIZE(4096)
NOCICS
CODEPAGE(1140)
NOCOMPILE(S)
CONDCOMP(NOSKIPSR)
NOCOPYLOC
NOCOPYRIGHT
NOCURRENCY
DATA(31)
DBCS
NODECK
NODEFINE
NODIAGTRUNC
DISPSIGN(COMPAT)
NODLL
NODUMP
NODYNAM
NOEXIT
NOEXPORTALL
NOFASTSRT
FLAG(I,I)
NOFLAGSTD
HGPR(PRESERVE)
NOINITCHECK
NOINITIAL
INLINE
INTDATE(ANSI)
NOINVDATA
NOJAVAIOP

```

```

LANGUAGE(EN)
LINECOUNT(60)
NOLIST
LP(32)
NOLSACHECK
NOMAP
MAXPCF(100000)
NOMDECK
NONAME
NSYMBOL(NATIONAL)
NONUMBER
NONUMCHECK
NUMPROC(NOPFD)
OBJECT
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      Date 10/18/2025   Time 18:42:07   Page    2
NOOFFSET
OPTIMIZE(0)
OUTDD(SYSOUT)
NOPARMCHECK
PGMNAME(COMPAT)
QUALIFY(COMPAT)
RENT
RMODE(AUTO)
NORULES
NOSERVICE
SEQUENCE
SMARTBIN
SOURCE(DEC)
SPACE(1)
NOSQL
SQLCCSID
NOSQLIMS
NOSSRANGE
NOSTGOPT
SUPPRESS
NOTERM
TEST(NOJPD, DWARF, SOURCE, NOSEPARATE)
NOTHREAD
TRUNC(STD)
TUNE(10)
NOVBREF
VLR(STANDARD)
VSAMOPENFS(COMPAT)
NOWORD
XMLPARSE(XMLSS)
XREF(FULL)
ZWB
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      EDIT      Date 10/18/2025   Time 18:42:07   Page    3
LineID  PL  SL  -----*A-1-B-+-----2-+-----3-+-----4-+-----5-+-----6-+-----7-|+-----8 Map and Cross Reference
/* EDIT
000001          identification division.
000002          program-id. EDIT.
000003          date-written. 2025-07-23.
000004          author. Jiabao Wu.

```

000005	*Description: A2 EDIT Insurance Claims Validation		
000006			
000007	environment division.		
000008	input-output section.		
000009	file-control.		
000010	select input-file	29	
000011	assign to INFILE		
000012	organization is sequential.		
000013			
000014	select output-file	47	
000015	assign to OUTFILE		
000016	organization is sequential.		
000017			
000018	select valid-file	54	
000019	assign to VALFILE		
000020	organization is sequential.		
000021			
000022	select invalid-file	61	
000023	assign to INVFILE		
000024	organization is sequential.		
000025			
000026	data division.		
000027	file section.		
000028			
000029	fd input-file		
000030	recording mode is f		
000031	data record is input-line	*	
000032	record contains 76 characters.		
000033			
000034	01 input-line.		
000035	05 il-policy-num	pic x(10).	
000036	05 il-policy-num-val		
000037	redefines il-policy-num.	35	
000038	10 il-region-code	pic x(3).	
000039	10 il-hyphen	pic x.	
000040	10 il-numeric-id	pic x(6).	
000041	05 il-customer-name	pic x(20).	
000042	05 il-product-code	pic x(3).	
000043	05 il-claim-type	pic x(7).	
000044	05 il-amount	pic x(6).	
000045	05 il-justification	pic x(30).	
000046			
000047	fd output-file		
000048	recording mode is f		
000049	data record is output-line	*	
000050	record contains 100 characters.		
000051			
000052	01 output-line	pic x(100).	
000053			
000054	fd valid-file		
000055	recording mode is f		
000056	data record is valid-line	*	

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 EDIT Date 10/18/2025 Time 18:42:07 Page 4

LineID PL SL ----+*A-1-B-+-----2-----3-----4-----5-----6-----7-|-----8 Map and Cross Reference

```

000057         record contains 76 characters.
000058
000059         01 valid-line                               pic x(76).
000060
000061         fd invalid-file
000062             recording mode is f
000063             data record is invalid-line              *
000064             record contains 76 characters.
000065
000066         01 invalid-line                             pic x(76).
000067
000068         working-storage section.
000069
000070         01 ws-report-heading.
000071             05 filler                               pic x(30)
000072                 value "Jiabao Wu, A2 Error Report".
000073
000074         01 ws-column-headings.
000075             05 filler                               pic x(80)
000076                 value "ERRORS Record".
000077
000078         01 ws-detail-line.
000079             05 ws-record-num                         pic zzz9.
000080             05 filler                               pic x(3)
000081                 value spaces.                      IMP
000082             05 ws-error-desc                         pic x(50).
000083
000084         01 ws-summary-line.
000085             05 filler                               pic x(14)
000086                 value "Records Read: ".
000087             05 ws-records-read                       pic zz9.
000088
000089         01 ws-valid-summary.
000090             05 filler                               pic x(15)
000091                 value "Valid Records: ".
000092             05 ws-valid-count                       pic zz9.
000093
000094         01 ws-invalid-summary.
000095             05 filler                               pic x(17)
000096                 value "Invalid Records: ".
000097             05 ws-invalid-count                     pic zz9.
000098
000099         01 ws-flags-and-counters.
000100             05 ws-eof-flag                           pic x
000101                 value 'n'.
000102             05 ws-error-flag                         pic x
000103                 value 'n'.
000104             05 ws-record-counter                     pic 999
000105                 value zeros.                      IMP
000106             05 ws-valid-counter                     pic 999
000107                 value zeros.                      IMP
000108             05 ws-invalid-counter                    pic 999
000109                 value zeros.                      IMP
000110

```

000111		01 ws-numeric-amount	pic 9(4)v99.	
000112		01 ws-numeric-id	pic 9(6).	
000113				

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 EDIT Date 10/18/2025 Time 18:42:07 Page 5

LineID	PL	SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8	Map and Cross Reference
000114			77 ws-spaces	pic x(100)
000115			value spaces.	IMP
000116				
000117			procedure division.	
000118				
000119			000-main.	
000120			open input input-file	29
000121			output output-file	47
000122			valid-file	54
000123			invalid-file.	61
000124				
000125			perform 100-print-headings.	137
000126			perform 200-read-input.	143
000127			perform 300-process-records	147
000128			until ws-eof-flag = 'y'.	100
000129			perform 400-print-summary.	255
000130				
000131			close input-file	29
000132			output-file	47
000133			valid-file	54
000134			invalid-file.	61
000135			goback.	
000136				
000137			100-print-headings.	
000138			write output-line from ws-report-heading.	52 70
000139			write output-line from ws-spaces.	52 114
000140			write output-line from ws-column-headings.	52 74
000141			write output-line from ws-spaces.	52 114
000142				
000143			200-read-input.	
000144			read input-file	29
000145	1		at end move 'y' to ws-eof-flag.	100
000146				
000147			300-process-records.	
000148			add 1 to ws-record-counter.	104
000149			move 'n' to ws-error-flag.	102
000150			perform 310-edit-policy-number.	167
000151			perform 320-edit-numeric-id.	189
000152			perform 330-edit-product-code.	209
000153			perform 340-edit-claim-type.	224
000154			perform 350-blank-justification.	235
000155			perform 360-edit-amount.	244
000156				
000157			if ws-error-flag = 'n'	102
000158	1		add 1 to ws-valid-counter	106
000159	1		write valid-line from input-line	59 34
000160			else	
000161	1		add 1 to ws-invalid-counter	108
000162	1		write invalid-line from input-line	66 34

000163		end-if.	
000164			
000165		perform 200-read-input.	143
000166			
000167		310-edit-policy-number.	
000168		*hyphen	
000169		if il-hyphen not = '-'	39
000170	1	move 'y' to ws-error-flag	102
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 EDIT Date 10/18/2025 Time 18:42:07 Page 6			
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8	Map and Cross Reference
000171	1	move ws-record-counter to ws-record-num	104 79
000172	1	move 'Policy format invalid - missing hyphen'	
000173	1	to ws-error-desc	82
000174	1	write output-line from ws-detail-line	52 78
000175		end-if.	
000176			
000177		*region codes	
000178		if il-region-code not = 'ONT' and	38
000179		il-region-code not = 'QUE' and	38
000180		il-region-code not = 'ALB' and	38
000181		il-region-code not = 'MAN'	38
000182	1	move 'y' to ws-error-flag	102
000183	1	move ws-record-counter to ws-record-num	104 79
000184	1	move 'Invalid region code in policy number'	
000185	1	to ws-error-desc	82
000186	1	write output-line from ws-detail-line	52 78
000187		end-if.	
000188			
000189		320-edit-numeric-id.	
000190		*validate numeric portion of policy number	
000191		if il-numeric-id is not numeric	40
000192	1	move 'y' to ws-error-flag	102
000193	1	move ws-record-counter to ws-record-num	104 79
000194	1	move 'Policy number contains non-numeric characters'	
000195	1	to ws-error-desc	82
000196	1	write output-line from ws-detail-line	52 78
000197		else	
000198		*A3 requirement: first digit cannot be 5	
000199	1	move il-numeric-id to ws-numeric-id	40 112
000200	1	if ws-numeric-id >= 500000 and ws-numeric-id <= 599999	112 112
000201	2	move 'y' to ws-error-flag	102
000202	2	move ws-record-counter to ws-record-num	104 79
000203	2	move 'Invoice number cannot start with 5'	
000204	2	to ws-error-desc	82
000205	2	write output-line from ws-detail-line	52 78
000206	1	end-if	
000207		end-if.	
000208			
000209		330-edit-product-code.	
000210		if il-product-code not = 'FRG' and	42
000211		il-product-code not = 'STV' and	42
000212		il-product-code not = 'WAS' and	42
000213		il-product-code not = 'ACO' and	42
000214		il-product-code not = 'OTH' and	42

000215		il-product-code not = 'HWT'	42
000216	1	move 'y' to ws-error-flag	102
000217	1	move ws-record-counter to ws-record-num	104 79
000218	1	move 'Invalid product code'	
000219	1	to ws-error-desc	82
000220	1	write output-line from ws-detail-line	52 78
000221		end-if.	
000222			
000223		* repair replace claim type	
000224		340-edit-claim-type.	
000225		if il-claim-type not = 'REPAIR ' and	43
000226		il-claim-type not = 'REPLACE'	43
000227	1	move 'y' to ws-error-flag	102
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 EDIT Date 10/18/2025 Time 18:42:07 Page 7			
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8	Map and Cross Reference
000228	1	move ws-record-counter to ws-record-num	104 79
000229	1	move 'Invalid claim type'	
000230	1	to ws-error-desc	82
000231	1	write output-line from ws-detail-line	52 78
000232		end-if.	
000233			
000234		* non-blank justification clause	
000235		350-blank-justification.	
000236		if il-justification = spaces	45 IMP
000237	1	move 'y' to ws-error-flag	102
000238	1	move ws-record-counter to ws-record-num	104 79
000239	1	move 'Justification cannot be blank'	
000240	1	to ws-error-desc	82
000241	1	write output-line from ws-detail-line	52 78
000242		end-if.	
000243			
000244		360-edit-amount.	
000245		*validate amount is numeric	
000246		if il-amount is not numeric	44
000247	1	move 'y' to ws-error-flag	102
000248	1	move ws-record-counter to ws-record-num	104 79
000249	1	move 'Amount contains non-numeric characters'	
000250	1	to ws-error-desc	82
000251	1	write output-line from ws-detail-line	52 78
000252		end-if.	
000253			
000254		* print	
000255		400-print-summary.	
000256		write output-line from ws-spaces.	52 114
000257		move ws-record-counter to ws-records-read.	104 87
000258		write output-line from ws-summary-line.	52 84
000259		move ws-valid-counter to ws-valid-count.	106 92
000260		write output-line from ws-valid-summary.	52 89
000261		move ws-invalid-counter to ws-invalid-count.	108 97
000262		write output-line from ws-invalid-summary.	52 94
000263			
000264		end program EDIT.	2
000265			
*/ EDIT			

An "M" preceding a data-name reference indicates that the data-name is modified by this reference.

Defined	Cross-reference of data names	References
44	IL-AMOUNT.	246
43	IL-CLAIM-TYPE.	225 226
41	IL-CUSTOMER-NAME	
39	IL-HYPHEN.	169
45	IL-JUSTIFICATION	236
40	IL-NUMERIC-ID.	191 199
35	IL-POLICY-NUM.	37
36	IL-POLICY-NUM-VAL	
42	IL-PRODUCT-CODE.	210 211 212 213 214 215
38	IL-REGION-CODE	178 179 180 181
29	INPUT-FILE	10 120 131 144
34	INPUT-LINE	159 162
61	INVALID-FILE	22 123 134
66	INVALID-LINE	M162
47	OUTPUT-FILE.	14 121 132
52	OUTPUT-LINE.	M138 M139 M140 M141 M174 M186 M196 M205 M220 M231 M241 M251 M256 M258 M260 M262
54	VALID-FILE	18 122 133
59	VALID-LINE	M159
74	WS-COLUMN-HEADINGS	140
78	WS-DETAIL-LINE	174 186 196 205 220 231 241 251
100	WS-EOF-FLAG.	128 M145
82	WS-ERROR-DESC.	M173 M185 M195 M204 M219 M230 M240 M250
102	WS-ERROR-FLAG.	M149 157 M170 M182 M192 M201 M216 M227 M237 M247
99	WS-FLAGS-AND-COUNTERS	
97	WS-INVALID-COUNT	M261
108	WS-INVALID-COUNTER	M161 261
94	WS-INVALID-SUMMARY	262
111	WS-NUMERIC-AMOUNT	
112	WS-NUMERIC-ID.	M199 200 200
104	WS-RECORD-COUNTER.	M148 171 183 193 202 217 228 238 248 257
79	WS-RECORD-NUM.	M171 M183 M193 M202 M217 M228 M238 M248
87	WS-RECORDS-READ.	M257
70	WS-REPORT-HEADING.	138
114	WS-SPACES.	139 141 256
84	WS-SUMMARY-LINE.	258
92	WS-VALID-COUNT	M259
106	WS-VALID-COUNTER	M158 259
89	WS-VALID-SUMMARY	260

Context usage is indicated by the letter preceding a procedure-name reference.

These letters and their meanings are:

- A = ALTER (procedure-name)
- D = GO TO (procedure-name) DEPENDING ON
- E = End of range of (PERFORM) through (procedure-name)
- G = GO TO (procedure-name)
- P = PERFORM (procedure-name)
- T = (ALTER) TO PROCEED TO (procedure-name)
- U = USE FOR DEBUGGING (procedure-name)

Defined	Cross-reference of procedures	References					
119	000-MAIN						
137	100-PRINT-HEADINGS	P125					
143	200-READ-INPUT	P126 P165					
147	300-PROCESS-RECORDS.	P127					
167	310-EDIT-POLICY-NUMBER	P150					
189	320-EDIT-NUMERIC-ID.	P151					
209	330-EDIT-PRODUCT-CODE.	P152					
224	340-EDIT-CLAIM-TYPE.	P153					
235	350-BLANK-JUSTIFICATION.	P154					
244	360-EDIT-AMOUNT.	P155					
255	400-PRINT-SUMMARY.	P129					
PP 5655-EC6	IBM Enterprise COBOL for z/OS	6.4.0 P241211	EDIT	Date 10/18/2025	Time 18:42:07	Page	10
Defined	Cross-reference of programs	References					

2	EDIT	264				
Messages	Total	Informational	Warning	Error	Severe	Terminating
Printed:	1	1				
* Statistics for COBOL program EDIT:						
* Source records = 265						
* Data Division statements = 34						
* Procedure Division statements = 75						
* Generated COBOL statements = 0						
* Program complexity factor = 77						
End of compilation 1, program EDIT, highest severity 0.						
Return code 0						