

Job Spool: KC03FE1.JOB00775

J E S 2 J O B L O G -- S Y S T E M 8 5 6 1 -- N O D E S V S C J E S 2

18.14.11 JOB00775 ---- SATURDAY, 18 OCT 2025 ----

18.14.11 JOB00775 IRR010I USERID KC03FE1 IS ASSIGNED TO THIS JOB.

18.14.11 JOB00775 IEF677I WARNING MESSAGE(S) FOR JOB KC03FE1 ISSUED

18.14.13 JOB00775 ICH70001I KC03FE1 LAST ACCESS AT 18:13:53 ON SATURDAY, OCTOBER 18, 2025

18.14.13 JOB00775 \$HASP373 KC03FE1 STARTED - INIT 4 - CLASS A - SYS 8561

18.14.17 JOB00775 - ----TIMINGS (MINS.)-----

								-----PAGING COUNTS----						
STEPNAME	PROCSTEP	RC	EXCP	CONN	TCB	SRB	CLOCK	SERV	WORKLOAD	PAGE	SWAP	VIO	SWAPS	
18.14.17	JOB00775	-COBOL	COBOL	00	17429	226	.00	.00	.0	83	BATCH	0	0	0
18.14.17	JOB00775	-COBOL	LKED	00	316	33	.00	.00	.0	57	BATCH	0	0	0
18.14.17	JOB00775	-KC03FE1	ENDED.	NAME-	TOTAL TCB CPU TIME=				.00	TOTAL ELAPSED TIME=		.0		

18.14.17 JOB00775 \$HASP395 KC03FE1 ENDED - RC=0000

----- JES2 JOB STATISTICS -----

18 OCT 2025 JOB EXECUTION DATE

8 CARDS READ

803 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

52 SYSOUT SPOOL KBYTES

0.09 MINUTES EXECUTION TIME

1 //KC03FE1 JOB

JOB00775

2 //COBOL EXEC PROC=IGYWCL,

// PARM.COBOLE='TEST,RENT,APOST,OBJECT,NODYNAM,LIB'

3 XXIGYWCL PROC LNGPRFX='IGY640',

00001000

XX LIBPRFX='CEE',

00002000

XX PGMLIB='&&G0SET',GOPGM=G0

00003000

XX*

00004000

XX*****

00005000

XX*

* 00006000

XX* IBM Enterprise COBOL for z/OS

* 00007000

XX* Version 6 Release 3 Modification 0

* 00008000

XX*

* 00009000

XX* LICENSED MATERIALS - PROPERTY OF IBM.

* 00010000

XX*

* 00011000

XX* 5655-EC6 COPYRIGHT IBM CORP. 1983, 2022

* 00012000

XX*

* 00013000

XX* US GOVERNMENT USERS RESTRICTED RIGHTS - USE,

* 00014000

XX* DUPLICATION OR DISCLOSURE RESTRICTED BY GSA

* 00015000

XX* ADP SCHEDULE CONTRACT WITH IBM CORP.

* 00016000

XX*

* 00017000

XX*****

00018000

XX*

00019000

XX* COMPILE AND LINK EDIT A COBOL PROGRAM

00020000

XX*

00021000

XX* PARAMETER DEFAULT VALUE USAGE

00022000

XX* LNGPRFX IGY640 PREFIX FOR LANGUAGE DATA SET NAMES

00023000

XX* LIBPRFX CEE PREFIX FOR LIBRARY DATA SET NAMES

00024000

XX* PGMLIB &&G0SET DATA SET NAME FOR LOAD MODULE

00025000

XX* GOPGM G0 MEMBER NAME FOR LOAD MODULE

00026000

XX*

00027000

XX* CALLER MUST SUPPLY //COBOL.SYSIN DD ...

00028000

XX*

00029000

XX*	CALLER MUST ALSO SUPPLY //COBOL.SYSLIB DD ... for COPY statements	00030000
XX*		00031000
XX*	NOTE: SYSUT* datasets must be single-volume datasets	00032000
XX*		00033000
4	XXCOBOL EXEC PGM=IGYCRCTL,REGION=0M	00034000
5	XXSTEPLIB DD DSN=IGY640.SIGYCOMP,DISP=SHR	00035000
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.SIGYCOMP,DISP=SHR	
6	XX DD DSN=IGY640.SCEERUN,DISP=SHR	00036000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN,DISP=SHR	
7	XX DD DSN=IGY640.SCEERUN2,DISP=SHR	00037000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN2,DISP=SHR	
8	XXSYSPRINT DD SYSOUT=*	00038000
9	XXSYSLIN DD DSN=IGY640.LOADSET,UNIT=SYSALLDA,	00039000
	XX DISP=(MOD,PASS),SPACE=(CYL,(1,1)),VOL=(,,,1)	00040000
10	XXSYSUT1 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00041000
11	XXSYSUT2 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00042000
12	XXSYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00043000
13	XXSYSUT4 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00044000
14	XXSYSUT5 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00045000
15	XXSYSUT6 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00046000
16	XXSYSUT7 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00047000
17	XXSYSUT8 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00048000
18	XXSYSUT9 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00049000
19	XXSYSUT10 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00050000
20	XXSYSUT11 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00051000
21	XXSYSUT12 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00052000
22	XXSYSUT13 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00053000
23	XXSYSUT14 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00054000
24	XXSYSUT15 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00055000
25	XXSYSMDCK DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00056000
26	//COBOL.SYSIN DD DSN=KC03FE1.DCMAFD02.A3.COBOL(REPAIR),	
	// DISP=SHR	
27	XXLKED EXEC PGM=IEWBLINK,COND=(8,LT,COBOL),REGION=0M	00057000
28	XXSYSLIB DD DSN=IGY640.SCEELKEX,DISP=SHR	00058000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKEX,DISP=SHR	
29	XX DD DSN=IGY640.SCEELKED,DISP=SHR	00059000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKED,DISP=SHR	
30	XXSYSPRINT DD SYSOUT=*	00060000
31	XXSYSLIN DD DSN=IGY640.LOADSET,DISP=(OLD,DELETE)	00061000
32	XX DD DDNAME=SYSIN	00062000
33	//LKED.SYSLMOD DD DSN=KC03FE1.DCMAFD02.A3.LOADLIB(REPAIR),	
	// DISP=OLD	
	X/SYSLMOD DD DSN=IGY640.PGMLIB(&GOPGM),	00063000
	X/ SPACE=(CYL,(1,1,1)),	00064000
	X/ UNIT=SYSALLDA,DISP=(MOD,PASS),DSNTYPE=LIBRARY	00065000
	/*	
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.G0SET(GO),SPACE=(CYL,(1,1,1)),UNIT=SYSALLDA,DISP=(MOD,PASS),	
	DSNTYPE=LIBRARY	
STMT NO.	MESSAGE	
2	IEFC001I PROCEDURE IGYWCL WAS EXPANDED USING SYSTEM LIBRARY SVTSC.PROCLIB	
33	IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED	
ICH70001I	KC03FE1 LAST ACCESS AT 18:13:53 ON SATURDAY, OCTOBER 18, 2025	
IEFA111I	KC03FE1 IS USING THE FOLLOWING JOB RELATED SETTINGS:	
	SWA=ABOVE,TIOT SIZE=32K,DSNQSHR=DISALLOW,GDGBIAS=JOB	

```

IEF236I ALLOC. FOR KC03FE1 COBOL COBOL
IEF237I 196E ALLOCATED TO STEPLIB
IEF237I 1001 ALLOCATED TO
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IGD100I 03DE ALLOCATED TO DDNAME SYSLIN DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT1 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT2 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT3 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT4 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT5 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT6 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT7 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT8 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT9 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT10 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT11 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT12 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT13 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT14 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT15 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSMDECK DATACLAS ( )
IGD103I SMS ALLOCATED TO DDNAME SYSIN
IEF142I KC03FE1 COBOL COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I IGY640.SIGYCOMP KEPT
IEF285I VOL SER NOS= VTIGYM.
IEF285I CEE.SCEERUN KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEERUN2 KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00775.D0000101.? SYSOUT
IEF285I SYS25291.T181411.RA000.KC03FE1.LOADSET.H01 PASSED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166728 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166729 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166730 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166731 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166732 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166733 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166734 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166735 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166736 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166737 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166738 DELETED

```

```

IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166739 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166740 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166741 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166742 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181411.RA000.KC03FE1.R0166743 DELETED
IEF285I VOL SER NOS= VPMVSE.
IGD104I KC03FE1.DCMAFD02.A3.COBOL RETAINED, DDNAME=SYSIN
IEF373I STEP/COBOL /START 2025291.1814
IEF032I STEP/COBOL /STOP 2025291.1814
CPU: 0 HR 00 MIN 00.06 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 496K SYS: 292K EXT: 218284K SYS: 15700K
ATB- REAL: 8344K SLOTS: 0K
VIRT- ALLOC: 535M SHRD: 0M
IEF236I ALLOC. FOR KC03FE1 LKED COBOL
IEF237I 1001 ALLOCATED TO SYSLIB
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 03DE ALLOCATED TO SYSLIN
IEF237I DMY ALLOCATED TO
IGD103I SMS ALLOCATED TO DDNAME SYSLMOD
IEF142I KC03FE1 LKED COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I CEE.SCEELKEX KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEELKED KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00775.D0000102.? SYSOUT
IEF285I SYS25291.T181411.RA000.KC03FE1.LOADSET.H01 DELETED
IEF285I VOL SER NOS= VPMVSH.
IGD104I KC03FE1.DCMAFD02.A3.LOADLIB RETAINED, DDNAME=SYSLMOD
IEF373I STEP/LKED /START 2025291.1814
IEF032I STEP/LKED /STOP 2025291.1814
CPU: 0 HR 00 MIN 00.01 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 92K SYS: 272K EXT: 1768K SYS: 11596K
ATB- REAL: 256K SLOTS: 0K
VIRT- ALLOC: 17M SHRD: 0M
IEF375I JOB/KC03FE1 /START 2025291.1814
IEF033I JOB/KC03FE1 /STOP 2025291.1814
CPU: 0 HR 00 MIN 00.07 SEC SRB: 0 HR 00 MIN 00.00 SEC
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 Date 10/18/2025 Time 18:14:14 Page 1
Invocation parameters:
TEST,RENT,APOST,OBJECT,NODYNAM,LIB

```

IGYOS4090-I The "LIB" option specification is no longer required. COBOL library processing is always in effect.

Options in effect:

```

NOADATA
ADV
AFP(NOVOLATILE)
APOST

```

ARCH(10)
 ARITH(COMPAT)
 NOAWO
 NOBLOCK0
 BUFSIZE(4096)
 NOCICS
 CODEPAGE(1140)
 NOCOMPILE(S)
 CONDCOMP(NOSKIPSRG)
 NOCOPYLOC
 NOCOPYRIGHT
 NOCURRENCY
 DATA(31)
 DBCS
 NODECK
 NODEFINE
 NODIAGTRUNC
 DISPSIGN(COMPAT)
 NODLL
 NODUMP
 NODYNAM
 NOEXIT
 NOEXPORTALL
 NOFASTSRT
 FLAG(I, I)
 NOFLAGSTD
 HGPR(PRESERVE)
 NOINITCHECK
 NOINITIAL
 INLINE
 INTDATE(ANSI)
 NOINVDATA
 NOJAVAIOP
 LANGUAGE(EN)
 LINECOUNT(60)
 NOLIST
 LP(32)
 NOLSACHECK
 NOMAP
 MAXPCF(100000)
 NOMDECK
 NONAME
 NSYMBOL(NATIONAL)
 NONUMBER
 NONUMCHECK
 NUMPROC(NOPFD)
 OBJECT
 PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211
 NOOFFSET
 OPTIMIZE(0)
 OUTDD(SYSOUT)
 NOPARMCHECK
 PGMNAME(COMPAT)
 QUALIFY(COMPAT)

Date 10/18/2025 Time 18:14:14 Page 2

RENT
 RMODE(AUTO)
 NORULES
 NOSERVICE
 SEQUENCE
 SMARTBIN
 SOURCE(DEC)
 SPACE(1)
 NOSQL
 SQLCCSID
 NOSQLIMS
 NOSSRANGE
 NOSTGOPT
 SUPPRESS
 NOTERM
 TEST(NOJPD,DWARF,SOURCE,NOSEPARATE)
 NOTHREAD
 TRUNC(STD)
 TUNE(10)
 NOVBREF
 VLR(STANDARD)
 VSAMOPENFS(COMPAT)
 NOWORD
 XMLPARSE(XMLSS)
 XREF(FULL)
 ZWB

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 3
 LineID PL SL -----*A-1-B-----2-----3-----4-----5-----6-----7-|-----8 Map and Cross Reference

/* REPAIR

000001	IDENTIFICATION DIVISION.	
000002	PROGRAM-ID. REPAIR.	
000003	DATE-WRITTEN. Aug-10-2025.	
000004	AUTHOR. Mudit Kumar.	
000005	*Description: Assignment A2 Repair Claims Report	
000006	*	
000007	ENVIRONMENT DIVISION.	
000008	CONFIGURATION SECTION.	
000009	*	
000010	INPUT-OUTPUT SECTION.	
000011	*	
000012	FILE-CONTROL.	
000013	SELECT INPUT-FILE	24
000014	ASSIGN TO INFILE	
000015	ORGANIZATION IS SEQUENTIAL.	
000016	*	
000017	SELECT OUTPUT-FILE	42
000018	ASSIGN TO OUTFILE	
000019	ORGANIZATION IS SEQUENTIAL.	
000020	*	
000021	DATA DIVISION.	
000022	FILE SECTION.	
000023	*	
000024	FD INPUT-FILE	
000025	RECORDING MODE IS F	

```

000026          DATA RECORD IS INPUT-LINE          *
000027          RECORD CONTAINS 76 CHARACTERS.
000028      *
000029          01 INPUT-LINE.
000030              05 IL-POLICY-NUM          PIC X(10).
000031              05 IL-POLICY-NUM-VAL
000032                  REDEFINES IL-POLICY-NUM.          30
000033                  10 IL-REGION-CODE          PIC X(3).
000034                  10 IL-HYPHEN          PIC X.
000035                  10 IL-NUMERIC-ID          PIC X(6).
000036              05 IL-CUSTOMER-NAME          PIC X(20).
000037              05 IL-PRODUCT-CODE          PIC X(3).
000038              05 IL-CLAIM-TYPE          PIC X(7).
000039              05 IL-AMOUNT          PIC 9(4)V99.
000040              05 IL-JUSTIFICATION          PIC X(30).
000041      *
000042          FD OUTPUT-FILE
000043              RECORDING MODE IS F
000044              DATA RECORD IS OUTPUT-LINE          *
000045              RECORD CONTAINS 132 CHARACTERS.
000046      *
000047          01 OUTPUT-LINE          PIC X(132).
000048      *
000049          WORKING-STORAGE SECTION.
000050      *
000051          01 WS-REPORT-HEADING.
000052              05 FILLER          PIC X(25)
000053                  VALUE "Mudit Kumar, A3".
000054              05 FILLER          PIC X(30) VALUE SPACES.          IMP
000055              05 FILLER          PIC X(26)
000056                  VALUE "REPAIR CLAIMS REPORT".
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      REPAIR      Date 10/18/2025   Time 18:14:14   Page      4
LineID  PL SL  ----+-*A-1-B-+-----2-----3-----4-----+-----5-----+-----6-----+-----7-|-----8 Map and Cross Reference
000057              05 FILLER          PIC X(38) VALUE SPACES.          IMP
000058              05 FILLER          PIC X(5) VALUE "Page ".
000059              05 WS-PAGE-NUM          PIC ZZ9.
000060      *
000061          01 WS-COLUMN-HEADINGS-1.
000062              05 FILLER          PIC X(11)
000063                  VALUE "Policy Num".
000064              05 FILLER          PIC X(21)
000065                  VALUE "Customer Name".
000066              05 FILLER          PIC X(9) VALUE SPACES.          IMP
000067              05 FILLER          PIC X(8)
000068                  VALUE "Product".
000069              05 FILLER          PIC X(3) VALUE SPACES.          IMP
000070              05 FILLER          PIC X(10)
000071                  VALUE "Claim Type".
000072              05 FILLER          PIC X(6) VALUE SPACES.          IMP
000073              05 FILLER          PIC X(6)
000074                  VALUE "Amount".
000075              05 FILLER          PIC X(4) VALUE SPACES.          IMP
000076              05 FILLER          PIC X(10)
000077                  VALUE "Deductible".

```

000078	05 FILLER	PIC X(2) VALUE SPACES.	IMP
000079	05 FILLER	PIC X(14)	
000080	VALUE "Justification".		
000081	*		
000082	01 WS-DETAIL-LINE.		
000083	05 WS-DL-POLICY-NUM	PIC X(10).	
000084	05 FILLER	PIC X VALUE SPACES.	IMP
000085	05 WS-DL-CUSTOMER-NAME	PIC X(20).	
000086	05 FILLER	PIC X VALUE SPACES.	IMP
000087	05 WS-DL-PRODUCT-CODE	PIC X(3).	
000088	05 FILLER	PIC X(5) VALUE SPACES.	IMP
000089	05 WS-DL-CLAIM-TYPE	PIC X(7).	
000090	05 FILLER	PIC X(3) VALUE SPACES.	IMP
000091	05 WS-DL-AMOUNT	PIC \$Z,ZZ9.99.	
000092	05 FILLER	PIC X(3) VALUE SPACES.	IMP
000093	05 WS-DL-DEDUCTIBLE	PIC \$ZZ9.99.	
000094	05 FILLER	PIC X(3) VALUE SPACES.	IMP
000095	05 WS-DL-JUSTIFICATION	PIC X(30).	
000096	*		
000097	01 WS-SUMMARY-HEADING.		
000098	05 FILLER	PIC X(50) VALUE ALL "-".	
000099	05 FILLER	PIC X(16)	
000100	VALUE " SUMMARY REPORT ".		
000101	05 FILLER	PIC X(50) VALUE ALL "-".	
000102	*		
000103	01 WS-REGION-COUNT-HDR.		
000104	05 FILLER	PIC X(30)	
000105	VALUE "REPAIR Records by Region:".		
000106	*		
000107	01 WS-REGION-COUNT-LINE.		
000108	05 FILLER	PIC X(5) VALUE SPACES.	IMP
000109	05 WS-RCL-REGION	PIC X(3).	
000110	05 FILLER	PIC X(2) VALUE ": ".	
000111	05 WS-RCL-COUNT	PIC ZZ,ZZ9.	
000112	05 FILLER	PIC X(8) VALUE " records".	
000113	*		

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 5

LineID PL SL ----+*A-1-B-+----2-+----3-+----4-+----5-+----6-+----7-|+----8 Map and Cross Reference

000114	01 WS-TOTAL-LINE-1.		
000115	05 FILLER	PIC X(30)	
000116	VALUE "Total REPAIR Records: ".		
000117	05 WS-TL-RECORD-COUNT	PIC ZZ,ZZ9.	
000118	05 FILLER	PIC X(20) VALUE SPACES.	IMP
000119	05 FILLER	PIC X(14)	
000120	VALUE "Total Amount: ".		
000121	05 WS-TL-TOTAL-AMOUNT	PIC \$ZZ,ZZZ,ZZ9.99.	
000122	*		
000123	01 WS-DEDUCT-LINE.		
000124	05 FILLER	PIC X(30)	
000125	VALUE "Total Deductible Owing: ".		
000126	05 WS-DED-TOTAL	PIC \$ZZ,ZZZ,ZZ9.99.	
000127	*		
000128	01 WS-REGION-TABLE.		
000129	05 WS-REGION-ENTRY OCCURS 4 TIMES.		

000130		10 WS-REGION-CODE	PIC X(3).	
000131		10 WS-REGION-COUNT	PIC 9(5).	
000132		10 WS-REGION-TOTAL	PIC 9(9)V99.	
000133	*			
000134		01 WS-FLAGS-AND-COUNTERS.		
000135		05 WS-EOF-FLAG	PIC X VALUE 'N'.	
000136		05 WS-RECORD-COUNTER	PIC 9(5) VALUE ZEROS.	IMP
000137		05 WS-LINE-COUNTER	PIC 99 VALUE 99.	
000138		05 WS-PAGE-COUNTER	PIC 999 VALUE ZEROS.	IMP
000139		05 WS-LINES-PER-PAGE	PIC 99 VALUE 17.	
000140		05 WS-TOTAL-AMOUNT	PIC 9(9)V99 VALUE ZEROS.	IMP
000141		05 WS-TOTAL-DEDUCTIBLE	PIC 9(9)V99 VALUE ZEROS.	IMP
000142		05 WS-CALC-DEDUCTIBLE	PIC 9(6)V99.	
000143		05 WS-REGION-IDX	PIC 9.	
000144		05 WS-FOUND-FLAG	PIC X.	
000145	*			
000146		77 WS-SPACES	PIC X(132) VALUE SPACES.	IMP
000147	*			
000148		PROCEDURE DIVISION.		
000149		000-MAIN.		
000150		OPEN INPUT INPUT-FILE		24
000151		OUTPUT OUTPUT-FILE.		42
000152		PERFORM 100-INITIALIZE-TABLES.		160
000153		PERFORM 200-READ-INPUT.		178
000154		PERFORM 300-PROCESS-RECORDS		182
000155		UNTIL WS-EOF-FLAG = 'Y'.		135
000156		PERFORM 400-PRINT-SUMMARY.		235
000157		CLOSE INPUT-FILE, OUTPUT-FILE.		24 42
000158		GOBACK.		
000159	*			
000160		100-INITIALIZE-TABLES.		
000161	*	Initialize region table		
000162		MOVE "ONT" TO WS-REGION-CODE(1).		130
000163		MOVE ZEROS TO WS-REGION-COUNT(1).		IMP 131
000164		MOVE ZEROS TO WS-REGION-TOTAL(1).		IMP 132
000165				
000166		MOVE "QUE" TO WS-REGION-CODE(2).		130
000167		MOVE ZEROS TO WS-REGION-COUNT(2).		IMP 131
000168		MOVE ZEROS TO WS-REGION-TOTAL(2).		IMP 132
000169				
000170		MOVE "ALB" TO WS-REGION-CODE(3).		130
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 6				
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8 Map and Cross Reference		
000171		MOVE ZEROS TO WS-REGION-COUNT(3).		IMP 131
000172		MOVE ZEROS TO WS-REGION-TOTAL(3).		IMP 132
000173				
000174		MOVE "MAN" TO WS-REGION-CODE(4).		130
000175		MOVE ZEROS TO WS-REGION-COUNT(4).		IMP 131
000176		MOVE ZEROS TO WS-REGION-TOTAL(4).		IMP 132
000177	*			
000178		200-READ-INPUT.		
000179		READ INPUT-FILE		24
000180	1	AT END MOVE 'Y' TO WS-EOF-FLAG.		135
000181	*			

000182		300-PROCESS-RECORDS.	
000183		IF WS-LINE-COUNTER > WS-LINES-PER-PAGE	137 139
000184	1	PERFORM 310-PRINT-PAGE-HEADINGS	211
000185		END-IF.	
000186			
000187		ADD 1 TO WS-RECORD-COUNTER.	136
000188		ADD IL-AMOUNT TO WS-TOTAL-AMOUNT.	39 140
000189			
000190		*Deductible 8%	
000191		COMPUTE WS-CALC-DEDUCTIBLE = IL-AMOUNT * 0.08.	142 39
000192		ADD WS-CALC-DEDUCTIBLE TO WS-TOTAL-DEDUCTIBLE.	142 141
000193			
000194		*Region	
000195		PERFORM 320-UPDATE-REGION-DATA.	224
000196			
000197		*Detail line	
000198		MOVE IL-POLICY-NUM TO WS-DL-POLICY-NUM.	30 83
000199		MOVE IL-CUSTOMER-NAME TO WS-DL-CUSTOMER-NAME.	36 85
000200		MOVE IL-PRODUCT-CODE TO WS-DL-PRODUCT-CODE.	37 87
000201		MOVE IL-CLAIM-TYPE TO WS-DL-CLAIM-TYPE.	38 89
000202		MOVE IL-AMOUNT TO WS-DL-AMOUNT.	39 91
000203		MOVE WS-CALC-DEDUCTIBLE TO WS-DL-DEDUCTIBLE.	142 93
000204		MOVE IL-JUSTIFICATION TO WS-DL-JUSTIFICATION.	40 95
000205			
000206		WRITE OUTPUT-LINE FROM WS-DETAIL-LINE.	47 82
000207		ADD 1 TO WS-LINE-COUNTER.	137
000208			
000209		PERFORM 200-READ-INPUT.	178
000210		*	
000211		310-PRINT-PAGE-HEADINGS.	
000212		ADD 1 TO WS-PAGE-COUNTER.	138
000213		MOVE WS-PAGE-COUNTER TO WS-PAGE-NUM.	138 59
000214		IF WS-PAGE-COUNTER > 1	138
000215	1	WRITE OUTPUT-LINE FROM WS-SPACES	47 146
000216	1	AFTER ADVANCING PAGE	
000217		END-IF.	
000218		WRITE OUTPUT-LINE FROM WS-REPORT-HEADING.	47 51
000219		WRITE OUTPUT-LINE FROM WS-SPACES.	47 146
000220		WRITE OUTPUT-LINE FROM WS-COLUMN-HEADINGS-1.	47 61
000221		WRITE OUTPUT-LINE FROM WS-SPACES.	47 146
000222		MOVE 4 TO WS-LINE-COUNTER.	137
000223		*	
000224		320-UPDATE-REGION-DATA.	
000225		MOVE 'N' TO WS-FOUND-FLAG.	144
000226		PERFORM VARYING WS-REGION-IDX FROM 1 BY 1	143
000227		UNTIL WS-REGION-IDX > 4 OR WS-FOUND-FLAG = 'Y'	143 144
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 7			
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8	Map and Cross Reference
000228	1	IF IL-REGION-CODE = WS-REGION-CODE(WS-REGION-IDX)	33 130 143
000229	2	ADD 1 TO WS-REGION-COUNT(WS-REGION-IDX)	131 143
000230	2	ADD IL-AMOUNT TO WS-REGION-TOTAL(WS-REGION-IDX)	39 132 143
000231	2	MOVE 'Y' TO WS-FOUND-FLAG	144
000232	1	END-IF	
000233		END-PERFORM.	

```

000234      *
000235      400-PRINT-SUMMARY.
000236      *Dummary section
000237          WRITE OUTPUT-LINE FROM WS-SPACES.                47 146
000238          WRITE OUTPUT-LINE FROM WS-SUMMARY-HEADING.        47 97
000239          WRITE OUTPUT-LINE FROM WS-SPACES.                47 146
000240
000241      *Region counts
000242          WRITE OUTPUT-LINE FROM WS-REGION-COUNT-HDR.        47 103
000243          PERFORM 410-PRINT-REGION-COUNTS                    258
000244              VARYING WS-REGION-IDX FROM 1 BY 1              143
000245              UNTIL WS-REGION-IDX > 4.                      143
000246          WRITE OUTPUT-LINE FROM WS-SPACES.                47 146
000247
000248      *Total records and amount
000249          MOVE WS-RECORD-COUNTER TO WS-TL-RECORD-COUNT.      136 117
000250          MOVE WS-TOTAL-AMOUNT TO WS-TL-TOTAL-AMOUNT.        140 121
000251          WRITE OUTPUT-LINE FROM WS-TOTAL-LINE-1.            47 114
000252          WRITE OUTPUT-LINE FROM WS-SPACES.                  47 146
000253
000254      *Total deductible
000255          MOVE WS-TOTAL-DEDUCTIBLE TO WS-DED-TOTAL.          141 126
000256          WRITE OUTPUT-LINE FROM WS-DEDUCT-LINE.             47 123
000257      *
000258      410-PRINT-REGION-COUNTS.
000259          IF WS-REGION-COUNT(WS-REGION-IDX) > 0              131 143
000260      1          MOVE WS-REGION-CODE(WS-REGION-IDX) TO WS-RCL-REGION 130 143 109
000261      1          MOVE WS-REGION-COUNT(WS-REGION-IDX) TO WS-RCL-COUNT 131 143 111
000262      1          WRITE OUTPUT-LINE FROM WS-REGION-COUNT-LINE 47 107
000263          END-IF.
000264      *
000265      END PROGRAM REPAIR.                                     2
000266
*/ REPAIR

```

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 8
An "M" preceding a data-name reference indicates that the data-name is modified by this reference.

Defined	Cross-reference of data names	References
39	IL-AMOUNT.	188 191 202 230
38	IL-CLAIM-TYPE.	201
36	IL-CUSTOMER-NAME	199
34	IL-HYPHEN	
40	IL-JUSTIFICATION	204
35	IL-NUMERIC-ID	
30	IL-POLICY-NUM.	32 198
31	IL-POLICY-NUM-VAL	
37	IL-PRODUCT-CODE.	200
33	IL-REGION-CODE	228
24	INPUT-FILE	13 150 157 179
29	INPUT-LINE	
42	OUTPUT-FILE.	17 151 157
47	OUTPUT-LINE.	M206 M215 M218 M219 M220 M221 M237 M238 M239 M242 M246 M251 M252 M256 M262
142	WS-CALC-DEDUCTIBLE	M191 192 203

61	WS-COLUMN-HEADINGS-1	220
126	WS-DED-TOTAL	M255
123	WS-DEDUCT-LINE	256
82	WS-DETAIL-LINE	206
91	WS-DL-AMOUNT	M202
89	WS-DL-CLAIM-TYPE	M201
85	WS-DL-CUSTOMER-NAME.	M199
93	WS-DL-DEDUCTIBLE	M203
95	WS-DL-JUSTIFICATION.	M204
83	WS-DL-POLICY-NUM	M198
87	WS-DL-PRODUCT-CODE	M200
135	WS-EOF-FLAG.	155 M180
134	WS-FLAGS-AND-COUNTERS	
144	WS-FOUND-FLAG.	M225 227 M231
137	WS-LINE-COUNTER.	183 M207 M222
139	WS-LINES-PER-PAGE.	183
138	WS-PAGE-COUNTER.	M212 213 214
59	WS-PAGE-NUM.	M213
111	WS-RCL-COUNT	M261
109	WS-RCL-REGION.	M260
136	WS-RECORD-COUNTER.	M187 249
130	WS-REGION-CODE	M162 M166 M170 M174 228 260
131	WS-REGION-COUNT.	M163 M167 M171 M175 M229 259 261
103	WS-REGION-COUNT-HDR.	242
107	WS-REGION-COUNT-LINE	262
129	WS-REGION-ENTRY	
143	WS-REGION-IDX.	M226 227 228 229 230 M244 245 259 260 261
128	WS-REGION-TABLE	
132	WS-REGION-TOTAL.	M164 M168 M172 M176 M230
51	WS-REPORT-HEADING.	218
146	WS-SPACES.	215 219 221 237 239 246 252
97	WS-SUMMARY-HEADING	238
117	WS-TL-RECORD-COUNT	M249
121	WS-TL-TOTAL-AMOUNT	M250
140	WS-TOTAL-AMOUNT.	M188 250
141	WS-TOTAL-DEDUCTIBLE.	M192 255
114	WS-TOTAL-LINE-1.	251

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 9

Context usage is indicated by the letter preceding a procedure-name reference.

These letters and their meanings are:

- A = ALTER (procedure-name)
- D = GO TO (procedure-name) DEPENDING ON
- E = End of range of (PERFORM) through (procedure-name)
- G = GO TO (procedure-name)
- P = PERFORM (procedure-name)
- T = (ALTER) TO PROCEED TO (procedure-name)
- U = USE FOR DEBUGGING (procedure-name)

Defined	Cross-reference of procedures	References
---------	-------------------------------	------------

149	000-MAIN	
160	100-INITIALIZE-TABLES.	P152
178	200-READ-INPUT	P153 P209
182	300-PROCESS-RECORDS.	P154

211	310-PRINT-PAGE-HEADINGS. . . .	P184					
224	320-UPDATE-REGION-DATA	P195					
235	400-PRINT-SUMMARY.	P156					
258	410-PRINT-REGION-COUNTS. . . .	P243					

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPAIR Date 10/18/2025 Time 18:14:14 Page 10

Defined Cross-reference of programs References

2 REPAIR 265

Messages	Total	Informational	Warning	Error	Severe	Terminating
Printed:	1	1				

* Statistics for COBOL program REPAIR:

- * Source records = 266
- * Data Division statements = 50
- * Procedure Division statements = 69
- * Generated COBOL statements = 0
- * Program complexity factor = 71

End of compilation 1, program REPAIR, highest severity 0.
Return code 0

z/OS V3 R1 BINDER 18:14:17 SATURDAY OCTOBER 18, 2025
BATCH EMULATOR JOB(KC03FE1) STEP(COBOL) PGM= IEWBLINK PROCEDURE(LKED)

*** OPERATION SUMMARY REPORT ***

PROCESSING OPTIONS:

ALIASES	NO
ALIGN2	NO
AMODE	UNSPECIFIED
CALL	YES
CASE	UPPER
COMPAT	UNSPECIFIED
COMPRESS	AUTO
DCBS	NO
DYNAM	NO
EXTATTR	UNSPECIFIED
EXITS:	NONE
FILL	NONE
GID	UNSPECIFIED
HOBSET	NO
INFO	NO
LET	04
LINECT	060
LIST	SUMMARY
LISTPRIV	NO
LONGPARM	NO
MAP	NO
MAXBLK	032760
MODMAP	NO
MSGLEVEL	00
OVLY	NO
PRINT	YES
RES	NO

REUSABILITY	UNSPECIFIED
RMODE	UNSPECIFIED
RMODEX	NO
SIGN	NO
STORENX	NOREPLACE
STRIPCL	NO
STRIPSEC	NO
SYMTRACE	
TERM	NO
TRAP	ON
UID	UNSPECIFIED
UPCASE	NO
WKSPACE	0000000K,0000000K
XCAL	NO
XREF	NO
END OF OPTIONS	

SAVE OPERATION SUMMARY:

MEMBER NAME	REPAIR
LOAD LIBRARY	KC03FE1.DCMAFD02.A3.LOADLIB
PROGRAM TYPE	PROGRAM OBJECT(FORMAT 3)
VOLUME SERIAL	KCTR51
DISPOSITION	REPLACED
TIME OF SAVE	18.14.17 OCT 18, 2025

SAVE MODULE ATTRIBUTES:

AC	000
AMODE	31
COMPRESSION	NONE
DC	NO
EDITABLE	YES
EXCEEDS 16MB	NO
EXECUTABLE	YES
LONGPARM	NO
MIGRATABLE	NO
OL	NO
OVLY	NO
PACK,PRIME	NO,NO
PAGE ALIGN	NO
REFR	NO
RENT	NO
REUS	NO
RMODE	ANY
SCTR	NO
SIGN	NO
SSI	
SYM GENERATED	NO
TEST	NO

XPLINK NO
MODULE SIZE (HEX) 00002C74
DASD SIZE (HEX) 00015000

ENTRY POINT AND ALIAS SUMMARY:

NAME:	ENTRY TYPE	AMODE	C_OFFSET	CLASS NAME	STATUS
-------	------------	-------	----------	------------	--------

REPAIR	MAIN_EP	31	00000000	C_CODE	
--------	---------	----	----------	--------	--

*** E N D O F O P E R A T I O N S U M M A R Y R E P O R T ***

Z/OS V3 R1 BINDER 18:14:17 SATURDAY OCTOBER 18, 2025
BATCH EMULATOR JOB(KC03FE1) STEP(COBOL) PGM= IEWBLINK PROCEDURE(LKED)
IEW2008I 0F03 PROCESSING COMPLETED. RETURN CODE = 0.

MESSAGE SUMMARY REPORT

TERMINAL MESSAGES (SEVERITY = 16)
NONE

SEVERE MESSAGES (SEVERITY = 12)
NONE

ERROR MESSAGES (SEVERITY = 08)
NONE

WARNING MESSAGES (SEVERITY = 04)
NONE

INFORMATIONAL MESSAGES (SEVERITY = 00)
2008

***** END OF MESSAGE SUMMARY REPORT *****