

Job Spool: KC03FE1.JOB00774

J E S 2 J O B L O G -- S Y S T E M 8 5 6 1 -- N O D E S V S C J E S 2

18.13.49 JOB00774 ---- SATURDAY, 18 OCT 2025 ----

18.13.49 JOB00774 IRR010I USERID KC03FE1 IS ASSIGNED TO THIS JOB.

18.13.51 JOB00774 IEF677I WARNING MESSAGE(S) FOR JOB KC03FE1 ISSUED

18.13.53 JOB00774 ICH70001I KC03FE1 LAST ACCESS AT 18:13:46 ON SATURDAY, OCTOBER 18, 2025

18.13.53 JOB00774 \$HASP373 KC03FE1 STARTED - INIT 5 - CLASS A - SYS 8561

18.13.57 JOB00774 - ----TIMINGS (MINS.)-----

								-----PAGING COUNTS----					
-STEPNAME	PROCSTEP	RC	EXCP	CONN	TCB	SRB	CLOCK	SERV	WORKLOAD	PAGE	SWAP	VIO	SWAPS
18.13.57	JOB00774	-COBOL	COBOL	00	17479	230	.00	.00	.0	90	BATCH	0	0
18.13.57	JOB00774	-COBOL	LKED	00	321	35	.00	.00	.0	60	BATCH	0	0
18.13.57	JOB00774	-KC03FE1	ENDED.	NAME-	TOTAL TCB CPU TIME=				.00	TOTAL ELAPSED TIME=		.0	

18.13.57 JOB00774 \$HASP395 KC03FE1 ENDED - RC=0000

----- JES2 JOB STATISTICS -----

18 OCT 2025 JOB EXECUTION DATE

8 CARDS READ

905 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

60 SYSOUT SPOOL KBYTES

0.09 MINUTES EXECUTION TIME

1 //KC03FE1 JOB

JOB00774

2 //COBOL EXEC PROC=IGYWCL,

// PARM.COBOLE='TEST,RENT,APOST,OBJECT,NODYNAM,LIB'

3 XXIGYWCL PROC LNGPRFX='IGY640',

00001000

XX LIBPRFX='CEE',

00002000

XX PGMLIB='&&GOSET',GOPGM=GO

00003000

XX*

00004000

XX*****

00005000

XX*

* 00006000

XX* IBM Enterprise COBOL for z/OS

* 00007000

XX* Version 6 Release 3 Modification 0

* 00008000

XX*

* 00009000

XX* LICENSED MATERIALS - PROPERTY OF IBM.

* 00010000

XX*

* 00011000

XX* 5655-EC6 COPYRIGHT IBM CORP. 1983, 2022

* 00012000

XX*

* 00013000

XX* US GOVERNMENT USERS RESTRICTED RIGHTS - USE,

* 00014000

XX* DUPLICATION OR DISCLOSURE RESTRICTED BY GSA

* 00015000

XX* ADP SCHEDULE CONTRACT WITH IBM CORP.

* 00016000

XX*

* 00017000

XX*****

00018000

XX*

00019000

XX* COMPILE AND LINK EDIT A COBOL PROGRAM

00020000

XX*

00021000

XX* PARAMETER DEFAULT VALUE USAGE

00022000

XX* LNGPRFX IGY640 PREFIX FOR LANGUAGE DATA SET NAMES

00023000

XX* LIBPRFX CEE PREFIX FOR LIBRARY DATA SET NAMES

00024000

XX* PGMLIB &&GOSET DATA SET NAME FOR LOAD MODULE

00025000

XX* GOPGM GO MEMBER NAME FOR LOAD MODULE

00026000

XX*

00027000

XX* CALLER MUST SUPPLY //COBOL.SYSIN DD ...

00028000

XX*

00029000

XX*	CALLER MUST ALSO SUPPLY //COBOL.SYSLIB DD ... for COPY statements	00030000
XX*		00031000
XX*	NOTE: SYSUT* datasets must be single-volume datasets	00032000
XX*		00033000
4	XXCOBOL EXEC PGM=IGYCRCTL,REGION=0M	00034000
5	XXSTEPLIB DD DSN=IGY640.SIGYCOMP,DISP=SHR	00035000
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.SIGYCOMP,DISP=SHR	
6	XX DD DSN=IGY640.SCEERUN,DISP=SHR	00036000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN,DISP=SHR	
7	XX DD DSN=IGY640.SCEERUN2,DISP=SHR	00037000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN2,DISP=SHR	
8	XXSYSPRINT DD SYSOUT=*	00038000
9	XXSYSLIN DD DSN=IGY640.LOADSET,UNIT=SYSALLDA,	00039000
	XX DISP=(MOD,PASS),SPACE=(CYL,(1,1)),VOL=(,,,1)	00040000
10	XXSYSUT1 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00041000
11	XXSYSUT2 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00042000
12	XXSYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00043000
13	XXSYSUT4 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00044000
14	XXSYSUT5 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00045000
15	XXSYSUT6 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00046000
16	XXSYSUT7 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00047000
17	XXSYSUT8 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00048000
18	XXSYSUT9 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00049000
19	XXSYSUT10 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00050000
20	XXSYSUT11 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00051000
21	XXSYSUT12 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00052000
22	XXSYSUT13 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00053000
23	XXSYSUT14 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00054000
24	XXSYSUT15 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00055000
25	XXSYSMDCK DD UNIT=SYSALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00056000
26	//COBOL.SYSIN DD DSN=KC03FE1.DCMAFD02.A3.COBOL(REPLMA),	
	// DISP=SHR	
27	XXLKED EXEC PGM=IEWBLINK,COND=(8,LT,COBOL),REGION=0M	00057000
28	XXSYSLIB DD DSN=IGY640.SCEELKEX,DISP=SHR	00058000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKEX,DISP=SHR	
29	XX DD DSN=IGY640.SCEELKED,DISP=SHR	00059000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKED,DISP=SHR	
30	XXSYSPRINT DD SYSOUT=*	00060000
31	XXSYSLIN DD DSN=IGY640.LOADSET,DISP=(OLD,DELETE)	00061000
32	XX DD DDNAME=SYSIN	00062000
33	//LKED.SYSLMOD DD DSN=KC03FE1.DCMAFD02.A3.LOADLIB(REPLMA),	
	// DISP=OLD	
	X/SYSLMOD DD DSN=IGY640.PGMLIB(&GOPGM),	00063000
	X/ SPACE=(CYL,(1,1,1)),	00064000
	X/ UNIT=SYSALLDA,DISP=(MOD,PASS),DSNTYPE=LIBRARY	00065000
	/*	
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.G0SET(GO),SPACE=(CYL,(1,1,1)),UNIT=SYSALLDA,DISP=(MOD,PASS),	
	DSNTYPE=LIBRARY	
STMT NO.	MESSAGE	
2	IEFC001I PROCEDURE IGYWCL WAS EXPANDED USING SYSTEM LIBRARY SVTSC.PROCLIB	
33	IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED	
ICH70001I	KC03FE1 LAST ACCESS AT 18:13:46 ON SATURDAY, OCTOBER 18, 2025	
IEFA111I	KC03FE1 IS USING THE FOLLOWING JOB RELATED SETTINGS:	
	SWA=ABOVE,TIOT SIZE=32K,DSNQSHR=DISALLOW,GDGBIAS=JOB	

```

IEF236I ALLOC. FOR KC03FE1 COBOL COBOL
IEF237I 196E ALLOCATED TO STEPLIB
IEF237I 1001 ALLOCATED TO
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IGD100I 03DE ALLOCATED TO DDNAME SYSLIN DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT1 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT2 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT3 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT4 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT5 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT6 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT7 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT8 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT9 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT10 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT11 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT12 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT13 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT14 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT15 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSMDECK DATACLAS ( )
IGD103I SMS ALLOCATED TO DDNAME SYSIN
IEF142I KC03FE1 COBOL COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I IGY640.SIGYCOMP KEPT
IEF285I VOL SER NOS= VTIGYM.
IEF285I CEE.SCEERUN KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEERUN2 KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00774.D0000101.? SYSOUT
IEF285I SYS25291.T181351.RA000.KC03FE1.LOADSET.H01 PASSED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166712 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166713 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166714 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166715 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166716 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166717 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166718 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166719 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166720 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166721 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166722 DELETED

```

```

IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166723 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166724 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166725 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166726 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181351.RA000.KC03FE1.R0166727 DELETED
IEF285I VOL SER NOS= VPMVSE.
IGD104I KC03FE1.DCMAFD02.A3.COBOL RETAINED, DDNAME=SYSIN
IEF373I STEP/COBOL /START 2025291.1813
IEF032I STEP/COBOL /STOP 2025291.1813
CPU: 0 HR 00 MIN 00.06 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 496K SYS: 292K EXT: 218284K SYS: 15692K
ATB- REAL: 8836K SLOTS: 0K
VIRT- ALLOC: 535M SHRD: 0M
IEF236I ALLOC. FOR KC03FE1 LKED COBOL
IEF237I 1001 ALLOCATED TO SYSLIB
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 03DE ALLOCATED TO SYSLIN
IEF237I DMY ALLOCATED TO
IGD103I SMS ALLOCATED TO DDNAME SYSLMOD
IEF142I KC03FE1 LKED COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I CEE.SCEELKEX KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEELKED KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00774.D0000102.? SYSOUT
IEF285I SYS25291.T181351.RA000.KC03FE1.LOADSET.H01 DELETED
IEF285I VOL SER NOS= VPMVSH.
IGD104I KC03FE1.DCMAFD02.A3.LOADLIB RETAINED, DDNAME=SYSLMOD
IEF373I STEP/LKED /START 2025291.1813
IEF032I STEP/LKED /STOP 2025291.1813
CPU: 0 HR 00 MIN 00.01 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 92K SYS: 272K EXT: 1768K SYS: 11588K
ATB- REAL: 256K SLOTS: 0K
VIRT- ALLOC: 17M SHRD: 0M
IEF375I JOB/KC03FE1 /START 2025291.1813
IEF033I JOB/KC03FE1 /STOP 2025291.1813
CPU: 0 HR 00 MIN 00.07 SEC SRB: 0 HR 00 MIN 00.00 SEC
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 Date 10/18/2025 Time 18:13:54 Page 1
Invocation parameters:
TEST,RENT,APOST,OBJECT,NODYNAM,LIB

```

IGYOS4090-I The "LIB" option specification is no longer required. COBOL library processing is always in effect.

Options in effect:

```

NOADATA
ADV
AFP(NOVOLATILE)
APOST

```

ARCH(10)
 ARITH(COMPAT)
 NOAWO
 NOBLOCK0
 BUFSIZE(4096)
 NOCICS
 CODEPAGE(1140)
 NOCOMPILE(S)
 CONDCOMP(NOSKIPSRG)
 NOCOPYLOC
 NOCOPYRIGHT
 NOCURRENCY
 DATA(31)
 DBCS
 NODECK
 NODEFINE
 NODIAGTRUNC
 DISPSIGN(COMPAT)
 NODLL
 NODUMP
 NODYNAM
 NOEXIT
 NOEXPORTALL
 NOFASTSRT
 FLAG(I, I)
 NOFLAGSTD
 HGPR(PRESERVE)
 NOINITCHECK
 NOINITIAL
 INLINE
 INTDATE(ANSI)
 NOINVDATA
 NOJAVAIOP
 LANGUAGE(EN)
 LINECOUNT(60)
 NOLIST
 LP(32)
 NOLSACHECK
 NOMAP
 MAXPCF(100000)
 NOMDECK
 NONAME
 NSYMBOL(NATIONAL)
 NONUMBER
 NONUMCHECK
 NUMPROC(NOPFD)
 OBJECT
 PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211
 NOOFFSET
 OPTIMIZE(0)
 OUTDD(SYSOUT)
 NOPARMCHECK
 PGMNAME(COMPAT)
 QUALIFY(COMPAT)

Date 10/18/2025 Time 18:13:54 Page 2

RENT
 RMODE(AUTO)
 NORULES
 NOSERVICE
 SEQUENCE
 SMARTBIN
 SOURCE(DEC)
 SPACE(1)
 NOSQL
 SQLCCSID
 NOSQLIMS
 NOSSRANGE
 NOSTGOPT
 SUPPRESS
 NOTERM
 TEST(NOEJPD,DWARF,SOURCE,NOSEPARATE)
 NOTHREAD
 TRUNC(STD)
 TUNE(10)
 NOVBREF
 VLR(STANDARD)
 VSAMOPENFS(COMPAT)
 NOWORD
 XMLPARSE(XMLSS)
 XREF(FULL)
 ZWB

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPLMA Date 10/18/2025 Time 18:13:54 Page 3
 LineID PL SL -----*A-1-B-----2-----3-----4-----5-----6-----7-|-----8 Map and Cross Reference

```

/* REPLMA
000001      IDENTIFICATION DIVISION.
000002      PROGRAM-ID. REPLMA.
000003      DATE-WRITTEN. Oct-2025.
000004      AUTHOR. Lucas Delvoie.
000005      *Description: Assignment A3 ALB/MAN Replace Claims Report
000006      ENVIRONMENT DIVISION.
000007      CONFIGURATION SECTION.
000008      *
000009      INPUT-OUTPUT SECTION.
000010      *
000011      FILE-CONTROL.
000012          SELECT INPUT-FILE                                23
000013              ASSIGN TO INFILE
000014              ORGANIZATION IS SEQUENTIAL.
000015      *
000016          SELECT OUTPUT-FILE                                41
000017              ASSIGN TO OUTFILE
000018              ORGANIZATION IS SEQUENTIAL.
000019      *
000020      DATA DIVISION.
000021      FILE SECTION.
000022      *
000023      FD INPUT-FILE
000024          RECORDING MODE IS F
000025          DATA RECORD IS INPUT-LINE                        *
  
```

```

000026          RECORD CONTAINS 76 CHARACTERS.
000027      *
000028      01 INPUT-LINE.
000029          05 IL-POLICY-NUM          PIC X(10).
000030          05 IL-POLICY-NUM-VAL
000031              REDEFINES IL-POLICY-NUM.          29
000032              10 IL-REGION-CODE          PIC X(3).
000033              10 IL-HYPHEN          PIC X.
000034              10 IL-NUMERIC-ID          PIC X(6).
000035          05 IL-CUSTOMER-NAME          PIC X(20).
000036          05 IL-PRODUCT-CODE          PIC X(3).
000037          05 IL-CLAIM-TYPE          PIC X(7).
000038          05 IL-AMOUNT          PIC 9(4)V99.
000039          05 IL-JUSTIFICATION          PIC X(30).
000040      *
000041      FD OUTPUT-FILE
000042          RECORDING MODE IS F
000043          DATA RECORD IS OUTPUT-LINE          *
000044          RECORD CONTAINS 132 CHARACTERS.
000045      *
000046      01 OUTPUT-LINE          PIC X(132).
000047      *
000048      WORKING-STORAGE SECTION.
000049      *
000050      01 WS-REPORT-HEADING.
000051          05 FILLER          PIC X(16)
000052              VALUE "Lucas Delvoie A3".
000053          05 FILLER          PIC X(30) VALUE SPACES.          IMP
000054          05 FILLER          PIC X(38)
000055              VALUE "ALB/MAN REPLACEMENT CLAIMS REPORT".
000056          05 FILLER          PIC X(26) VALUE SPACES.          IMP
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      REPLMA      Date 10/18/2025      Time 18:13:54      Page      4
LineID  PL SL  ----+-*A-1-B-+----2-+----3-+----4-+----5-+----6-+----7-|+----8 Map and Cross Reference
000057          05 FILLER          PIC X(5) VALUE "Page ".
000058          05 WS-PAGE-NUM          PIC ZZ9.
000059      *
000060      01 WS-COLUMN-HEADINGS-1.
000061          05 FILLER          PIC X(11)
000062              VALUE "Policy Num".
000063          05 FILLER          PIC X(21)
000064              VALUE "Customer Name".
000065          05 FILLER          PIC X(9) VALUE SPACES.          IMP
000066          05 FILLER          PIC X(8)
000067              VALUE "Product".
000068          05 FILLER          PIC X(3) VALUE SPACES.          IMP
000069          05 FILLER          PIC X(10)
000070              VALUE "Claim Type".
000071          05 FILLER          PIC X(6) VALUE SPACES.          IMP
000072          05 FILLER          PIC X(6)
000073              VALUE "Amount".
000074          05 FILLER          PIC X(4) VALUE SPACES.          IMP
000075          05 FILLER          PIC X(10)
000076              VALUE "Deductible".
000077          05 FILLER          PIC X(2) VALUE SPACES.          IMP

```

```

000078          05 FILLER                      PIC X(14)
000079          VALUE "Justification".
000080      *
000081      01 WS-DETAIL-LINE.
000082          05 WS-DL-POLICY-NUM                PIC X(10).
000083          05 FILLER                          PIC X VALUE SPACES.          IMP
000084          05 WS-DL-CUSTOMER-NAME              PIC X(20).
000085          05 FILLER                          PIC X VALUE SPACES.          IMP
000086          05 WS-DL-PRODUCT-CODE              PIC X(3).
000087          05 FILLER                          PIC X(5) VALUE SPACES.      IMP
000088          05 WS-DL-CLAIM-TYPE                 PIC X(7).
000089          05 FILLER                          PIC X(3) VALUE SPACES.      IMP
000090          05 WS-DL-AMOUNT                     PIC $Z,ZZ9.99.
000091          05 FILLER                          PIC X(3) VALUE SPACES.      IMP
000092          05 WS-DL-DEDUCTIBLE                 PIC $ZZ9.99.
000093          05 FILLER                          PIC X(3) VALUE SPACES.      IMP
000094          05 WS-DL-JUSTIFICATION              PIC X(30).
000095      *
000096      01 WS-SUMMARY-HEADING.
000097          05 FILLER                          PIC X(50) VALUE ALL "-".
000098          05 FILLER                          PIC X(16)
000099          VALUE " SUMMARY REPORT ".
000100          05 FILLER                          PIC X(50) VALUE ALL "-".
000101      *
000102      01 WS-TOTAL-LINE-1.
000103          05 FILLER                          PIC X(30)
000104          VALUE "Total REPLACE Records: ".
000105          05 WS-TL-RECORD-COUNT               PIC ZZ,ZZ9.
000106          05 FILLER                          PIC X(20) VALUE SPACES.      IMP
000107          05 FILLER                          PIC X(14)
000108          VALUE "Total Amount: ".
000109          05 WS-TL-TOTAL-AMOUNT               PIC $ZZ,ZZZ,ZZ9.99.
000110      *
000111      01 WS-PRODUCT-STATS-HDR.
000112          05 FILLER                          PIC X(40)
000113          VALUE "Product Code Statistics:".
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      REPLMA      Date 10/18/2025   Time 18:13:54   Page      5
LineID  PL SL  ----+-*A-1-B-+----2-+----3-+----4-+----5-+----6-+----7-|---+----8 Map and Cross Reference
000114      *
000115      01 WS-PRODUCT-LINE.
000116          05 FILLER                          PIC X(5) VALUE SPACES.          IMP
000117          05 WS-PL-PRODUCT-NAME              PIC X(15).
000118          05 FILLER                          PIC X VALUE ":".
000119          05 FILLER                          PIC X(2) VALUE SPACES.          IMP
000120          05 WS-PL-COUNT                     PIC ZZ,ZZ9.
000121          05 FILLER                          PIC X(10)
000122          VALUE " records (" .
000123          05 WS-PL-PERCENT                   PIC ZZ9.99.
000124          05 FILLER                          PIC X(2) VALUE "%)".
000125      *
000126      01 WS-DEDUCT-LINE.
000127          05 FILLER                          PIC X(30)
000128          VALUE "Total Deductible Owing: ".
000129          05 WS-DED-TOTAL                    PIC $ZZ,ZZZ,ZZ9.99.

```



```

000130      *
000131      01 WS-REGION-HIGH-LINE.
000132          05 FILLER                                PIC X(45)
000133              VALUE "Region with Highest Replace Total: ".
000134          05 WS-RH-REGION                            PIC X(3).
000135          05 FILLER                                PIC X(3) VALUE " - ".
000136          05 WS-RH-AMOUNT                            PIC $$$,ZZZ,ZZ9.99.
000137      *
000138      01 WS-REGION-LOW-LINE.
000139          05 FILLER                                PIC X(45)
000140              VALUE "Region with Lowest Replace Total: ".
000141          05 WS-RL-REGION                            PIC X(3).
000142          05 FILLER                                PIC X(3) VALUE " - ".
000143          05 WS-RL-AMOUNT                            PIC $$$,ZZZ,ZZ9.99.
000144      *
000145      01 WS-REGION-TABLE.
000146          05 WS-REGION-ENTRY OCCURS 2 TIMES.
000147              10 WS-REGION-CODE                    PIC X(3).
000148              10 WS-REGION-TOTAL                    PIC 9(9)V99.
000149      *
000150      01 WS-PRODUCT-TABLE.
000151          05 WS-PRODUCT-ENTRY OCCURS 6 TIMES.
000152              10 WS-PRODUCT-CODE                    PIC X(3).
000153              10 WS-PRODUCT-NAME                    PIC X(15).
000154              10 WS-PRODUCT-COUNT                    PIC 9(5).
000155      *
000156      01 WS-FLAGS-AND-COUNTERS.
000157          05 WS-EOF-FLAG                            PIC X VALUE 'N'.
000158          05 WS-RECORD-COUNTER                      PIC 9(5) VALUE ZEROS.          IMP
000159          05 WS-LINE-COUNTER                        PIC 99 VALUE 99.
000160          05 WS-PAGE-COUNTER                        PIC 999 VALUE ZEROS.          IMP
000161          05 WS-LINES-PER-PAGE                      PIC 99 VALUE 17.
000162          05 WS-TOTAL-AMOUNT                        PIC 9(9)V99 VALUE ZEROS.      IMP
000163          05 WS-TOTAL-DEDUCTIBLE                    PIC 9(9)V99 VALUE ZEROS.      IMP
000164          05 WS-CALC-DEDUCTIBLE                    PIC 9(6)V99.
000165          05 WS-CALC-PERCENT                        PIC 999V99.
000166          05 WS-REGION-IDX                          PIC 9.
000167          05 WS-PRODUCT-IDX                        PIC 9.
000168          05 WS-HIGH-REGION-IDX                     PIC 9 VALUE 1.
000169          05 WS-LOW-REGION-IDX                     PIC 9 VALUE 1.
000170          05 WS-HIGH-AMOUNT                        PIC S9(9)V99 VALUE -999999.
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      REPLMA   Date 10/18/2025   Time 18:13:54   Page    6
LineID  PL  SL  -----*A-1-B-----2-----3-----4-----+-----5-----6-----7-|-----8 Map and Cross Reference
000171          05 WS-LOW-AMOUNT                        PIC S9(9)V99 VALUE +9999999.
000172      *
000173      77 WS-SPACES                                PIC X(133) VALUE SPACES.          IMP
000174      *
000175      PROCEDURE DIVISION.
000176      000-MAIN.
000177          OPEN INPUT INPUT-FILE                                23
000178              OUTPUT OUTPUT-FILE.                                41
000179          PERFORM 100-INITIALIZE-TABLES.                        187
000180          PERFORM 200-READ-INPUT.                                205
000181          PERFORM 300-PROCESS-RECORDS                          209

```

000182		UNTIL WS-EOF-FLAG = 'Y'.	157
000183		PERFORM 400-PRINT-SUMMARY.	272
000184		CLOSE INPUT-FILE, OUTPUT-FILE.	23 41
000185		GOBACK.	
000186	*		
000187		100-INITIALIZE-TABLES.	
000188	*	Initialize region table (ALB and MAN only)	
000189		MOVE "ALB" TO WS-REGION-CODE(1).	147
000190		MOVE "MAN" TO WS-REGION-CODE(2).	147
000191	*	Initialize product table (including HWT)	
000192		MOVE "FRG" TO WS-PRODUCT-CODE(1).	152
000193		MOVE "Fridge" TO WS-PRODUCT-NAME(1).	153
000194		MOVE "STV" TO WS-PRODUCT-CODE(2).	152
000195		MOVE "Stove" TO WS-PRODUCT-NAME(2).	153
000196		MOVE "WAS" TO WS-PRODUCT-CODE(3).	152
000197		MOVE "Washer/Dryer" TO WS-PRODUCT-NAME(3).	153
000198		MOVE "ACO" TO WS-PRODUCT-CODE(4).	152
000199		MOVE "AC Unit" TO WS-PRODUCT-NAME(4).	153
000200		MOVE "OTH" TO WS-PRODUCT-CODE(5).	152
000201		MOVE "Other" TO WS-PRODUCT-NAME(5).	153
000202		MOVE "HWT" TO WS-PRODUCT-CODE(6).	152
000203		MOVE "Hot Water Tank" TO WS-PRODUCT-NAME(6).	153
000204	*		
000205		200-READ-INPUT.	
000206		READ INPUT-FILE	23
000207	1	AT END MOVE 'Y' TO WS-EOF-FLAG.	157
000208	*		
000209		300-PROCESS-RECORDS.	
000210		IF WS-LINE-COUNTER > WS-LINES-PER-PAGE	159 161
000211	1	PERFORM 310-PRINT-PAGE-HEADINGS	241
000212		END-IF.	
000213			
000214		ADD 1 TO WS-RECORD-COUNTER.	158
000215		ADD IL-AMOUNT TO WS-TOTAL-AMOUNT.	38 162
000216			
000217	*	Calculate deductible (8% of amount)	
000218		COMPUTE WS-CALC-DEDUCTIBLE = IL-AMOUNT * 0.08.	164 38
000219		ADD WS-CALC-DEDUCTIBLE TO WS-TOTAL-DEDUCTIBLE.	164 163
000220			
000221	*	Update region totals	
000222		PERFORM 320-UPDATE-REGION-TOTAL.	254
000223			
000224	*	Update product counts	
000225		PERFORM 330-UPDATE-PRODUCT-COUNT.	263
000226			
000227	*	Format and write detail line	
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPLMA Date 10/18/2025 Time 18:13:54 Page 7			
LineID	PL SL	-----*A-1-B-+-----2-+-----3-+-----4-+-----5-+-----6-+-----7- -----8	Map and Cross Reference
000228		MOVE IL-POLICY-NUM TO WS-DL-POLICY-NUM.	29 82
000229		MOVE IL-CUSTOMER-NAME TO WS-DL-CUSTOMER-NAME.	35 84
000230		MOVE IL-PRODUCT-CODE TO WS-DL-PRODUCT-CODE.	36 86
000231		MOVE IL-CLAIM-TYPE TO WS-DL-CLAIM-TYPE.	37 88
000232		MOVE IL-AMOUNT TO WS-DL-AMOUNT.	38 90
000233		MOVE WS-CALC-DEDUCTIBLE TO WS-DL-DEDUCTIBLE.	164 92

000234		MOVE IL-JUSTIFICATION TO WS-DL-JUSTIFICATION.	39 94
000235			
000236		WRITE OUTPUT-LINE FROM WS-DETAIL-LINE.	46 81
000237		ADD 1 TO WS-LINE-COUNTER.	159
000238			
000239		PERFORM 200-READ-INPUT.	205
000240	*		
000241		310-PRINT-PAGE-HEADINGS.	
000242		ADD 1 TO WS-PAGE-COUNTER.	160
000243		MOVE WS-PAGE-COUNTER TO WS-PAGE-NUM.	160 58
000244		IF WS-PAGE-COUNTER > 1	160
000245	1	WRITE OUTPUT-LINE FROM WS-SPACES	46 173
000246	1	AFTER ADVANCING PAGE	
000247		END-IF.	
000248		WRITE OUTPUT-LINE FROM WS-REPORT-HEADING.	46 50
000249		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000250		WRITE OUTPUT-LINE FROM WS-COLUMN-HEADINGS-1.	46 60
000251		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000252		MOVE 4 TO WS-LINE-COUNTER.	159
000253	*		
000254		320-UPDATE-REGION-TOTAL.	
000255		PERFORM VARYING WS-REGION-IDX FROM 1 BY 1	166
000256		UNTIL WS-REGION-IDX > 2	166
000257	1	IF IL-REGION-CODE = WS-REGION-CODE(WS-REGION-IDX)	32 147 166
000258	2	ADD IL-AMOUNT TO WS-REGION-TOTAL(WS-REGION-IDX)	38 148 166
000259	2	EXIT PERFORM	
000260	1	END-IF	
000261		END-PERFORM.	
000262	*		
000263		330-UPDATE-PRODUCT-COUNT.	
000264		PERFORM VARYING WS-PRODUCT-IDX FROM 1 BY 1	167
000265		UNTIL WS-PRODUCT-IDX > 6	167
000266	1	IF IL-PRODUCT-CODE = WS-PRODUCT-CODE(WS-PRODUCT-IDX)	36 152 167
000267	2	ADD 1 TO WS-PRODUCT-COUNT(WS-PRODUCT-IDX)	154 167
000268	2	EXIT PERFORM	
000269	1	END-IF	
000270		END-PERFORM.	
000271	*		
000272		400-PRINT-SUMMARY.	
000273	*	Find highest and lowest regions	
000274		PERFORM 410-FIND-HIGH-LOW-REGIONS.	308
000275			
000276	*	Print summary section	
000277		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000278		WRITE OUTPUT-LINE FROM WS-SUMMARY-HEADING.	46 96
000279		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000280			
000281	*	Print total records and amount	
000282		MOVE WS-RECORD-COUNTER TO WS-TL-RECORD-COUNT.	158 105
000283		MOVE WS-TOTAL-AMOUNT TO WS-TL-TOTAL-AMOUNT.	162 109
000284		WRITE OUTPUT-LINE FROM WS-TOTAL-LINE-1.	46 102

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 REPLMA Date 10/18/2025 Time 18:13:54 Page 8

LineID PL SL ----+*A-1-B--+----2----+----3----+----4----+----5----+----6----+----7-|---+----8 Map and Cross Reference

000285 WRITE OUTPUT-LINE FROM WS-SPACES. 46 173

000286			
000287	*	Print product statistics	
000288		WRITE OUTPUT-LINE FROM WS-PRODUCT-STATS-HDR.	46 111
000289		PERFORM 420-PRINT-PRODUCT-STATS	324
000290		VARYING WS-PRODUCT-IDX FROM 1 BY 1	167
000291		UNTIL WS-PRODUCT-IDX > 6.	167
000292		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000293			
000294	*	Print total deductible	
000295		MOVE WS-TOTAL-DEDUCTIBLE TO WS-DED-TOTAL.	163 129
000296		WRITE OUTPUT-LINE FROM WS-DEDUCT-LINE.	46 126
000297		WRITE OUTPUT-LINE FROM WS-SPACES.	46 173
000298			
000299	*	Print highest and lowest regions	
000300		MOVE WS-REGION-CODE(WS-HIGH-REGION-IDX) TO WS-RH-REGION.	147 168 134
000301		MOVE WS-REGION-TOTAL(WS-HIGH-REGION-IDX) TO WS-RH-AMOUNT.	148 168 136
000302		WRITE OUTPUT-LINE FROM WS-REGION-HIGH-LINE.	46 131
000303			
000304		MOVE WS-REGION-CODE(WS-LOW-REGION-IDX) TO WS-RL-REGION.	147 169 141
000305		MOVE WS-REGION-TOTAL(WS-LOW-REGION-IDX) TO WS-RL-AMOUNT.	148 169 143
000306		WRITE OUTPUT-LINE FROM WS-REGION-LOW-LINE.	46 138
000307	*		
000308		410-FIND-HIGH-LOW-REGIONS.	
000309		PERFORM VARYING WS-REGION-IDX FROM 1 BY 1	166
000310		UNTIL WS-REGION-IDX > 2	166
000311	1	IF WS-REGION-TOTAL(WS-REGION-IDX) > WS-HIGH-AMOUNT	148 166 170
000312	2	MOVE WS-REGION-TOTAL(WS-REGION-IDX)	148 166
000313	2	TO WS-HIGH-AMOUNT	170
000314	2	MOVE WS-REGION-IDX TO WS-HIGH-REGION-IDX	166 168
000315	1	END-IF	
000316	1	IF WS-REGION-TOTAL(WS-REGION-IDX) < WS-LOW-AMOUNT	148 166 171
000317	1	AND WS-REGION-TOTAL(WS-REGION-IDX) > 0	148 166
000318	2	MOVE WS-REGION-TOTAL(WS-REGION-IDX)	148 166
000319	2	TO WS-LOW-AMOUNT	171
000320	2	MOVE WS-REGION-IDX TO WS-LOW-REGION-IDX	166 169
000321	1	END-IF	
000322		END-PERFORM.	
000323	*		
000324		420-PRINT-PRODUCT-STATS.	
000325		IF WS-PRODUCT-COUNT(WS-PRODUCT-IDX) > 0	154 167
000326	1	MOVE WS-PRODUCT-NAME(WS-PRODUCT-IDX)	153 167
000327	1	TO WS-PL-PRODUCT-NAME	117
000328	1	MOVE WS-PRODUCT-COUNT(WS-PRODUCT-IDX)	154 167
000329	1	TO WS-PL-COUNT	120
000330	1	IF WS-RECORD-COUNTER > 0	158
000331	2	COMPUTE WS-CALC-PERCENT =	165
000332	2	(WS-PRODUCT-COUNT(WS-PRODUCT-IDX) * 100)	154 167
000333	2	/ WS-RECORD-COUNTER	158
000334	2	MOVE WS-CALC-PERCENT TO WS-PL-PERCENT	165 123
000335	1	ELSE	
000336	2	MOVE ZEROS TO WS-PL-PERCENT	IMP 123
000337	1	END-IF	
000338	1	WRITE OUTPUT-LINE FROM WS-PRODUCT-LINE	46 115
000339		END-IF.	

```

000340          *
000341          END PROGRAM REPLMA.
PP 5655-EC6 IBM Enterprise COBOL for z/OS  6.4.0 P241211      REPLMA    Date 10/18/2025   Time 18:13:54   Page    9
LineID  PL SL  -----*A-1-B-+-----2-----3-----4-----5-----6-----7-|-----8 Map and Cross Reference
000342
*/ REPLMA
PP 5655-EC6 IBM Enterprise COBOL for z/OS  6.4.0 P241211      REPLMA    Date 10/18/2025   Time 18:13:54   Page   10
An "M" preceding a data-name reference indicates that the data-name is modified by this reference.

```

Defined	Cross-reference of data names	References
38	IL-AMOUNT.	215 218 232 258
37	IL-CLAIM-TYPE.	231
35	IL-CUSTOMER-NAME	229
33	IL-HYPHEN	
39	IL-JUSTIFICATION	234
34	IL-NUMERIC-ID	
29	IL-POLICY-NUM.	31 228
30	IL-POLICY-NUM-VAL	
36	IL-PRODUCT-CODE.	230 266
32	IL-REGION-CODE	257
23	INPUT-FILE	12 177 184 206
28	INPUT-LINE	
41	OUTPUT-FILE.	16 178 184
46	OUTPUT-LINE.	M236 M245 M248 M249 M250 M251 M277 M278 M279 M284 M285 M288 M292 M296 M297 M302 M306 M338
164	WS-CALC-DEDUCTIBLE	M218 219 233
165	WS-CALC-PERCENT.	M331 334
60	WS-COLUMN-HEADINGS-1	250
129	WS-DED-TOTAL	M295
126	WS-DEDUCT-LINE	296
81	WS-DETAIL-LINE	236
90	WS-DL-AMOUNT	M232
88	WS-DL-CLAIM-TYPE	M231
84	WS-DL-CUSTOMER-NAME.	M229
92	WS-DL-DEDUCTIBLE	M233
94	WS-DL-JUSTIFICATION.	M234
82	WS-DL-POLICY-NUM	M228
86	WS-DL-PRODUCT-CODE	M230
157	WS-EOF-FLAG.	182 M207
156	WS-FLAGS-AND-COUNTERS	
170	WS-HIGH-AMOUNT	311 M313
168	WS-HIGH-REGION-IDX	300 301 M314
159	WS-LINE-COUNTER.	210 M237 M252
161	WS-LINES-PER-PAGE.	210
171	WS-LOW-AMOUNT.	316 M319
169	WS-LOW-REGION-IDX.	304 305 M320
160	WS-PAGE-COUNTER.	M242 243 244
58	WS-PAGE-NUM.	M243
120	WS-PL-COUNT.	M329
123	WS-PL-PERCENT.	M334 M336
117	WS-PL-PRODUCT-NAME	M327
152	WS-PRODUCT-CODE.	M192 M194 M196 M198 M200 M202 266
154	WS-PRODUCT-COUNT	M267 325 328 332

[illegible]

These letters and their meanings are:

Defined	Cross-reference of procedures	References							
176	000-MAIN								
187	100-INITIALIZE-TABLES.	P179							
205	200-READ-INPUT	P180	P239						
209	300-PROCESS-RECORDS.	P181							
241	310-PRINT-PAGE-HEADINGS. . . .	P211							
254	320-UPDATE-REGION-TOTAL. . . .	P222							
263	330-UPDATE-PRODUCT-COUNT . . .	P225							
272	400-PRINT-SUMMARY.	P183							
308	410-FIND-HIGH-LOW-REGIONS. . .	P274							
324	420-PRINT-PRODUCT-STATS. . . .	P289							
PP 5655-EC6	IBM Enterprise COBOL for z/OS	6.4.0	P241211	REPLMA	Date 10/18/2025	Time 18:13:54	Page	13	
Defined	Cross-reference of programs	References							

```

      2 REPLMA . . . . . 341
Messages   Total   Informational   Warning   Error   Severe   Terminating
Printed:    1       1
* Statistics for COBOL program REPLMA:
*   Source records = 342
*   Data Division statements = 66
*   Procedure Division statements = 93
*   Generated COBOL statements = 0
*   Program complexity factor = 97
End of compilation 1, program REPLMA, highest severity 0.
Return code 0
z/OS V3 R1 BINDER      18:13:57 SATURDAY OCTOBER 18, 2025
BATCH EMULATOR  JOB(KC03FE1 ) STEP(COBOL   ) PGM= IEWBLINK  PROCEDURE(LKED   )

```

*** OPERATION SUMMARY REPORT ***

PROCESSING OPTIONS:

ALIASES	NO
ALIGN2	NO
AMODE	UNSPECIFIED
CALL	YES
CASE	UPPER
COMPAT	UNSPECIFIED
COMPRESS	AUTO
DCBS	NO
DYNAM	NO
EXTATTR	UNSPECIFIED
EXITS:	NONE
FILL	NONE
GID	UNSPECIFIED
HOBSET	NO
INFO	NO
LET	04
LINECT	060
LIST	SUMMARY
LISTPRIV	NO
LONGPARM	NO
MAP	NO
MAXBLK	032760
MODMAP	NO
MSGLEVEL	00
OVLY	NO
PRINT	YES
RES	NO
REUSABILITY	UNSPECIFIED
RMODE	UNSPECIFIED
RMODEX	NO
SIGN	NO
STORENX	NOREPLACE
STRIPCL	NO

STRIPSEC	NO
SYMTRACE	
TERM	NO
TRAP	ON
UID	UNSPECIFIED
UPCASE	NO
WKSPACE	000000K,000000K
XCAL	NO
XREF	NO
END OF OPTIONS	

SAVE OPERATION SUMMARY:

MEMBER NAME	REPLMA
LOAD LIBRARY	KC03FE1.DCMAFD02.A3.LOADLIB
PROGRAM TYPE	PROGRAM OBJECT(FORMAT 3)
VOLUME SERIAL	KCTR51
DISPOSITION	REPLACED
TIME OF SAVE	18.13.57 OCT 18, 2025

SAVE MODULE ATTRIBUTES:

AC	000
AMODE	31
COMPRESSION	NONE
DC	NO
EDITABLE	YES
EXCEEDS 16MB	NO
EXECUTABLE	YES
LONGPARM	NO
MIGRatable	NO
OL	NO
OVLY	NO
PACK,PRIME	NO,NO
PAGE ALIGN	NO
REFR	NO
RENT	NO
REUS	NO
RMODE	ANY
SCTR	NO
SIGN	NO
SSI	
SYM GENERATED	NO
TEST	NO
XPLINK	NO
MODULE SIZE (HEX)	0000317C
DASD SIZE (HEX)	00017000

ENTRY POINT AND ALIAS SUMMARY:

NAME :	ENTRY TYPE	AMODE	C_OFFSET	CLASS NAME	STATUS
REPLMA	MAIN_EP	31	00000000	C_CODE	
*** E N D O F O P E R A T I O N S U M M A R Y R E P O R T ***					

Z/OS V3 R1 BINDER 18:13:57 SATURDAY OCTOBER 18, 2025
BATCH EMULATOR JOB(KC03FE1) STEP(COB0L) PGM= IEWBLINK PROCEDURE(LKED)
IEW2008I 0F03 PROCESSING COMPLETED. RETURN CODE = 0.

MESSAGE SUMMARY REPORT

TERMINAL MESSAGES (SEVERITY = 16)
NONE

SEVERE MESSAGES (SEVERITY = 12)
NONE

ERROR MESSAGES (SEVERITY = 08)
NONE

WARNING MESSAGES (SEVERITY = 04)
NONE

INFORMATIONAL MESSAGES (SEVERITY = 00)
2008

***** END OF MESSAGE SUMMARY REPORT *****