

Job Spool: KC03FE1.JOB00786

J E S 2 J O B L O G -- S Y S T E M 8 5 6 1 -- N O D E S V S C J E S 2

18.16.42 JOB00786 ---- SATURDAY, 18 OCT 2025 ----

18.16.42 JOB00786 IRR010I USERID KC03FE1 IS ASSIGNED TO THIS JOB.

18.16.42 JOB00786 IEF677I WARNING MESSAGE(S) FOR JOB KC03FE1 ISSUED

18.16.43 JOB00786 ICH70001I KC03FE1 LAST ACCESS AT 18:14:13 ON SATURDAY, OCTOBER 18, 2025

18.16.43 JOB00786 \$HASP373 KC03FE1 STARTED - INIT 4 - CLASS A - SYS 8561

18.16.47 JOB00786 - -----TIMINGS (MINS.)-----

18.16.47 JOB00786 -STEPNAME PROCSTEP RC EXCP CONN TCB SRB CLOCK SERV WORKLOAD PAGE SWAP VIO SWAPS

18.16.47 JOB00786 -COBOL COBOL 00 17538 235 .00 .00 .0 95 BATCH 0 0 0 0

18.16.48 JOB00786 -COBOL LKED 00 326 34 .00 .00 .0 60 BATCH 0 0 0 0

18.16.48 JOB00786 -KC03FE1 ENDED. NAME- TOTAL TCB CPU TIME= .00 TOTAL ELAPSED TIME= .0

18.16.48 JOB00786 \$HASP395 KC03FE1 ENDED - RC=0000

----- JES2 JOB STATISTICS -----

18 OCT 2025 JOB EXECUTION DATE

8 CARDS READ

926 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

62 SYSOUT SPOOL KBYTES

0.10 MINUTES EXECUTION TIME

1 //KC03FE1 JOB JOB00786

2 //COBOL EXEC PROC=IGYWCL,

// PARM.COBOLE='TEST,RENT,APOST,OBJECT,NODYNAM,LIB'

3 XXIGYWCL PROC LNGPRFX='IGY640', 00001000

XX LIBPRFX='CEE', 00002000

XX PGMLIB='&&G0SET',GOPGM=G0 00003000

XX* 00004000

XX***** 00005000

XX* * 00006000

XX* IBM Enterprise COBOL for z/OS * 00007000

XX* Version 6 Release 3 Modification 0 * 00008000

XX* * 00009000

XX* LICENSED MATERIALS - PROPERTY OF IBM. * 00010000

XX* * 00011000

XX* 5655-EC6 COPYRIGHT IBM CORP. 1983, 2022 * 00012000

XX* * 00013000

XX* US GOVERNMENT USERS RESTRICTED RIGHTS - USE, * 00014000

XX* DUPLICATION OR DISCLOSURE RESTRICTED BY GSA * 00015000

XX* ADP SCHEDULE CONTRACT WITH IBM CORP. * 00016000

XX* * 00017000

XX***** 00018000

XX* 00019000

XX* COMPILE AND LINK EDIT A COBOL PROGRAM 00020000

XX* 00021000

XX* PARAMETER DEFAULT VALUE USAGE 00022000

XX* LNGPRFX IGY640 PREFIX FOR LANGUAGE DATA SET NAMES 00023000

XX* LIBPRFX CEE PREFIX FOR LIBRARY DATA SET NAMES 00024000

XX* PGMLIB &&G0SET DATA SET NAME FOR LOAD MODULE 00025000

XX* GOPGM G0 MEMBER NAME FOR LOAD MODULE 00026000

XX* 00027000

XX* CALLER MUST SUPPLY //COBOL.SYSIN DD ... 00028000

XX* 00029000

XX*	CALLER MUST ALSO SUPPLY //COBOL.SYSLIB DD ... for COPY statements	00030000
XX*		00031000
XX*	NOTE: SYSUT* datasets must be single-volume datasets	00032000
XX*		00033000
4	XXCOBOL EXEC PGM=IGYCRCTL,REGION=0M	00034000
5	XXSTEPLIB DD DSN=IGY640.SIGYCOMP,DISP=SHR	00035000
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.SIGYCOMP,DISP=SHR	
6	XX DD DSN=IGY640.SCEERUN,DISP=SHR	00036000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN,DISP=SHR	
7	XX DD DSN=IGY640.SCEERUN2,DISP=SHR	00037000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEERUN2,DISP=SHR	
8	XXSYSPRINT DD SYSOUT=*	00038000
9	XXSYSLIN DD DSN=IGY640.SYSLALLDA,	00039000
	XX DISP=(MOD,PASS),SPACE=(CYL,(1,1)),VOL=(,,,1)	00040000
10	XXSYSUT1 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00041000
11	XXSYSUT2 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00042000
12	XXSYSUT3 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00043000
13	XXSYSUT4 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00044000
14	XXSYSUT5 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00045000
15	XXSYSUT6 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00046000
16	XXSYSUT7 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00047000
17	XXSYSUT8 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00048000
18	XXSYSUT9 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00049000
19	XXSYSUT10 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00050000
20	XXSYSUT11 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00051000
21	XXSYSUT12 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00052000
22	XXSYSUT13 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00053000
23	XXSYSUT14 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00054000
24	XXSYSUT15 DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00055000
25	XXSYSMDCK DD UNIT=SYSLALLDA,SPACE=(CYL,(1,1)),VOL=(,,,1)	00056000
26	//COBOL.SYSIN DD DSN=KC03FE1.DCMAFD02.A3.COBOL(SPLITT),	
	// DISP=SHR	
27	XXLKED EXEC PGM=IEWBLINK,COND=(8,LT,COBOL),REGION=0M	00057000
28	XXSYSLIB DD DSN=IGY640.SCEELKEX,DISP=SHR	00058000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKEX,DISP=SHR	
29	XX DD DSN=IGY640.SCEELKED,DISP=SHR	00059000
	IEFC653I SUBSTITUTION JCL - DSN=CEE.SCEELKED,DISP=SHR	
30	XXSYSPRINT DD SYSOUT=*	00060000
31	XXSYSLIN DD DSN=IGY640.SYSLALLDA,DISP=(OLD,DELETE)	00061000
32	XX DD DDNAME=SYSIN	00062000
33	//LKED.SYSLMOD DD DSN=KC03FE1.DCMAFD02.A3.LOADLIB(SPLITT),	
	// DISP=OLD	
	X/SYSLMOD DD DSN=IGY640.PGMLIB(&GOPGM),	00063000
	X/ SPACE=(CYL,(1,1,1)),	00064000
	X/ UNIT=SYSLALLDA,DISP=(MOD,PASS),DSNTYPE=LIBRARY	00065000
	/*	
	IEFC653I SUBSTITUTION JCL - DSN=IGY640.G0SET(GO),SPACE=(CYL,(1,1,1)),UNIT=SYSLALLDA,DISP=(MOD,PASS),	
	DSNTYPE=LIBRARY	
STMT NO.	MESSAGE	
2	IEFC001I PROCEDURE IGYWCL WAS EXPANDED USING SYSTEM LIBRARY SVTSC.PROCLIB	
33	IEF686I DDNAME REFERRED TO ON DDNAME KEYWORD IN PRIOR STEP WAS NOT RESOLVED	
ICH70001I	KC03FE1 LAST ACCESS AT 18:14:13 ON SATURDAY, OCTOBER 18, 2025	
IEFA111I	KC03FE1 IS USING THE FOLLOWING JOB RELATED SETTINGS:	
	SWA=ABOVE,TIOT SIZE=32K,DSNQSHR=DISALLOW,GDGBIAS=JOB	

```

IEF236I ALLOC. FOR KC03FE1 COBOL COBOL
IEF237I 196E ALLOCATED TO STEPLIB
IEF237I 1001 ALLOCATED TO
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IGD100I 03DE ALLOCATED TO DDNAME SYSLIN DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT1 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT2 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT3 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT4 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT5 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT6 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT7 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT8 DATACLAS ( )
IGD100I 0CE8 ALLOCATED TO DDNAME SYSUT9 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT10 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSUT11 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT12 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT13 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT14 DATACLAS ( )
IGD100I 03DE ALLOCATED TO DDNAME SYSUT15 DATACLAS ( )
IGD100I 0D2F ALLOCATED TO DDNAME SYSMDECK DATACLAS ( )
IGD103I SMS ALLOCATED TO DDNAME SYSIN
IEF142I KC03FE1 COBOL COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I IGY640.SIGYCOMP KEPT
IEF285I VOL SER NOS= VTIGYM.
IEF285I CEE.SCEERUN KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEERUN2 KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00786.D0000101.? SYSOUT
IEF285I SYS25291.T181642.RA000.KC03FE1.LOADSET.H01 PASSED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166781 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166782 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166783 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166784 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166785 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166786 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166787 DELETED
IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166788 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166789 DELETED
IEF285I VOL SER NOS= VPMVSC.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166790 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166791 DELETED

```

```

IEF285I VOL SER NOS= VPMVSE.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166792 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166793 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166794 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166795 DELETED
IEF285I VOL SER NOS= VPMVSH.
IEF285I SYS25291.T181642.RA000.KC03FE1.R0166796 DELETED
IEF285I VOL SER NOS= VPMVSE.
IGD104I KC03FE1.DCMAFD02.A3.COBOL RETAINED, DDNAME=SYSIN
IEF373I STEP/COBOL /START 2025291.1816
IEF032I STEP/COBOL /STOP 2025291.1816
CPU: 0 HR 00 MIN 00.07 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 496K SYS: 292K EXT: 218284K SYS: 15700K
ATB- REAL: 9764K SLOTS: 0K
VIRT- ALLOC: 535M SHRD: 0M
IEF236I ALLOC. FOR KC03FE1 LKED COBOL
IEF237I 1001 ALLOCATED TO SYSLIB
IEF237I 1001 ALLOCATED TO
IEF237I JES2 ALLOCATED TO SYSPRINT
IEF237I 03DE ALLOCATED TO SYSLIN
IEF237I DMY ALLOCATED TO
IGD103I SMS ALLOCATED TO DDNAME SYSLMOD
IEF142I KC03FE1 LKED COBOL - STEP WAS EXECUTED - COND CODE 0000
IEF285I CEE.SCEELKEX KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I CEE.SCEELKED KEPT
IEF285I VOL SER NOS= VTMVSC.
IEF285I KC03FE1.KC03FE1.JOB00786.D0000102.? SYSOUT
IEF285I SYS25291.T181642.RA000.KC03FE1.LOADSET.H01 DELETED
IEF285I VOL SER NOS= VPMVSH.
IGD104I KC03FE1.DCMAFD02.A3.LOADLIB RETAINED, DDNAME=SYSLMOD
IEF373I STEP/LKED /START 2025291.1816
IEF032I STEP/LKED /STOP 2025291.1816
CPU: 0 HR 00 MIN 00.01 SEC SRB: 0 HR 00 MIN 00.00 SEC
VIRT: 92K SYS: 272K EXT: 1768K SYS: 11596K
ATB- REAL: 256K SLOTS: 0K
VIRT- ALLOC: 17M SHRD: 0M
IEF375I JOB/KC03FE1 /START 2025291.1816
IEF033I JOB/KC03FE1 /STOP 2025291.1816
CPU: 0 HR 00 MIN 00.08 SEC SRB: 0 HR 00 MIN 00.00 SEC
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 Date 10/18/2025 Time 18:16:45 Page 1
Invocation parameters:
TEST,RENT,APOST,OBJECT,NODYNAM,LIB

```

IGYOS4090-I The "LIB" option specification is no longer required. COBOL library processing is always in effect.

Options in effect:

```

NOADATA
ADV
AFP(NOVOLATILE)
APOST

```

ARCH(10)
 ARITH(COMPAT)
 NOAWO
 NOBLOCK0
 BUFSIZE(4096)
 NOCICS
 CODEPAGE(1140)
 NOCOMPILE(S)
 CONDCOMP(NOSKIPSRG)
 NOCOPYLOC
 NOCOPYRIGHT
 NOCURRENCY
 DATA(31)
 DBCS
 NODECK
 NODEFINE
 NODIAGTRUNC
 DISPSIGN(COMPAT)
 NODLL
 NODUMP
 NODYNAM
 NOEXIT
 NOEXPORTALL
 NOFASTSRT
 FLAG(I, I)
 NOFLAGSTD
 HGPR(PRESERVE)
 NOINITCHECK
 NOINITIAL
 INLINE
 INTDATE(ANSI)
 NOINVDATA
 NOJAVAIOP
 LANGUAGE(EN)
 LINECOUNT(60)
 NOLIST
 LP(32)
 NOLSACHECK
 NOMAP
 MAXPCF(100000)
 NOMDECK
 NONAME
 NSYMBOL(NATIONAL)
 NONUMBER
 NONUMCHECK
 NUMPROC(NOPFD)
 OBJECT
 PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211
 NOOFFSET
 OPTIMIZE(0)
 OUTDD(SYSOUT)
 NOPARMCHECK
 PGMNAME(COMPAT)
 QUALIFY(COMPAT)

Date 10/18/2025 Time 18:16:45 Page 2

```

RENT
RMODE(AUTO)
NORULES
NOSERVICE
SEQUENCE
SMARTBIN
SOURCE(DEC)
SPACE(1)
NOSQL
SQLCCSID
NOSQLIMS
NOSSRANGE
NOSTGOPT
SUPPRESS
NOTERM
TEST(NOJPD,DWARF,SOURCE,NOSEPARATE)
NOTHREAD
TRUNC(STD)
TUNE(10)
NOVBREF
VLR(STANDARD)
VSAMOPENFS(COMPAT)
NOWORD
XMLPARSE(XMLSS)
XREF(FULL)
ZWB

```

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 SPLITT Date 10/18/2025 Time 18:16:45 Page 3

LineID PL SL -----*A-1-B-+-----2-+-----3-+-----4-+-----5-+-----6-+-----7-|+-----8 Map and Cross Reference

```

/* SPLITT
000001      IDENTIFICATION DIVISION.
000002      PROGRAM-ID. SPLITT.
000003      DATE-WRITTEN. Aug.
000004      AUTHOR. Abdul Hadi.
000005      *Description: Split valid claims into REPAIR and REPLACE files
000006      *          Generate counts and control totals report
000007      *Named SPLITT because of a member naming issue
000008
000009      ENVIRONMENT DIVISION.
000010      CONFIGURATION SECTION.
000011      *
000012      INPUT-OUTPUT SECTION.
000013      *
000014      FILE-CONTROL.
000015          SELECT INPUT-FILE                                38
000016          ASSIGN TO INFILE
000017          ORGANIZATION IS SEQUENTIAL.
000018      *
000019          SELECT REPAIR-FILE                                56
000020          ASSIGN TO REPFILE
000021          ORGANIZATION IS SEQUENTIAL.
000022      *
000023          SELECT REPLACE-OQ-FILE                             63
000024          ASSIGN TO RPLOQFIL
000025          ORGANIZATION IS SEQUENTIAL.

```

```

000026      *
000027      SELECT REPLACE-MA-FILE                                70
000028          ASSIGN TO RPLMAFIL
000029          ORGANIZATION IS SEQUENTIAL.
000030      *
000031      SELECT REPORT-FILE                                      77
000032          ASSIGN TO RPTFILE
000033          ORGANIZATION IS SEQUENTIAL.
000034      *
000035      DATA DIVISION.
000036      FILE SECTION.
000037      *
000038      FD  INPUT-FILE
000039          RECORDING MODE IS F
000040          DATA RECORD IS INPUT-LINE                          *
000041          RECORD CONTAINS 76 CHARACTERS.
000042      *
000043      01  INPUT-LINE.
000044          05 IL-POLICY-NUM                                PIC X(10).
000045          05 IL-POLICY-NUM-VAL
000046              REDEFINES IL-POLICY-NUM.                      44
000047              10 IL-REGION-CODE                            PIC X(3).
000048              10 IL-HYPHEN                                PIC X.
000049              10 IL-NUMERIC-ID                             PIC X(6).
000050          05 IL-CUSTOMER-NAME                            PIC X(20).
000051          05 IL-PRODUCT-CODE                             PIC X(3).
000052          05 IL-CLAIM-TYPE                               PIC X(7).
000053          05 IL-AMOUNT                                    PIC 9(4)V99.
000054          05 IL-JUSTIFICATION                             PIC X(30).
000055      *
000056      FD  REPAIR-FILE
PP 5655-EC6 IBM Enterprise COBOL for z/OS  6.4.0 P241211      SPLITT      Date 10/18/2025   Time 18:16:45   Page    4
LineID  PL SL  ----+-*A-1-B-+----2-+----3-+----4-+----5-+----6-+----7-|+----8 Map and Cross Reference
000057          RECORDING MODE IS F
000058          DATA RECORD IS REPAIR-LINE                        *
000059          RECORD CONTAINS 76 CHARACTERS.
000060      *
000061      01  REPAIR-LINE                                    PIC X(76).
000062      *
000063      FD  REPLACE-OQ-FILE
000064          RECORDING MODE IS F
000065          DATA RECORD IS REPLACE-OQ-LINE                    *
000066          RECORD CONTAINS 76 CHARACTERS.
000067      *
000068      01  REPLACE-OQ-LINE                                PIC X(76).
000069      *
000070      FD  REPLACE-MA-FILE
000071          RECORDING MODE IS F
000072          DATA RECORD IS REPLACE-MA-LINE                    *
000073          RECORD CONTAINS 76 CHARACTERS.
000074      *
000075      01  REPLACE-MA-LINE                                PIC X(76).
000076      *
000077      FD  REPORT-FILE

```

```

000078      RECORDING MODE IS F
000079      DATA RECORD IS REPORT-LINE
000080      RECORD CONTAINS 133 CHARACTERS.
000081      *
000082      01  REPORT-LINE                      PIC X(133).
000083      *
000084      WORKING-STORAGE SECTION.
000085      *
000086      01  WS-REPORT-HEADING.
000087          05  FILLER                      PIC X(55) VALUE SPACES.      IMP
000088          05  FILLER                      PIC X(30)
000089              VALUE "COUNTS AND CONTROL TOTALS".
000090          05  FILLER                      PIC X(47) VALUE SPACES.      IMP
000091      *
000092      01  WS-REPAIR-HEADING.
000093          05  FILLER                      PIC X(30)
000094              VALUE "REPAIR CLAIMS ANALYSIS".
000095      *
000096      01  WS-REPAIR-TOTAL-LINE.
000097          05  FILLER                      PIC X(30)
000098              VALUE "Total REPAIR Records: ".
000099          05  WS-REP-COUNT                 PIC ZZ,ZZ9.
000100          05  FILLER                      PIC X(20) VALUE SPACES.      IMP
000101          05  FILLER                      PIC X(15)
000102              VALUE "Total Amount: ".
000103          05  WS-REP-AMOUNT                PIC $ZZ,ZZZ,ZZ9.99.
000104      *
000105      01  WS-REPAIR-PRODUCT-LINE.
000106          05  FILLER                      PIC X(5) VALUE SPACES.      IMP
000107          05  WS-REP-PROD-CODE             PIC X(3).
000108          05  FILLER                      PIC X(2) VALUE ": ".
000109          05  WS-REP-PROD-COUNT            PIC ZZ,ZZ9.
000110          05  FILLER                      PIC X(10) VALUE " records".
000111          05  FILLER                      PIC X(10) VALUE SPACES.      IMP
000112          05  FILLER                      PIC X(8) VALUE "Amount: ".
000113          05  WS-REP-PROD-AMOUNT           PIC $ZZ,ZZZ,ZZ9.99.
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211      SPLITT      Date 10/18/2025   Time 18:16:45   Page    5
LineID  PL SL  ----+*A-1-B-+----2-+----3-+----4-+----5-+----6-+----7-|---+----8 Map and Cross Reference
000114      *
000115      01  WS-REPLACE-HEADING.
000116          05  FILLER                      PIC X(30)
000117              VALUE "REPLACE CLAIMS ANALYSIS".
000118      *
000119      01  WS-REPLACE-TOTAL-LINE.
000120          05  FILLER                      PIC X(30)
000121              VALUE "Total REPLACE Records: ".
000122          05  WS-RPL-COUNT                 PIC ZZ,ZZ9.
000123          05  FILLER                      PIC X(20) VALUE SPACES.      IMP
000124          05  FILLER                      PIC X(15)
000125              VALUE "Total Amount: ".
000126          05  WS-RPL-AMOUNT                PIC $ZZ,ZZZ,ZZ9.99.
000127      *
000128      01  WS-REPLACE-PRODUCT-LINE.
000129          05  FILLER                      PIC X(5) VALUE SPACES.      IMP

```


000130	05 WS-RPL-PROD-CODE	PIC X(3).	
000131	05 FILLER	PIC X(2) VALUE ": ".	
000132	05 WS-RPL-PROD-COUNT	PIC ZZ,ZZ9.	
000133	05 FILLER	PIC X(10) VALUE " records".	
000134	05 FILLER	PIC X(10) VALUE SPACES.	IMP
000135	05 FILLER	PIC X(8) VALUE "Amount: ".	
000136	05 WS-RPL-PROD-AMOUNT	PIC \$ZZ,ZZZ,ZZ9.99.	
000137	*		
000138	01 WS-REPLACE-REGION-LINE.		
000139	05 FILLER	PIC X(5) VALUE SPACES.	IMP
000140	05 WS-RPL-REGION	PIC X(3).	
000141	05 FILLER	PIC X(2) VALUE ": ".	
000142	05 WS-RPL-REGION-COUNT	PIC ZZ,ZZ9.	
000143	05 FILLER	PIC X(10) VALUE " records".	
000144	05 FILLER	PIC X(3) VALUE " (".	
000145	05 WS-RPL-REGION-PCT	PIC ZZ9.99.	
000146	05 FILLER	PIC X(2) VALUE "%)".	
000147	*		
000148	01 WS-GRAND-TOTAL-LINE.		
000149	05 FILLER	PIC X(30)	
000150	VALUE "GRAND TOTAL ALL CLAIMS: ".		
000151	05 WS-GRAND-TOTAL	PIC \$ZZ,ZZZ,ZZ9.99.	
000152	*		
000153	01 WS-PRODUCT-TABLE.		
000154	05 WS-PROD-ENTRY OCCURS 6 TIMES INDEXED BY WS-PROD-IDX.		
000155	10 WS-PROD-CODE	PIC X(3).	
000156	10 WS-REP-PROD-COUNT-T	PIC 9(5).	
000157	10 WS-REP-PROD-TOTAL-T	PIC 9(9)V99.	
000158	10 WS-RPL-PROD-COUNT-T	PIC 9(5).	
000159	10 WS-RPL-PROD-TOTAL-T	PIC 9(9)V99.	
000160	*		
000161	01 WS-REGION-TABLE.		
000162	05 WS-REGION-ENTRY OCCURS 4 TIMES INDEXED BY WS-REG-IDX.		
000163	10 WS-REGION-CODE	PIC X(3).	
000164	10 WS-REGION-COUNT	PIC 9(5).	
000165	*		
000166	01 WS-COUNTERS.		
000167	05 WS-EOF-FLAG	PIC X VALUE 'N'.	
000168	05 WS-REPAIR-COUNT	PIC 9(5) VALUE ZEROS.	IMP
000169	05 WS-REPLACE-COUNT	PIC 9(5) VALUE ZEROS.	IMP
000170	05 WS-REPAIR-TOTAL	PIC 9(9)V99 VALUE ZEROS.	IMP
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 SPLITT Date 10/18/2025 Time 18:16:45 Page 6			
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----+-----5-----6-----7- -----8	Map and Cross Reference
000171	05 WS-REPLACE-TOTAL	PIC 9(9)V99 VALUE ZEROS.	IMP
000172	05 WS-GRAND-TOTAL-AMT	PIC 9(9)V99 VALUE ZEROS.	IMP
000173	05 WS-CALC-PCT	PIC 999V99.	
000174	*		
000175	77 WS-SPACES	PIC X(133) VALUE SPACES.	IMP
000176	*		
000177	PROCEDURE DIVISION.		
000178	000-MAIN.		
000179	OPEN INPUT INPUT-FILE		38
000180	OUTPUT REPAIR-FILE		56
000181	OUTPUT REPLACE-OQ-FILE		63

000182		OUTPUT REPLACE-MA-FILE	70
000183		OUTPUT REPORT-FILE.	77
000184		PERFORM 100-INITIALIZE-TABLES.	196
000185		PERFORM 200-READ-INPUT.	220
000186		PERFORM 300-PROCESS-RECORDS	224
000187		UNTIL WS-EOF-FLAG = 'Y'.	167
000188		PERFORM 400-PRINT-REPORT.	279
000189		CLOSE INPUT-FILE	38
000190		REPAIR-FILE	56
000191		REPLACE-OQ-FILE	63
000192		REPLACE-MA-FILE	70
000193		REPORT-FILE.	77
000194		GOBACK.	
000195	*		
000196		100-INITIALIZE-TABLES.	
000197		MOVE "FRG" TO WS-PROD-CODE(1).	155
000198		MOVE "STV" TO WS-PROD-CODE(2).	155
000199		MOVE "WAS" TO WS-PROD-CODE(3).	155
000200		MOVE "ACO" TO WS-PROD-CODE(4).	155
000201		MOVE "OTH" TO WS-PROD-CODE(5).	155
000202		MOVE "HWT" TO WS-PROD-CODE(6).	155
000203		PERFORM VARYING WS-PROD-IDX FROM 1 BY 1	154
000204		UNTIL WS-PROD-IDX > 6	154
000205	1	MOVE ZEROS TO WS-REP-PROD-COUNT-T(WS-PROD-IDX)	IMP 156 154
000206	1	MOVE ZEROS TO WS-REP-PROD-TOTAL-T(WS-PROD-IDX)	IMP 157 154
000207	1	MOVE ZEROS TO WS-RPL-PROD-COUNT-T(WS-PROD-IDX)	IMP 158 154
000208	1	MOVE ZEROS TO WS-RPL-PROD-TOTAL-T(WS-PROD-IDX)	IMP 159 154
000209		END-PERFORM.	
000210			
000211		MOVE "ONT" TO WS-REGION-CODE(1).	163
000212		MOVE "QUE" TO WS-REGION-CODE(2).	163
000213		MOVE "ALB" TO WS-REGION-CODE(3).	163
000214		MOVE "MAN" TO WS-REGION-CODE(4).	163
000215		PERFORM VARYING WS-REG-IDX FROM 1 BY 1	162
000216		UNTIL WS-REG-IDX > 4	162
000217	1	MOVE ZEROS TO WS-REGION-COUNT(WS-REG-IDX)	IMP 164 162
000218		END-PERFORM.	
000219	*		
000220		200-READ-INPUT.	
000221		READ INPUT-FILE	38
000222	1	AT END MOVE 'Y' TO WS-EOF-FLAG.	167
000223	*		
000224		300-PROCESS-RECORDS.	
000225		IF IL-CLAIM-TYPE = "REPAIR "	52
000226	1	PERFORM 310-PROCESS-REPAIR	232
000227		ELSE	
PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 SPLITT Date 10/18/2025 Time 18:16:45 Page 7			
LineID	PL SL	-----*A-1-B-+-----2-----3-----4-----5-----6-----7- -----8	Map and Cross Reference
000228	1	PERFORM 320-PROCESS-REPLACE	238
000229		END-IF.	
000230		PERFORM 200-READ-INPUT.	220
000231	*		
000232		310-PROCESS-REPAIR.	
000233		WRITE REPAIR-LINE FROM INPUT-LINE.	61 43

000234		ADD 1 TO WS-REPAIR-COUNT.	168
000235		ADD IL-AMOUNT TO WS-REPAIR-TOTAL.	53 170
000236		PERFORM 330-UPDATE-PRODUCT-REPAIR.	250
000237		*	
000238		320-PROCESS-REPLACE.	
000239		*Split replacements based on region	
000240		IF IL-REGION-CODE = "ONT" OR IL-REGION-CODE = "QUE"	47 47
000241	1	WRITE REPLACE-OQ-LINE FROM INPUT-LINE	68 43
000242		ELSE	
000243	1	WRITE REPLACE-MA-LINE FROM INPUT-LINE	75 43
000244		END-IF.	
000245		ADD 1 TO WS-REPLACE-COUNT.	169
000246		ADD IL-AMOUNT TO WS-REPLACE-TOTAL.	53 171
000247		PERFORM 340-UPDATE-PRODUCT-REPLACE.	260
000248		PERFORM 350-UPDATE-REGION.	270
000249		*	
000250		330-UPDATE-PRODUCT-REPAIR.	
000251		PERFORM VARYING WS-PROD-IDX FROM 1 BY 1	154
000252		UNTIL WS-PROD-IDX > 6	154
000253	1	IF IL-PRODUCT-CODE = WS-PROD-CODE(WS-PROD-IDX)	51 155 154
000254	2	ADD 1 TO WS-REP-PROD-COUNT-T(WS-PROD-IDX)	156 154
000255	2	ADD IL-AMOUNT TO WS-REP-PROD-TOTAL-T(WS-PROD-IDX)	53 157 154
000256	2	EXIT PERFORM	
000257	1	END-IF	
000258		END-PERFORM.	
000259		*	
000260		340-UPDATE-PRODUCT-REPLACE.	
000261		PERFORM VARYING WS-PROD-IDX FROM 1 BY 1	154
000262		UNTIL WS-PROD-IDX > 6	154
000263	1	IF IL-PRODUCT-CODE = WS-PROD-CODE(WS-PROD-IDX)	51 155 154
000264	2	ADD 1 TO WS-RPL-PROD-COUNT-T(WS-PROD-IDX)	158 154
000265	2	ADD IL-AMOUNT TO WS-RPL-PROD-TOTAL-T(WS-PROD-IDX)	53 159 154
000266	2	EXIT PERFORM	
000267	1	END-IF	
000268		END-PERFORM.	
000269		*	
000270		350-UPDATE-REGION.	
000271		PERFORM VARYING WS-REG-IDX FROM 1 BY 1	162
000272		UNTIL WS-REG-IDX > 4	162
000273	1	IF IL-REGION-CODE = WS-REGION-CODE(WS-REG-IDX)	47 163 162
000274	2	ADD 1 TO WS-REGION-COUNT(WS-REG-IDX)	164 162
000275	2	EXIT PERFORM	
000276	1	END-IF	
000277		END-PERFORM.	
000278		*	
000279		400-PRINT-REPORT.	
000280		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000281		WRITE REPORT-LINE FROM WS-REPORT-HEADING.	82 86
000282		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000283		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000284			

000286		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000287			
000288		MOVE WS-REPAIR-COUNT TO WS-REP-COUNT.	168 99
000289		MOVE WS-REPAIR-TOTAL TO WS-REP-AMOUNT.	170 103
000290		WRITE REPORT-LINE FROM WS-REPAIR-TOTAL-LINE.	82 96
000291		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000292			
000293		PERFORM 410-PRINT-REPAIR-PRODUCTS.	317
000294		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000295		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000296			
000297		WRITE REPORT-LINE FROM WS-REPLACE-HEADING.	82 115
000298		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000299			
000300		MOVE WS-REPLACE-COUNT TO WS-RPL-COUNT.	169 122
000301		MOVE WS-REPLACE-TOTAL TO WS-RPL-AMOUNT.	171 126
000302		WRITE REPORT-LINE FROM WS-REPLACE-TOTAL-LINE.	82 119
000303		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000304			
000305		PERFORM 420-PRINT-REPLACE-PRODUCTS.	331
000306		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000307			
000308		PERFORM 430-PRINT-REPLACE-REGIONS.	345
000309		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000310		WRITE REPORT-LINE FROM WS-SPACES.	82 175
000311			
000312		COMPUTE WS-GRAND-TOTAL-AMT =	172
000313		WS-REPAIR-TOTAL + WS-REPLACE-TOTAL.	170 171
000314		MOVE WS-GRAND-TOTAL-AMT TO WS-GRAND-TOTAL.	172 151
000315		WRITE REPORT-LINE FROM WS-GRAND-TOTAL-LINE.	82 148
000316	*		
000317		410-PRINT-REPAIR-PRODUCTS.	
000318		PERFORM VARYING WS-PROD-IDX FROM 1 BY 1	154
000319		UNTIL WS-PROD-IDX > 6	154
000320	1	IF WS-REP-PROD-COUNT-T(WS-PROD-IDX) > 0	156 154
000321	2	MOVE WS-PROD-CODE(WS-PROD-IDX)	155 154
000322	2	TO WS-REP-PROD-CODE	107
000323	2	MOVE WS-REP-PROD-COUNT-T(WS-PROD-IDX)	156 154
000324	2	TO WS-REP-PROD-COUNT	109
000325	2	MOVE WS-REP-PROD-TOTAL-T(WS-PROD-IDX)	157 154
000326	2	TO WS-REP-PROD-AMOUNT	113
000327	2	WRITE REPORT-LINE FROM WS-REPAIR-PRODUCT-LINE	82 105
000328	1	END-IF	
000329		END-PERFORM.	
000330	*		
000331		420-PRINT-REPLACE-PRODUCTS.	
000332		PERFORM VARYING WS-PROD-IDX FROM 1 BY 1	154
000333		UNTIL WS-PROD-IDX > 6	154
000334	1	IF WS-RPL-PROD-COUNT-T(WS-PROD-IDX) > 0	158 154
000335	2	MOVE WS-PROD-CODE(WS-PROD-IDX)	155 154
000336	2	TO WS-RPL-PROD-CODE	130
000337	2	MOVE WS-RPL-PROD-COUNT-T(WS-PROD-IDX)	158 154
000338	2	TO WS-RPL-PROD-COUNT	132
000339	2	MOVE WS-RPL-PROD-TOTAL-T(WS-PROD-IDX)	159 154

```

000340      2                TO WS-RPL-PROD-AMOUNT                      136
000341      2                WRITE REPORT-LINE FROM WS-REPLACE-PRODUCT-LINE      82 128
PP 5655-EC6 IBM Enterprise COBOL for z/OS  6.4.0 P241211      SPLITT      Date 10/18/2025   Time 18:16:45   Page      9
LineID  PL SL  -----*A-1-B--+-----2-----3-----4-----5-----6-----7-|-----8 Map and Cross Reference
000342      1                END-IF
000343                        END-PERFORM.
000344      *
000345      430-PRINT-REPLACE-REGIONS.
000346      PERFORM VARYING WS-REG-IDX FROM 1 BY 1                      162
000347      UNTIL WS-REG-IDX > 4                      162
000348      1                IF WS-REGION-COUNT(WS-REG-IDX) > 0          164 162
000349      2                MOVE WS-REGION-CODE(WS-REG-IDX)            163 162
000350      2                TO WS-RPL-REGION                      140
000351      2                MOVE WS-REGION-COUNT(WS-REG-IDX)            164 162
000352      2                TO WS-RPL-REGION-COUNT                    142
000353      2                COMPUTE WS-CALC-PCT ROUNDED =              173
000354      2                (WS-REGION-COUNT(WS-REG-IDX)              164 162
000355      2                / WS-REPLACE-COUNT) * 100                  169
000356      2                MOVE WS-CALC-PCT TO WS-RPL-REGION-PCT      173 145
000357      2                WRITE REPORT-LINE FROM WS-REPLACE-REGION-LINE  82 138
000358      1                END-IF
000359      END-PERFORM.
000360      *
000361      END PROGRAM SPLITT.                      2
000362
*/ SPLITT

```

```

PP 5655-EC6 IBM Enterprise COBOL for z/OS  6.4.0 P241211      SPLITT      Date 10/18/2025   Time 18:16:45   Page     10
An "M" preceding a data-name reference indicates that the data-name is modified by this reference.

```

Defined	Cross-reference of data names	References
53	IL-AMOUNT.	235 246 255 265
52	IL-CLAIM-TYPE.	225
50	IL-CUSTOMER-NAME	
48	IL-HYPHEN	
54	IL-JUSTIFICATION	
49	IL-NUMERIC-ID	
44	IL-POLICY-NUM.	46
45	IL-POLICY-NUM-VAL	
51	IL-PRODUCT-CODE.	253 263
47	IL-REGION-CODE	240 240 273
38	INPUT-FILE	15 179 189 221
43	INPUT-LINE	233 241 243
56	REPAIR-FILE.	19 180 190
61	REPAIR-LINE.	M233
70	REPLACE-MA-FILE.	27 182 192
75	REPLACE-MA-LINE.	M243
63	REPLACE-OQ-FILE.	23 181 191
68	REPLACE-OQ-LINE.	M241
77	REPORT-FILE.	31 183 193
82	REPORT-LINE.	M280 M281 M282 M283 M285 M286 M290 M291 M294 M295 M297 M298 M302 M303 M306 M309 M310 M315 M327 M341 M357
173	WS-CALC-PCT.	M353 356
166	WS-COUNTERS	

167	WS-EOF-FLAG.	187 M222
151	WS-GRAND-TOTAL	M314
172	WS-GRAND-TOTAL-AMT	M312 314
148	WS-GRAND-TOTAL-LINE.	315
155	WS-PROD-CODE	M197 M198 M199 M200 M201 M202 253 263 321 335
154	WS-PROD-ENTRY	
154	WS-PROD-IDX.	M203 204 205 206 207 208 M251 252 253 254 255 M261 262 263 264 265 M318 319 320 321 323 325 M332 333 334 335 337 339
153	WS-PRODUCT-TABLE	
162	WS-REG-IDX	M215 216 217 M271 272 273 274 M346 347 348 349 351 354
163	WS-REGION-CODE	M211 M212 M213 M214 273 349
164	WS-REGION-COUNT.	M217 M274 348 351 354
162	WS-REGION-ENTRY	
161	WS-REGION-TABLE	
103	WS-REP-AMOUNT.	M289
99	WS-REP-COUNT	M288
113	WS-REP-PROD-AMOUNT	M326
107	WS-REP-PROD-CODE	M322
109	WS-REP-PROD-COUNT.	M324
156	WS-REP-PROD-COUNT-T.	M205 M254 320 323
157	WS-REP-PROD-TOTAL-T.	M206 M255 325
168	WS-REPAIR-COUNT.	M234 288
92	WS-REPAIR-HEADING.	285
105	WS-REPAIR-PRODUCT-LINE	327
170	WS-REPAIR-TOTAL.	M235 289 313
96	WS-REPAIR-TOTAL-LINE	290
169	WS-REPLACE-COUNT	M245 300 355
115	WS-REPLACE-HEADING	297
128	WS-REPLACE-PRODUCT-LINE.	341
138	WS-REPLACE-REGION-LINE	357
171	WS-REPLACE-TOTAL	M246 301 313
PP 5655-EC6	IBM Enterprise COBOL for z/OS	6.4.0 P241211
Defined	Cross-reference of data names	References
		SPLITT Date 10/18/2025 Time 18:16:45 Page 11

119	WS-REPLACE-TOTAL-LINE.	302
86	WS-REPORT-HEADING.	281
126	WS-RPL-AMOUNT.	M301
122	WS-RPL-COUNT	M300
136	WS-RPL-PROD-AMOUNT	M340
130	WS-RPL-PROD-CODE	M336
132	WS-RPL-PROD-COUNT.	M338
158	WS-RPL-PROD-COUNT-T.	M207 M264 334 337
159	WS-RPL-PROD-TOTAL-T.	M208 M265 339
140	WS-RPL-REGION.	M350
142	WS-RPL-REGION-COUNT.	M352
145	WS-RPL-REGION-PCT.	M356
175	WS-SPACES.	280 282 283 286 291 294 295 298 303 306 309 310
PP 5655-EC6	IBM Enterprise COBOL for z/OS	6.4.0 P241211
		SPLITT Date 10/18/2025 Time 18:16:45 Page 12

Context usage is indicated by the letter preceding a procedure-name reference.

These letters and their meanings are:

- A = ALTER (procedure-name)
- D = GO TO (procedure-name) DEPENDING ON
- E = End of range of (PERFORM) through (procedure-name)
- G = GO TO (procedure-name)

P = PERFORM (procedure-name)
T = (ALTER) TO PROCEED TO (procedure-name)
U = USE FOR DEBUGGING (procedure-name)

Defined Cross-reference of procedures References

178	000-MAIN	
196	100-INITIALIZE-TABLES.	P184
220	200-READ-INPUT	P185 P230
224	300-PROCESS-RECORDS.	P186
232	310-PROCESS-REPAIR	P226
238	320-PROCESS-REPLACE.	P228
250	330-UPDATE-PRODUCT-REPAIR. . .	P236
260	340-UPDATE-PRODUCT-REPLACE . .	P247
270	350-UPDATE-REGION.	P248
279	400-PRINT-REPORT	P188
317	410-PRINT-REPAIR-PRODUCTS. . .	P293
331	420-PRINT-REPLACE-PRODUCTS . .	P305
345	430-PRINT-REPLACE-REGIONS. . .	P308

PP 5655-EC6 IBM Enterprise COBOL for z/OS 6.4.0 P241211 SPLITT Date 10/18/2025 Time 18:16:45 Page 13
Defined Cross-reference of programs References

2 SPLITT 361

Messages Total Informational Warning Error Severe Terminating

Printed: 1 1

* Statistics for COBOL program SPLITT:

* Source records = 362
* Data Division statements = 58
* Procedure Division statements = 101
* Generated COBOL statements = 0
* Program complexity factor = 103

End of compilation 1, program SPLITT, highest severity 0.

Return code 0

z/OS V3 R1 BINDER 18:16:47 SATURDAY OCTOBER 18, 2025

BATCH EMULATOR JOB(KC03FE1) STEP(COBOL) PGM= IEWBLINK PROCEDURE(LKED)

*** O P E R A T I O N S U M M A R Y R E P O R T ***

PROCESSING OPTIONS:

ALIASES	NO
ALIGN2	NO
AMODE	UNSPECIFIED
CALL	YES
CASE	UPPER
COMPAT	UNSPECIFIED
COMPRESS	AUTO
DCBS	NO
DYNAM	NO
EXTATTR	UNSPECIFIED
EXITS:	NONE
FILL	NONE

GID	UNSPECIFIED
HOBSET	NO
INFO	NO
LET	04
LINECT	060
LIST	SUMMARY
LISTPRIV	NO
LONGPARM	NO
MAP	NO
MAXBLK	032760
MODMAP	NO
MSGLEVEL	00
OVLY	NO
PRINT	YES
RES	NO
REUSABILITY	UNSPECIFIED
RMODE	UNSPECIFIED
RMODEX	NO
SIGN	NO
STORENX	NOREPLACE
STRIPCL	NO
STRIPSEC	NO
SYMTRACE	
TERM	NO
TRAP	ON
UID	UNSPECIFIED
UPCASE	NO
WKSPACE	000000K,000000K
XCAL	NO
XREF	NO
END OF OPTIONS	

SAVE OPERATION SUMMARY:

MEMBER NAME	SPLITT
LOAD LIBRARY	KC03FE1.DCMAFD02.A3.LOADLIB
PROGRAM TYPE	PROGRAM OBJECT(FORMAT 3)
VOLUME SERIAL	KCTR51
DISPOSITION	REPLACED
TIME OF SAVE	18.16.48 OCT 18, 2025

SAVE MODULE ATTRIBUTES:

AC	000
AMODE	31
COMPRESSION	NONE
DC	NO
EDITABLE	YES
EXCEEDS 16MB	NO
EXECUTABLE	YES

LONGPARM	NO
MIGRATABLE	NO
OL	NO
OVLY	NO
PACK,PRIME	NO,NO
PAGE ALIGN	NO
REFR	NO
RENT	NO
REUS	NO
RMODE	ANY
SCTR	NO
SIGN	NO
SSI	
SYM GENERATED	NO
TEST	NO
XPLINK	NO
MODULE SIZE (HEX)	00003BE8
DASD SIZE (HEX)	0001A000

ENTRY POINT AND ALIAS SUMMARY:

NAME:	ENTRY TYPE	AMODE	C_OFFSET	CLASS NAME	STATUS
SPLITT	MAIN_EP	31	00000000	C_CODE	

*** E N D O F O P E R A T I O N S U M M A R Y R E P O R T ***

z/OS V3 R1 BINDER 18:16:47 SATURDAY OCTOBER 18, 2025
BATCH EMULATOR JOB(KC03FE1) STEP(COBOL) PGM= IEWBLINK PROCEDURE(LKED)
IEW2008I 0F03 PROCESSING COMPLETED. RETURN CODE = 0.

MESSAGE SUMMARY REPORT

TERMINAL MESSAGES (SEVERITY = 16)
NONE

SEVERE MESSAGES (SEVERITY = 12)
NONE

ERROR MESSAGES (SEVERITY = 08)
NONE

WARNING MESSAGES (SEVERITY = 04)
NONE

INFORMATIONAL MESSAGES (SEVERITY = 00)
2008

**** END OF MESSAGE SUMMARY REPORT ****