

■ BRAND & DESIGN SYSTEM • V3.0

THE ROUTE AND THE GRID

Every DUS asset is a corridor drawn across land: survey-grid precision, one green right-of-way line, squared structure, teal depth. This book is the source of truth for how that looks.

The wordmark is artwork.

A custom condensed logotype, delivered as files. It is placed, never re-typed, never restyled. Black and green on light grounds; white and green on dark.



DUDLEY
UTILITY SERVICES

PRIMARY • LIGHT GROUNDS

DUS-LOGO.PNG



DUDLEY
UTILITY SERVICES

REVERSED • DARK GROUNDS

DUS-LOGO-WHITE.PNG

CLEAR SPACE

The logo for Dudley Utility Services is centered within a dashed blue rectangular box. The word "DUDLEY" is in a large, bold, black sans-serif font. Below it, the words "UTILITY SERVICES" are in a smaller, bold, green sans-serif font. The box is set against a light gray background, illustrating the required clear space around the logo.

DUDLEY
UTILITY SERVICES

- Clear space on all sides equals half the wordmark height. Nothing enters it.
- Minimum width: 120px on screen, 1.1" in print.
- Scale proportionally, from the corner, every time.
- On photography, place only over calm, dark, low-detail areas.



× DON'T STRETCH



× DON'T RECOLOR



× DON'T LOSE CONTRAST

DUDLEY

× DON'T RE-TYPE IT

Teal leads. Green earns its place.

DUS Teal is what separates Utility Services from Dudley Land Company. Green is inherited from the parent brand and spent like a scarce resource: markers, rules, the route.




DUS Teal

#015270

--teal-500

The primary. Fields, headlines on white, table headers, links.



Dudley Green

#41BE48

--green-500

The accent. Checks, rules, markers, the route line. Never a fill.




Ink

#2B2B2B

--ink-800

Primary text. Deep grounds use the field gradients, not flat black.



White

#FFFFFF

--white

The default ground. Whitespace is a brand asset.

TEAL RAMP



950

800

700

500

400

300

100

050

GREEN RAMP



700


600

500


400

100

NEUTRALS



PROPORTIONS ON A TYPICAL ASSET



- Green stays under ~8% of any composition. If it reads green, cut some.
- Green is never body text below 20px, except on ink grounds.
- Dark fields are always the teal or ink gradients, never flat #000.

Lato. Three weights. No exceptions.

Black carries the brand, Bold labels it, Regular explains it. Display headlines run uppercase; everything else is sentence case.

DELIVERING ENERGY

Display

Covers, title slides, banners. Short and declarative, four words or fewer.

900 • UPPERCASE • -0.02EM • LH 0.98

Know your costs upfront

Headline / H1

Social headlines and page titles. Sentence case.

900 • -0.022EM • LH 1.06

Right-of-way, done right the first time

H2

Slide titles and document section heads.

900 • -0.018EM • LH 1.12

Siting, routing, and easement acquisition

H3 / Label

Subheads, card titles, list items.

700 • -0.008EM • LH 1.22

We know the counties, the courthouses, and the people who make deals happen. Every claim is backed by real project data: real timelines, actual budgets, measurable outcomes.

Body

Plain, confident, short sentences.

400 • 16–17PX • LH 1.6

■ TRANSMISSION & RIGHT-OF-WAY

Eyebrow

Section markers, always with the green survey square.

700 • 13PX • 0.16EM • UPPERCASE

DUDLEY UTILITY SERVICES • 01 / 04

Micro label

Plat-sheet metadata: counters, footers, annotations.

700 • 11PX • 0.22EM • UPPERCASE

- The DUDLEY wordmark is not set in Lato and is never reproduced with type. See the logo rules above.

Every gap is a decision.

A 4px-base scale with 11 steps. Use the tokens for all margin, padding, and gap values. No magic numbers, no ad-hoc tweaking.

--sp-1	4 px	 Micro: icon nudge, inline offset
--sp-2	8 px	 Tight: stat value-to-label, tight list gap
--sp-3	12 px	 Compact: list item gap, small card inner
--sp-4	16 px	 Small: eyebrow-to-heading, heading-to-body, card content gaps
--sp-5	20 px	 Standard: paragraph spacing, form field gap
--sp-6	24 px	 Medium: card padding, component gaps, grid gap
--sp-8	32 px	 Large: between content groups, body-to-CTA
--sp-10	40 px	 Generous: subsection breaks
--sp-12	48 px	 Container: horizontal wrap padding
--sp-16	64 px	 Section-head to content block
--sp-20	80 px	 Section: vertical section padding (top/bottom)

■ TRANSMISSION & RIGHT-OF-WAY

| `--sp-4` · 16px

Know your costs before the first boot hits the ground.

| `--sp-4` · 16px

We price by the parcel, not by the hour. You see the full scope, the full cost, and the full timeline before you commit.

| `--sp-8` · 32px

Get a scope estimate

Eyebrow → Heading: `--text-eyebrow-to-heading` (16px) · Heading → Body: `--text-heading-to-body` (16px) · Body → CTA: `--text-body-to-cta` (32px)

RULES

Always use the token

Never write a raw pixel value for spacing. Use `var(--sp-6)`, not `24px`. This keeps the system adjustable and consistent.

Text flow is locked

Eyebrow-to-heading and heading-to-body are always `--sp-4` (16px). Body-to-CTA is always `--sp-8` (32px). No exceptions.

Stay on the scale

If you need a value between steps, pick the nearer step. No 18px, 22px, 26px, 30px, 36px, 44px, or 58px. Those are the old chaos.

Section rhythm

`--sp-20` (80px) between sections. `--sp-16` (64px) from section heading to content. `--sp-12` (48px) for container horizontal padding.

Outlined, gradient-stroked, surveyor-precise.

Every icon is a Remix Icon outline with the DUS teal-to-green gradient as its stroke. Three sizes on the 4px grid. Squared containers only.

RULES

Source and style

Remix Icon (remixicon.com), always the `-line` suffix variant. Outlined only, never filled or solid.

Stroke

`stroke-width="1.2"` with `stroke-linecap="round"` and `stroke-linejoin="round"` . Simple geometric paths, no fills.

Color

DUS gradient teal-to-green via SVG `<linearGradient>` , horizontal left to right. Never flat single-color icons.

Containers

Squared with `--r-md` (6px). Never circles, never `border-radius: 50%` . Coverage badges use solid teal or green backgrounds with white stroke.

SIZE SCALE



CANONICAL GRADIENT DEFINITION

Place this `<defs>` block once per page. All icons reference these gradients via `url(#dus-grad)` .

```
<svg width="0" height="0" aria-hidden="true" style="position:absolute">
  <defs>
    <linearGradient id="dus-grad"
      x1="0" y1="12" x2="24" y2="12"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
    <linearGradient id="dus-grad-40"
      x1="0" y1="20" x2="40" y2="20"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
  </defs>
</svg>
```

APPROVED ICONS

INDUSTRY



Lightning • electric



Water drop • water



Broadcast • fiber



Flame • gas

KUDU FEATURES



Monitor • visibility



Book • record



Map • progress



Archive • documents

PEOPLE



Users • team



Pin • location



Shield • trust

LANDOWNERS



Document • easement



Phone • notice



User • agent



Balance • compensation

COVERAGE (WHITE ON BADGE)



Globe • reach



Pin • local



Team • scalable

HERITAGE



Flag • founding



Monitor • digital



Chart • growth



Trophy • award

USAGE PATTERN

Two steps: define the gradient once per page, then use the `.dus-icon` class with SVGs that reference `url(#dus-grad)` .

```
<!-- Step 1: gradient defs (once per page) -->
<svg width="0" height="0" aria-hidden="true" style="position:absolute">
  <defs>
    <linearGradient id="dus-grad" x1="0" y1="12" x2="24" y2="12"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
  </defs>
</svg>

<!-- Step 2: use in a card -->
<div class="dus-icon dus-icon--md">
  <svg viewBox="0 0 24 24" fill="none">
    <path d="..." stroke="url(#dus-grad)"
      stroke-width="1.2" stroke-linecap="round"
      stroke-linejoin="round"/>
  </svg>
</div>
```


Four moves make it DUS.

The survey grid, the route line, the horizon rule, and the corner ticks. Each is drawn from the work itself: plat maps, corridors, section lines.




SURVEY GRID • DARK

Every dark field carries the plat grid: fine 44px cells, a heavier section line every fourth. The green horizon anchors the bottom edge.



SURVEY GRID • LIGHT


On white it is a whisper, not a pattern. If you notice it before the content, it is too strong.



ROUTE LINE

Drawn like an alignment sheet: dash-dot centerline, easement corridor, PI monuments, station ticks, parcel lines. One per composition, behind content, never through body text.

SERVICE OVERVIEW




CORNER TICKS

Plat-sheet corners frame the body of print documents. Quiet, structural, surveyor-precise.

24 reusable parts, staged where they live.

Dark-surface components stay on dark. Light-surface components stay on light. Each file is self-contained HTML with an AI-readable comment header.

PANELS	COMPOSITIONS (9)	INSPIRATION (5)
--------	------------------	-----------------



EYEBROW • ON LIGHT

■ WHAT WE HANDLE


CHECKLIST

- ✓ **Transmission right-of-way**
- ✓ **Siting & routing support**
- ✓ **Easement acquisition**

BUTTONS



CARD WITH CORNER TICKS



COMPOSITIONS (9)

QUOTE

“They didn't just clear the route. They cleared every title issue we'd been fighting for two years.”

Sarah Mitchell

VP of Transmission, [Client Name]

CONTACT BLOCK

Mike Dudley

President

555-123-4567

mike@dudley-utility.com

SERVICE ROW

Right-of-Way Acquisition

Full-scope easement negotiation and landowner coordination from first contact through recording.

Title Clearance

Courthouse research, chain-of-title verification, and curative work across every county on the route.

PHASE TIMELINE

01 Route Study Desktop analysis, constraint mapping.	02 Title & Survey Courthouse research, boundary survey.	03 Acquisition Easement negotiation, execution.	04 Close & Record Curative, recording, handoff.
---	--	--	--

TABLE

PHASE	SCOPE	TIMELINE
01 — Route Study	Desktop analysis, constraint mapping	4 weeks
02 — Title & Survey	Courthouse research, boundary survey	8 weeks
03 — Acquisition	Easement negotiation, execution	12 weeks

LOGO LOCKUP

DUDLEY
UTILITY SERVICES

CREATING CERTAINTY
THROUGH STRATEGIC
LAND SOLUTIONS.

PAGE COUNTER

01 / 05

PHOTO SLOT



CTA BLOCK

■ NEXT STEP

Ready to scope your corridor?

Call Mike directly to walk through your project requirements. We'll have a preliminary scope back to you within the week.

- Call 555-123-4567
- Email Mike

INSPIRATION-DRIVEN (5)

STAT ROW • LIGHT

45+ years

ENERGY-LAND
EXPERTISE

340 mi

CORRIDOR CLEARED

98%

ON-TIME DELIVERY

STAT ROW • DARK

**45+
years**

ENERGY-LAND
EXPERTISE

340 mi

CORRIDOR
CLEARED

98%

ON-TIME
DELIVERY

**12
states**

ACTIVE
OPERATIONS

STEP GRID • 2×2

01

Route Study

Desktop analysis, constraint mapping,
initial landowner identification.

02

Title & Survey

Courthouse research, chain-of-title,
boundary survey coordination.

03

Acquisition

Easement negotiation, landowner outreach,
document execution.

04

Close & Record

Final curative, recording, damage
settlement, project handoff.

ACCORDION ROW

01	Route Study & Constraint Mapping	4 weeks
Desktop analysis of proposed corridor, environmental constraint mapping, initial landowner identification.		
02	Title Research & Boundary Survey	8 weeks
03	Easement Acquisition & Negotiation	12 weeks

TEAM GRID



Mike Dudley
Project Lead



Jane Roberts
Lead Agent



Tom Wilson
Survey Coordinator

METRIC GRID

2,400+ PARCELS ACQUIRED Across 12 states since 2019	340 mi CORRIDOR CLEARED Transmission and pipeline ROW	98% ON-TIME DELIVERY 5-year rolling average
45+ YEARS OF EXPERIENCE Energy-land services	\$2.1B PROJECT VALUE MANAGED Lifetime portfolio	14 ACTIVE PROJECTS Current engagement count

Start from a template. Always.

Nine locked layouts cover social, LinkedIn, presentations, and print. Copy the file, change the words, keep everything else.

- Every preview below is a live render of the actual template file, not a mockup. Ask Claude for any of these and it fills in your content.

SOCIAL



Social square

1080 × 1080

Service posts, announcements, everyday LinkedIn graphics.

[Open template →](#)

■ PROOF, NOT PROMISES

45+

YEARS OF ENERGY-LAND EXPERTISE

We are not trying to be the loudest voice in the room.
We are trying to be the most trusted.

Stat post

1080 × 1350

One number, one point. Proof over promises.

[Open template →](#)

FIELD GUIDE


WHAT A ROW PARTNER OWES YOU

Carousel

3 × 1080 × 1350

Cover, content, and CTA slides for field guides and sequences.

[Open template →](#)




Company banner

1584 × 396

The company page cover: statement, services, proof.

[Open template →](#)



Personal banner

1584 × 396

Employee profile cover with the avatar zone kept clear.

[Open template →](#)

DUDLEY
UTILITY SERVICES

■ [EYEBROW - CONTEXT]

[PRESENTATION TITLE]

Prepared for [Client Name] · [Date]



Presentation deck

7 masters · 1920 × 1080

Title, agenda, divider, content, stats, quote, and closing masters. Duplicate what you need, delete the rest.

[Open template →](#)

45+
YEARS EXPERTISE

■ THE NUMBERS

#1
LANDMAN NETWORK

[X]
[YOUR STAT]

Deck • stats master

1920 × 1080

The proof-point slide. Two standing claims plus your project number.

[Open template →](#)

DUDLEY

UTILITY SERVICES

DUDLEY UTILITY SERVICES • SERVICE OVERVIEW

TRANSMISSION & RIGHT-OF-WAY SERVICES

[Intro: who this is for and the outcome.] Your complete energy partner.

■ WHAT WE HANDLE

- ✓ Transmission Right-of-Way
- ✓ Easement Acquisition
- ✓ Non-Environmental Permitting
- ✓ Siting & Routing
- ✓ Encroachment Mitigation
- ✓ Construction & Condemnation Support

45+

YEARS OF ENERGY-LAND
EXPERTISE

38

STATES LICENSED TO
OPERATE IN

[X]

[YOUR STAT]

One-pager

Letter

Service overview, handout, leave-behind PDF.

[Open template →](#)



[Date]

[Recipient block]

Re: [Subject]

[Salutation],

[Short placeholder paragraph for the opening message.]

[Short placeholder paragraph for the main detail.]

[Short placeholder paragraph for the next step.]

Sincerely,

[Name]

[Title]

Letterhead

Letter

Letters, memos, formal correspondence.

[Open template →](#)



PROPOSAL • [MONTH YEAR]

Proposal

4 × Letter

Cover, approach, scope & pricing, terms & signatures.

[Open template →](#)

DUDLEY
UTILITY SERVICES

[Full Name]

[TITLE]



[phone, e.g. 832-888-7238 or (O) 620-912-4196 |
(C) 620-357-1212]



[email]@dudley-utility.com



[address, e.g. 817 Avenue A | Katy, TX 77493]

Business card • front

1050 × 600

Split panel: teal gradient with logo, white panel with name, title, contact details.

[Open template →](#)

DUDLEY

UTILITY SERVICES

TRANSMISSION | DISTRIBUTION | FIBER OPTIC | WATER UTILITY | GAS UTILITY

Business card • back

1050 × 600

Logo and five services on teal-to-green gradient.

[Open template →](#)

PRINT VENDOR: VISTAPRINT, **SOFT TOUCH, ROUNDED CORNERS**. EXPORT FRONT AND BACK AS SEPARATE PNGS USING #ONLY-1 / #ONLY-2 WITH CHROME HEADLESS AT --FORCE-DEVICE-SCALE-FACTOR=3 (3150 × 1800 PX, 900 DPI EQUIVALENT). THE TEMPLATE INCLUDES A FLATTEN SCRIPT THAT CLONES THE CANVAS INTO AN EMPTY BODY SO NOTHING SHIFTS.

Plain, confident, zero hype.

Landmen can spot corporate BS a mile away. Short sentences, real numbers, partners not vendors.



**We're not trying to be the
loudest voice in the room.
We're trying to be the most
trusted.**

DUDLEY BRAND GUIDELINES

■ **Lead with real outcomes.**

× Claim magic.

■ **Use the approved facts.**

× Invent numbers.

■ **Write short sentences.**

× Use buzzwords.

■ **Name land services plainly.**

× Hide behind jargon.

■ **Sound like a partner.**

× Bash competitors.

■ **Speak to the project on their desk.**

× Talk about yourself.



Creating certainty through
strategic land solutions.

SOURCE OF TRUTH: DUDLEY LAND COMPANY BRAND
GUIDELINES + THIS SYSTEM

TEMPLATES & USAGE: SEE README-FOR-DUS.MD ·
V3.0 · SEPTEMBER 2026