IOError at /solicitar/lista_super/15/

▶ Local vars

/app/bodega/urls.py in <module>

19. from Pedidoapp import urls

No wkhtmltopdf executable found: "C:\Program Files\wkhtmltopdf\bin\wkhtmltopdf.exe" If this file exists please check that this process can read it. Otherwise please install wkhtmltopdf - https://github.com/JazzCore/pvthon-pdfkit/wiki/Installing-wkhtmltopdf

```
https://github.com/JazzCore/python-pdfkit/wiki/Installing-wkhtmltopdf
       Request Method: GET
          Request URL: http://supply-hrr.herokuapp.com/solicitar/lista_super/15/
        Django Version: 1.10.5
        Exception Type: IOError
       Exception Value: No wkhtmltopdf executable found: "C:\Program Files\wkhtmltopdf\bin\wkhtmltopdf.exe"
                        If this file exists please check that this process can read it. Otherwise please install
                        wkhtmltopdf - https://github.com/JazzCore/python-pdfkit/wiki/Installing-wkhtmltopdf
     Exception Location: /app/.heroku/python/lib/python2.7/site-packages/pdfkit/configuration.py in __init__, line 27
     Python Executable: /app/.heroku/python/bin/python
        Python Version: 2.7.13
           '/app'
                         '/app/.heroku/python/lib/python27.zip',
                         '/app/.heroku/python/lib/python2.7',
                         '/app/.heroku/python/lib/python2.7/plat-linux2',
                         '/app/.heroku/python/lib/python2.7/lib-tk'
                         '/app/.heroku/python/lib/python2.7/lib-old'
                         '/app/.heroku/python/lib/python2.7/lib-dynload',
                         '/app/.heroku/python/lib/python2.7/site-packages',
                         '/app/.heroku/python/lib/python2.7/site-packages/setuptools-32.1.0-py2.7.egg',
                         '/app/.heroku/python/lib/python2.7/site-packages/pip-9.0.1-py2.7.egg']
           Server time: Lun, 20 Mar 2017 21:09:40 +0000
Traceback Switch to copy-and-paste view
/app/.heroku/python/lib/python2.7/site-packages/django/core/handlers/exception.py in inner
                      response = get_response(request)
     ▶ Local vars
/app/.heroku/python/lib/python2.7/site-packages/django/core/handlers/base.py in get response
                  resolver match = resolver.resolve(request.path info)
     ▶ Local vars
                       for pattern in self.url_patterns:
      270.
     ▶ Local vars
```

/app/.heroku/python/lib/python2.7/site-packages/django/urls/resolvers.py $\dot{\textbf{In}}$ resolve /app/.heroku/python/lib/python2.7/site-packages/django/utils/functional.py in __get__ res = instance. dict [self.name] = self.func(instance) ▶ Local vars /app/.heroku/python/lib/python2.7/site-packages/django/urls/resolvers.py in url_patterns 313. patterns = getattr(self.urlconf module, "urlpatterns", self.urlconf module) ▶ Local vars /app/.heroku/python/lib/python2.7/site-packages/django/utils/functional.py in __get__ 35. res = instance. dict [self.name] = self.func(instance) Local vars /app/.heroku/python/lib/python2.7/site-packages/django/urls/resolvers.py in urlconf module return import module(self.urlconf name) ▶ Local vars /app/.heroku/python/lib/python2.7/importlib/ init .py in import module __import__(name) 37.

► Local vars

/app/Pedidoapp/urls.py in <module>

5. from .import views

► Local vars

/app/Pedidoapp/views.py in <module>

369. Config = pdfkit.configuration (wkhtmltopdf = "C:\\Program Files\\wkhtmltopdf\\bin\\wkhtmltopdf.exe")

. . .

► Local vars

/app/.heroku/python/lib/python2.7/site-packages/pdfkit/api.py in configuration

83. return Configuration(**kwargs)

► Local vars

/app/.heroku/python/lib/python2.7/site-packages/pdfkit/configuration.py in __init__

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

| Variable | Value |
|------------------------|--|
| HTTP ACCEPT | 'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8' |
| HTTP ACCEPT ENCODING | 'gzip' |
| HTTP_ACCEPT_LANGUAGE | 'es-CL, en, *' |
| HTTP CONNECTION | 'close' |
| HTTP CONNECT TIME | '1' |
| HTTP_HOST | 'supply-hrr.herokuapp.com' |
| HTTP TOTAL ROUTE TIME | '0' |
| HTTP_USER_AGENT | 'Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like Gecko) wkhtmltopdf Safari/534.34' |
| HTTP_VIA | '1.1 vegur' |
| HTTP_X_FORWARDED_FOR | '200.120.177.119' |
| HTTP_X_FORWARDED_PORT | '80' |
| HTTP X FORWARDED PROTO | 'http' |
| HTTP X REQUEST ID | '3d4e40e4-e32b-4e18-b909-310435a38106' |
| HTTP X REQUEST START | '1490044180341' |
| PATH INFO | u'/solicitar/lista super/15/' |
| QUERY_STRING | TI . |
| RAW_URI | '/solicitar/lista super/15/' |
| REMOTE_ADDR | '10.102.138.94' |
| REMOTE_PORT | '35171' |
| REQUEST_METHOD | 'GET' |
| SCRIPT_NAME | u'' |
| SERVER_NAME | '0.0.0.0' |
| SERVER_PORT | '32399' |
| SERVER_PROTOCOL | 'HTTP/1.1' |
| SERVER_SOFTWARE | 'gunicorn/19.6.0' |
| gunicorn.socket | <pre><socketsocketobject 0x7f8a5a681fa0="" at="" object=""></socketsocketobject></pre> |
| wsgi.errors | <pre><gunicorn.http.wsgi.wsgierrorswrapper 0x7f8a5a740a10="" at="" object=""></gunicorn.http.wsgi.wsgierrorswrapper></pre> |
| wsgi.file_wrapper | 11 |
| wsgi.input | <pre><gunicorn.http.body.body 0x7f8a5a740bd0="" at="" object=""></gunicorn.http.body.body></pre> |
| wsgi.multiprocess | True |
| wsgi.multithread | False |
| wsgi.run_once | False |
| wsgi.url scheme | 'http' |

Varjablerersion

Value(1)

Settings

Using settings module bodega.settings

```
Value
ABSOLUTE_URL_OVERRIDES
                                 {}
ADMINS
                                 []
                                 ['*']
ALLOWED HOSTS
APPEND SLASH
                                 True
AUTHENTICATION BACKENDS
                                 [u'django.contrib.auth.backends.ModelBackend']
                                 u'*******
AUTH PASSWORD VALIDATORS
AUTH USER MODEL
                                 u'auth.User'
BASE DIR
                                 '/app'
CACHES
                                 {u'default': {u'BACKEND':
                                 u'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                 u'default'
                                 u'*******
CACHE MIDDLEWARE KEY PREFIX
CACHE MIDDLEWARE SECONDS
                                 600
CSRF_COOKIE_AGE
                                 31449600
CSRF COOKIE DOMAIN
                                 None
CSRF COOKIE HTTPONLY
                                 False
CSRF COOKIE NAME
                                 u'csrftoken'
                                 u'/'
CSRF COOKIE PATH
CSRF COOKIE SECURE
CSRF FAILURE VIEW
                                 u'django.views.csrf.csrf failure'
CSRF HEADER NAME
                                 u'HTTP X CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                 []
DATABASES
                                 {'default': {'ATOMIC REQUESTS': False,
                                              'AUTOCOMMIT': True,
                                              'CONN_MAX_AGE': 0,
                                              'ENGINE': 'django.db.backends.postgresql psycopg2',
                                              'HOST': 'ec2-184-72-249-88.compute-1.amazonaws.com',
                                              'NAME': 'd7e4f01gb90sci',
                                              'PORT': '5432',
                                              'TEST': {'CHARSET': None,
                                                       'COLLATION': None,
                                                       'MIRROR': None,
                                                       'NAME': None},
                                              'TIME ZONE': None,
                                              'USER': 'gblejjxzxgotjr'}}
DATABASE ROUTERS
                                 []
DATA UPLOAD MAX MEMORY SIZE
                                 2621440
DATA UPLOAD MAX NUMBER FIELDS
                                 1000
DATETIME FORMAT
                                 u'N j, Y, P'
                                 [u'%Y-%m-%d %H:%M:%S',
DATETIME INPUT FORMATS
                                  u'%Y-%m-%d %H:%M:%S.%f',
                                  u'%Y-%m-%d %H:%M',
                                  u'%Y-%m-%d',
                                  u'%m/%d/%Y %H:%M:%S'
                                  u'%m/%d/%Y %H:%M:%S.%f',
                                  u'%m/%d/%Y %H:%M',
                                  u'%m/%d/%Y',
                                  u'%m/%d/%y %H:%M:%S',
                                  u'%m/%d/%y %H:%M:%S.%f',
u'%m/%d/%y %H:%M',
                                  u'%m/%d/%y']
DATE FORMAT
                                 u'N j, Y'
DATE INPUT FORMATS
                                 [u'%Y-%m-%d',
                                  u'%m/%d/%Y',
                                  u'%m/%d/%y',
                                  u'8b 8d 8Y'
                                  u'%b %d, %Y',
                                  u'%d %b %Y',
                                  u'%d %b, %Y',
                                  u'%B %d %Y',
                                  u'%B %d, %Y',
                                  u'%d %B %Y',
                                  u'%d %B, %Y']
DEBUG
DEBUG PROPAGATE EXCEPTIONS
DECIMAL SEPARATOR
DEFAULT CHARSET
DEFAULT CONTENT TYPE
                                u'text/html'
DEFAULT EXCEPTION REPORTER FILTER u'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                u'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                u'webmaster@localhost'
```

```
SETTIAGILT INDEX TABLESPACE
                                     ₩alue
DEFAULT TABLESPACE
                                     u''
DISALLOWED USER AGENTS
                                     []
DJANGO EXPORTS REQUIRE PERM
EMAIL BACKEND
                                     'django.core.mail.backends.smtp.EmailBackend'
EMAIL HOST
                                     'stmp.gmail.com'
                                     u'********
EMAIL HOST PASSWORD
EMAIL HOST USER
                                     'demaromail@gmail.com'
EMAIL PORT
                                     25
EMAIL SSL CERTFILE
                                    None
EMAIL SSL KEYFILE
                                    u'***********
EMAIL SUBJECT PREFIX
                                    u'[Django] '
EMAIL_TIMEOUT
                                    None
EMAIL USE SSL
                                     False
EMAIL USE TLS
                                     True
FILE CHARSET
                                     u'utf-8'
FILE UPLOAD DIRECTORY PERMISSIONS None
FILE UPLOAD HANDLERS
                                   [u'django.core.files.uploadhandler.MemoryFileUploadHandler',
                                     u'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE UPLOAD MAX MEMORY SIZE
                                    2621440
FILE UPLOAD PERMISSIONS
                                     None
FILE UPLOAD TEMP DIR
                                     None
FIRST DAY OF WEEK
FIXTURE DIRS
                                     []
FORCE SCRIPT NAME
                                     None
FORMAT_MODULE_PATH
                                     None
GRAPPELLI ADMIN TITLE
                                     'Supply'
IGNORABLE 404 URLS
INSTALLED APPS
                                     ['django.contrib.auth',
                                       'django.contrib.contenttypes',
                                       'django.contrib.sessions',
                                       'django.contrib.messages',
                                       'django.contrib.staticfiles',
                                       'grappelli',
                                       'django.contrib.admin',
                                       'django_csv_exports',
                                       'Pedidoapp',
                                       'bodega.settings']
INTERNAL IPS
                                     [(u'af', u'Afrikaans'),
LANGUAGES
                                       (u'ar', u'Arabic'),
                                       (u'ast', u'Asturian'),
                                       (u'az', u'Azerbaijani'),
                                       (u'bg', u'Bulgarian'),
                                       (u'be', u'Belarusian'),
                                       (u'bn', u'Bengali'),
                                       (u'br', u'Breton'),
(u'bs', u'Bosnian'),
                                       (u'ca', u'Catalan'),
                                       (u'cs', u'Czech'),
                                       (u'cy', u'Welsh'),
                                      (u'da', u'Danish'),
(u'de', u'German'),
(u'dsb', u'Lower Sorbian'),
                                       (u'el', u'Greek'),
                                       (u'en', u'English'),
                                       (u'en-au', u'Australian English'),
(u'en-gb', u'British English'),
                                       (u'eo', u'Esperanto'),
                                       (u'es', u'Spanish'),
                                       (u'es-ar', u'Argentinian Spanish'),
                                      (u'es-co', u'Colombian Spanish'),
(u'es-mx', u'Mexican Spanish'),
                                       (u'es-ni', u'Nicaraguan Spanish'),
                                       (u'es-ve', u'Venezuelan Spanish'),
                                       (u'et', u'Estonian'),
                                       (u'eu', u'Basque'),
(u'fa', u'Persian'),
                                       (u'fi', u'Finnish'),
                                       (u'fr', u'French'),
                                       (u'fy', u'Frisian'),
                                       (u'ga', u'Irish'),
(u'gd', u'Scottish Gaelic'),
                                       (u'gl', u'Galician'),
                                       (u'he', u'Hebrew'),
                                       (u'hi', u'Hindi'),
                                       (u'hr', u'Croatian'),
(u'hsb', u'Upper Sorbian'),
                                       (u'hu', u'Hungarian'),
```

```
Válubia', u'Interlingua'),
Setting
                                      (u'id', u'Indonesian'),
                                      (u'io', u'Ido'),
                                      (u'is', u'Icelandic'),
                                      (u'it', u'Italian'),
                                      (u'ja', u'Japanese'),
                                      (u'ka', u'Georgian'),
                                      (u'kk', u'Kazakh'),
(u'km', u'Khmer'),
                                      (u'kn', u'Kannada'),
                                      (u'ko', u'Korean'),
                                      (u'lb', u'Luxembourgish'),
                                      (u'lt', u'Lithuanian'),
(u'lv', u'Latvian'),
                                      (u'mk', u'Macedonian'),
                                      (u'ml', u'Malayalam'),
                                      (u'mn', u'Mongolian'),
                                      (u'mr', u'Marathi'),
(u'my', u'Burmese'),
(u'nb', u'Norwegian Bokm\xe51'),
                                      (u'ne', u'Nepali'),
                                      (u'nl', u'Dutch'),
                                      (u'nn', u'Norwegian Nynorsk'),
(u'os', u'Ossetic'),
                                      (u'pa', u'Punjabi'),
                                      (u'pl', u'Polish'),
(u'pt', u'Portuguese'),
                                      (u'pt-br', u'Brazilian Portuguese'),
                                      (u'ro', u'Romanian'),
                                      (u'ru', u'Russian'),
                                      (u'sk', u'Slovak'),
(u'sl', u'Slovenian'),
                                      (u'sq', u'Albanian'),
                                      (u'sr', u'Serbian'),
                                      (u'sr-latn', u'Serbian Latin'),
                                      (u'sv', u'Swedish'),
                                      (u'sw', u'Swahili'),
                                      (u'ta', u'Tamil'),
                                      (u'te', u'Telugu'),
                                      (u'th', u'Thai'),
                                      (u'tr', u'Turkish'),
(u'tt', u'Tatar'),
                                      (u'udm', u'Udmurt')
                                      (u'uk', u'Ukrainian'),
                                      (u'ur', u'Urdu'),
                                      (u'vi', u'Vietnamese'),
                                      (u'zh-hans', u'Simplified Chinese'),
                                      (u'zh-hant', u'Traditional Chinese')]
LANGUAGES BIDI
                                     [u'he', u'ar', u'fa', u'ur']
LANGUAGE CODE
                                     'es-MX'
LANGUAGE COOKIE AGE
                                    None
LANGUAGE COOKIE DOMAIN
                                    None
LANGUAGE COOKIE NAME
                                    u'django language'
LANGUAGE COOKIE PATH
                                    u'/'
LOCALE PATHS
                                    []
LOGGING
                                     {}
LOGGING CONFIG
                                    u'logging.config.dictConfig'
                                    <django.utils.functional.__proxy__ object at 0x7f8a5f34a510>
LOGIN REDIRECT URL
LOGIN URL
                                    u'/accounts/login/'
LOGOUT REDIRECT URL
                                    <django.utils.functional.__proxy__ object at 0x7f8a5f34a890>
MANAGERS
                                     []
                                    u''
MEDIA ROOT
                                    u''
MEDIA URL
MESSAGE STORAGE
                                    \verb"u'django.contrib.messages.storage.fallback.FallbackStorage"
MIDDLEWARE
                                     ['django.middleware.cache.UpdateCacheMiddleware',
                                      'django.middleware.security.SecurityMiddleware'
                                      'django.contrib.sessions.middleware.SessionMiddleware',
                                      'django.middleware.common.CommonMiddleware',
                                      'django.middleware.csrf.CsrfViewMiddleware',
                                      'django.contrib.auth.middleware.AuthenticationMiddleware',
                                      'django.contrib.auth.middleware.SessionAuthenticationMiddleware',
                                      'django.contrib.messages.middleware.MessageMiddleware',
                                      'django.middleware.clickjacking.XFrameOptionsMiddleware',
                                      'django.middleware.cache.FetchFromCacheMiddleware']
MIDDLEWARE CLASSES
                                     [u'django.middleware.common.CommonMiddleware',
                                      u'django.middleware.csrf.CsrfViewMiddleware']
MIGRATION MODULES
                                     {}
MONTH DAY FORMAT
                                    u'F j'
NUMBER GROUPING
                                    u'*******
PASSWORD HASHERS
PASSWORD RESET TIMEOUT DAYS
                                    11 ********
```

```
₩alue<sub>-</sub>
Setting:ND WWW
ROOT URLCONF
                                 'bodega.urls'
                                 u'*******
SECRET KEY
SECURE BROWSER XSS FILTER
SECURE_CONTENT_TYPE NOSNIFF
SECURE HSTS INCLUDE SUBDOMAINS
                                False
SECURE HSTS SECONDS
SECURE PROXY SSL HEADER
                                None
SECURE REDIRECT EXEMPT
                                []
SECURE SSL HOST
                                 None
SECURE SSL REDIRECT
                               False
SERVER EMAIL
                                u'root@localhost'
SESSION_CACHE_ALIAS
                               u'default'
SESSION COOKIE AGE
                                1209600
SESSION COOKIE DOMAIN
                               None
SESSION COOKIE HTTPONLY
                                True
SESSION COOKIE NAME
                                u'sessionid'
SESSION COOKIE PATH
                                u'/'
SESSION COOKIE SECURE
SESSION ENGINE
                                u'django.contrib.sessions.backends.db'
SESSION EXPIRE AT BROWSER CLOSE False
SESSION FILE PATH
SESSION SAVE EVERY REQUEST
SESSION SERIALIZER
                                u'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS MODULE
                                'bodega.settings'
                               u'm/d/Y P'
SHORT DATETIME FORMAT
SHORT DATE FORMAT
                                u'm/d/Y'
SIGNING BACKEND
                                 u'django.core.signing.TimestampSigner'
SILENCED SYSTEM CHECKS
                                 []
STATICFILES DIRS
                                 [u'django.contrib.staticfiles.finders.FileSystemFinder',
STATICFILES FINDERS
                                 u'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                                 'django.contrib.staticfiles.storage.CachedStaticFilesStorage'
STATIC ROOT
                                 '/app/static'
STATIC URL
                                 '/static/'
TEMPLATES
                                 [{'APP DIRS': True,
                                    'BACKEND': 'django.template.backends.django.DjangoTemplates',
                                   'DIRS': ['/app/templates'],
                                   'OPTIONS': {'context_processors':
                                 ['django.template.context processors.debug',
                                 'django.template.context processors.request',
                                 'django.contrib.auth.context processors.auth',
                                 'django.contrib.messages.context processors.messages']}}]
TEST NON SERIALIZED APPS
TEST RUNNER
                                 u'django.test.runner.DiscoverRunner'
THOUSAND SEPARATOR
                                 u','
                                 u'P'
TIME FORMAT
                                 [u'%H:%M:%S', u'%H:%M:%S.%f', u'%H:%M']
TIME_INPUT_FORMATS
                                 'UTC'
TIME ZONE
USE ETAGS
                                 False
USE I18N
                                 True
USE L10N
USE THOUSAND SEPARATOR
                                 False
USE TZ
USE X FORWARDED HOST
                                 False
USE X FORWARDED PORT
                                 False
WSGI APPLICATION
                                 'bodega.wsgi.application'
                                 u'SAMEORIGIN'
X FRAME OPTIONS
YEAR MONTH FORMAT
                                 u'F Y'
```

You're seeing this error because you have <code>DEBUG = True</code> in your Django settings file. Change that to <code>False</code>, and Django will display a standard page generated by the handler for this status code.