

# GraphCompose feature catalog

Each block below is self-documenting: the heading lands in the PDF outline (use your viewer's bookmarks panel as a clickable index), the grey panel shows the exact API call, and the result renders right under it. Blocks never split across pages — that's keepTogether(), also catalogued here.

## Rich text — mixed runs in one paragraph

```
section.addRich(r -> r
  .plain("Status: ").bold("Approved ").checkbox(9, true, TEAL)
  .plain("  budget ").accent("$1.2M", GOLD)
  .plain("  details: ").link("docs", "https://github.com/DemchaAV/GraphCompose"))
```

Status: **Approved** ☒ budget **\$1.2M** details: docs

## Inline sparklines — mini-charts on the text baseline

```
section.addRich(r -> r
  .plain("Revenue trend ").sparkline(42, 9, TEAL, 65.2, 69.8, 74.1, 81.3, 88.2)
  .plain("  profit ").sparklineLine(42, 9, 1.6, GOLD, 28.1, 30.7, 32.9, 36.4, 39.5))
```

Revenue trend  profit 

## Nested lists — per-depth markers

```
section.addList(l -> l
  .markerFor(1, ListMarker.custom("-")).markerFor(2, ListMarker.custom("."))
  .addItem("Platform", nested -> nested
    .addItem("Layout engine")
    .addItem("Backends", deep -> deep.addItem("PDF").addItem("DOCX")))
  .addItem("Tooling"))
```

- Platform
  - Layout engine
  - Backends
    - PDF
    - DOCX
- Tooling

## Timeline — markers on a connector rail

```
section.addTimeline(t -> t.keepEntriesTogether()
  .entry(TimelineMarker.numbered(1, 14, TEAL, WHITE),
    e -> e.title("Kickoff").meta("Jan 2026").body("Scope agreed."))
  .entry(TimelineMarker.dot(8, GOLD),
    e -> e.title("Beta").meta("Mar 2026").body("First external users.")))
```

**1** **Kickoff**  
Jan 2026

Scope agreed.

**Beta**  
Mar 2026

First external users.


Tables — zebra rows and a totals row

```
section.addTable(t -> t
  .columns(DocumentTableColumn.auto(), DocumentTableColumn.auto(), DocumentTableColumn.auto())
  .headerRow("Region", "Q1", "Q2")
  .row("EMEA", "38", "41").row("APAC", "22", "25")
  .zebra(WHITE, rgb(248, 246, 240))
  .totalRow(totalStyle, "Total", "60", "66"))
```

| Region | Q1 | Q2 |
|--------|----|----|
| EMEA   | 38 | 41 |
| APAC   | 22 | 25 |
| Total  | 60 | 66 |


Bar chart — grouped, value labels, legend

```
section.chart(ChartSpec.bar().data(revenue)
  .valueLabels(ValueLabelMode.OUTSIDE)
  .legend(LegendPosition.BOTTOM)
  .size(ChartSize.fixedHeight(150)).build())
```




Line chart — smooth, area fill, markers, label halos

```
section.chart(ChartSpec.line().data(revenue)
  .smooth(true).area(true).valueLabels(ValueLabelMode.OUTSIDE)
  .size(ChartSize.fixedHeight(150)).build(),
  ChartStyle.builder().lineWidth(1.8)
  .pointMarker(PointMarker.circle(5).withStroke(DocumentStroke.of(WHITE, 1.2)))
  .build())
```




## Donut chart — centre KPI, slice gaps, percent labels

```
section.chart(ChartSpec.pie().data(regions)
    .donutRatio(0.58).centerText("58.4k")
    .sliceLabels(SliceLabelMode.PERCENT)
    .legend(LegendPosition.RIGHT)
    .size(ChartSize.fixedHeight(170)).build(),
    ChartStyle.builder().sliceGapDegrees(2).build())
```



## Horizontal bars — categories on Y, stacked totals

```
section.chart(ChartSpec.bar().data(revenue)
    .horizontal(true).grouping(BarGrouping.STACKED)
    .valueLabels(ValueLabelMode.OUTSIDE)
    .size(ChartSize.fixedHeight(140)).build())
```



## Images — classpath bytes, explicit size, fit modes

```
DocumentImageData photo = DocumentImageData.fromBytes(
    getClass().getResourceAsStream("/engine-hero.png").readAllBytes());
section.addImage(i -> i.source(photo).size(150, 84)
    .fitMode(DocumentImageFitMode.COVER)) // vs CONTAIN on the right
```



## Shapes — dividers, ellipses, soft cards

```
section.addDivider(d -> d.width(420).thickness(2).color(GOLD));
section.addEllipse(96, 44, TEAL);
section.addShape(s -> s.size(150, 40).cornerRadius(10)
    .fillColor(rgb(248, 246, 240)).stroke(DocumentStroke.of(GOLD, 0.8)))
```



## Gradient fills — native linear and radial shadings

```
section.addShape(s -> s.size(420, 40).cornerRadius(8)
    .fill(DocumentPaint.linear(TEAL, GOLD))); // 0 deg = left -> right
section.addShape(s -> s.size(420, 40).cornerRadius(8)
    .fill(new DocumentPaint.Radial(stops(GOLD, NAVY), 0.5, 0.5)))
```




## Translucency — rgba colours blend on overlap

```
section.addShape(s -> s.size(420, 34).cornerRadius(8)
    .fillColor(TEAL.withOpacity(0.35)));
// alpha reaches the PDF as a graphics-state constant;
// opaque colours stay byte-identical
```



## Custom polygons — arbitrary closed vector geometry

```
section.add(new PolygonNode("Gem", 80, 60,
    List.of(new ShapePoint(0.5, 1), new ShapePoint(1, 0.6),
        new ShapePoint(0.78, 0), new ShapePoint(0.22, 0),
        new ShapePoint(0, 0.6)),
    TEAL, DocumentStroke.of(GOLD, 1.2), zero(), zero()))
```



### Shape as container — children clipped to the outline

```
section.addCircle(72, TEAL, c -> c
    .stroke(DocumentStroke.of(GOLD, 1.2))
    .center(label("GC", 20, WHITE)))
```



### Canvas — absolute (x, y) placement

```
section.addCanvas(220, 70, canvas -> canvas
    .position(badge("v1.8"), 8, 8)
    .position(badge("charts"), 84, 26)
    .position(badge("paint"), 160, 8))
```

v1.8

charts

paint

### Transforms — render-time rotation

```
section.addShape(s -> s.size(120, 26).cornerRadius(13)
    .fillColor(GOLD).rotate(-6))
```



### Barcodes — QR and Code 128 with theme tinting

```
section.addBarcode(b -> b.qrCode()
    .data("https://github.com/DemchaAV/GraphCompose")
    .foreground(TEAL).size(86, 86));
section.addBarcode(b -> b.code128().data("GC-2026-001").size(200, 44))
```



## Page chrome — this document's own header, footer, outline

```
document.metadata(DocumentMetadata.builder().title("...").author("...").build());
document.header(DocumentHeaderFooter.builder().zone(HEADER)
    .leftText("GraphCompose · Feature catalog").rightText("{date}")...);
document.footer(...centerText("Page {page} of {pages}")...);
paragraph.bookmark(new DocumentBookmarkOptions("Feature catalog", 0))
```

Look around: the running header and the page-X-of-Y footer on every page come from the calls above, and every block heading is a clickable entry in the PDF bookmarks panel. A `document.watermark(...)` call stamps text or an image behind or above the content the same way.