

Question Answering using Structured and Unstructured Data

Denis Savenkov
denis.savenkov@emory.edu
Emory University

advisor: Eugene Agichtein
eugene@emory.edu
Emory University



Problem


- This thesis investigates methods for combining structured and unstructured data for answering a variety of user questions

	Unstructured data	Structured data
factoid questions	<u>Text collections</u> <ul style="list-style-type: none">+ easy to match against question text+ cover a variety of different information types- each text phrase encodes a limited amount of information about mentioned entities	<u>Knowledge Bases (KB)</u> <ul style="list-style-type: none">+ aggregate all the information about entities+ allow complex queries over this data using special languages (e.g. SPARQL)- hard to translate natural language questions into special query languages- KBs are incomplete (missing entities, facts and properties)
	<u>Text collections</u> <ul style="list-style-type: none">+ contain relevant information to a big chunk of user needs- hard to match an answer to a question (lexical gap)	<u>Question-Answer pairs</u> <ul style="list-style-type: none">+ easy to find a relevant answer by matching the corresponding questions- cover a smaller subset of user information needs


Research Questions

- What types of questions can be answered using text, KB or a combination of both?
- How does semantic annotation of unstructured data compare to information extraction for question answering?
 - information extraction for KB construction vs open information extraction vs unstructured data annotation
- How does a combination of structured and unstructured data sources improve each of the main QA system components: question analysis, candidate generation, evidence extraction and answer selection?

Combination of Text & KB for factoid QA



Web page structure for non-factoid QA



Proposed Experiments

Factoid questions

- Datasets:
- TREC QA [RQ1]
 - WebQuestions [RQ1]
 - Develop a new dataset [RQ1]
- ✓ questions derived from Yahoo! Answers WebScope collection
- ✓ answers are KB entities
- ✓ heuristic-based filtering: single sentence, no personal pronouns, no comparative and superlative adjectives, not future questions, and no keywords (e.g. recommend, suggest, will, etc)
- ✓ crowdsourcing for filtering to keep factoid, non-subjective questions and labeling answer entities, based on the answer text provided by a CQA user
- Compare against existing text-based, KB, Open IE and hybrid methods [RQ2, RQ3]
- Error analysis [RQ1, RQ3]

Non-factoid questions

- Datasets:
- TREC LiveQA 2015 and the new 2016 shared task
- Comparison with last year system that doesn't use the information on the structure of web pages and other LiveQA participants [RQ3]

Expected Results

- new factoid question answering dataset
- new approach to combining unstructured text and structured KB data, that:
 - ✓ improves QA precision
 - ✓ improves recall, including questions that could only be answered with a combination of text and KB data
- new system for non-factoid question answering with improved performance due to better utilization of the information provided in web documents

Open Questions

- How to incorporate other available sources of factual information, including semi-structured, e.g. tables, diagrams, etc?
- Non-factoid questions often include unique context information, that makes reusing information non-effective. How a system can generate the answer given all potentially useful extracted information?
- How to construct KBs for non-factoid information needs?