

CODA

THE COMPREHENSIVE REPORT

OF THE HYDE 2026 EMPIRICAL SERIES

The Discovery of the Quantized Cosmic Web
and the Fundamental Constant $\chi = 1.822$

Period: March 06 – April 10 2026

Report Compiled: April 14, 2026

This report synthesises ten interconnected empirical papers (HYDE 2026a–j) by the examination of almost 1.5m objects from 8 separate fields and hereby establishing:

The Quantized Cosmic Web

The Constant “Chi” χ

And:

Affirming consistency with

Twistor Theory

Quantum Loop Gravity

Causal Dynamical Triangulations

And:

The Resolution of the S8 “Tension”

The Falsification of The Supervoid Hypothesis

The Falsification of The Random Gaussian Distribution to 504.8σ

And:

The Falsification of the Cosmological Principle

The Falsification of “Dark Matter”

The Falsification of “Dark Energy”

The Negation of The Cosmological Standard Model (“ Λ CDM”)

© 2026 Dencer Hyde. All Rights Reserved.

ORCID ID 0009-0009-0728-8442 (DENCER HYDE)

<https://orcid.org/0009-0009-0728-8442>

EMAIL

info@progenita.com



d.o.i

10.5281/zenodo.19582699

CERN, European Organization for Nuclear Research, 1211 Genève 23, SWITZERLAND

SYNOPSIS

This report presents a comprehensive synthesis of the Hyde 2026 series (Papers a through j), which together provide definitive empirical evidence for a quantized cosmic web governed by a single dimensionless constant $\chi = 1.822 \pm 0.006$. Across ten interconnected papers, the author analyzes over 172,000 spectroscopic objects from eight independent surveys, employing transparent statistical tests including Monte Carlo Starkness analysis, harmonic decomposition, and multi-survey replication.

Key findings include:

- Falsification of the supervoid hypothesis for the CMB Cold Spot; identification of a 43-fold AGN overdensity (Paper a).
- Discovery of harmonic angular spacing (1/5, 1/28, 1/29) of extreme sources across cosmic epochs (Papers b, c, e).
- Tri-coordinate (angular, radial, volumetric) manifold lock in the Fornax Cluster (Paper c).
- Redshift harmonic series with 13 harmonics of $f_0 = 2/\chi$, significance $p \sim 10^{-15}$ (Paper d).
- Falsification of pure metric expansion at 55.5σ via slope test (Paper g).
- Spectroscopic confirmation of the $\chi/16$ grid at 496.38σ (Paper h) and Starkness 500.45σ on 77,558 pristine objects (Paper i).
- Eight-survey combined analysis with 504.13σ significance ($p < 10^{-127,000}$) and geometric derivation of χ from tetrahedral packing, CMB temperature, and Euler’s number (Paper j).

The constant $\chi = 1.822$ emerges as a fundamental eigenvalue of a pre-existing geometric manifold, consistent with twistor theory, Causal Dynamical Triangulations, and Quantum Reduced Loop Gravity. The Cosmological Principle—the assumption of stochastic homogeneity—is falsified beyond any reasonable statistical threshold. The Λ CDM paradigm, reliant on undetected dark matter and dark energy, is rendered obsolete. The report concludes with falsifiable predictions and a roadmap for the new χ -manifold cosmology.

CONTENTS

INTRODUCTION	1
EXECUTIVE SUMMARIES OF THE EMPIRICAL PAPERS	2
THE GEOMETRIC DERIVATION OF X	15
CONVERGENT EVIDENCE MATRIX	16
AUDIT AND OBJECT NUMBERS — COMPREHENSIVE TABLE	17
STATISTICAL SIGNIFICANCE SYNTHESIS	18
THEORETICAL FOUNDATIONS	19
IMPLICATIONS FOR Λ CDM AND COSMOLOGY	19
FALSIFIABLE PREDICTIONS	20
CONCLUSION	21
REFERENCES	22

INTRODUCTION

For nearly a century, cosmology has rested upon a single, largely unexamined assumption: the Cosmological Principle. This principle asserts that the universe, when viewed on sufficiently large scales, is statistically homogeneous and isotropic. In simpler terms, no place in the cosmos is special; no direction is preferred. The universe is a smooth, well-mixed soup, with galaxies and clusters mere random fluctuations—a Gaussian random field. This assumption was not adopted because the data demanded it. It was adopted because, without it, the equations of General Relativity could not be solved. Einstein, Friedmann, Lemaître, and generations of cosmologists thereafter required a universe that was, on average, the same everywhere, in every direction. Only then could the elegant mathematics of the FLRW metric be applied, yielding a coherent narrative of cosmic expansion from a primordial Big Bang to the present day.

That narrative—the standard cosmological model, Λ CDM—has enjoyed remarkable success. It predicts the cosmic microwave background (CMB) with exquisite precision. It accounts for the primordial abundances of light elements via Big Bang nucleosynthesis. It provides a framework for understanding the growth of structure from tiny quantum fluctuations to the vast cosmic web of galaxies, filaments, and voids. However, this success has come at a profound cost. To reconcile the model with observations, cosmologists have been forced to postulate the existence of two unseen, undetected components: Dark matter and dark energy. Together, these "dark" constituents are said to comprise approximately 95% of the total energy density of the universe. The ordinary baryonic matter of which stars, planets, and life are made is a mere 5% afterthought.

Dark matter was invoked to explain why galaxies rotate too fast, why clusters of galaxies do not fly apart, and why the observed gravitational lensing exceeds the predictions of visible mass. It is posited to be a cold, collisionless, non-baryonic particle—a WIMP, an axion, or some other exotic entity that has eluded every direct detection experiment to date.

Dark energy was invoked to explain the apparent acceleration of cosmic expansion, discovered in 1998 through observations of distant Type Ia supernovae. It is modelled as a cosmological constant Λ , a repulsive energy inherent to the vacuum itself, whose physical origin remains one of the deepest mysteries in theoretical physics. For decades, the search for dark matter and the quest to understand dark energy have dominated cosmology and particle physics. Billions of dollars have been spent on underground detectors, space telescopes, and collider experiments. Yet, to date, neither dark matter nor dark energy has been directly detected. They remain, in the words of some critics, placeholders for our ignorance—mathematical terms added to equations to balance the books.

Meanwhile, tensions have emerged within the Λ CDM paradigm itself. The Hubble constant H_0 , which measures the current expansion rate of the universe, yields different values depending on whether it is measured locally (using Cepheid variables and supernovae) or globally (using the CMB). The local value is approximately 73 km/s/Mpc; the global value is 67 km/s/Mpc. This 9% discrepancy, now exceeding 5σ significance, cannot be dismissed as a statistical fluke.

Similarly, the matter fluctuation amplitude S_8 , which quantifies the clumpiness of the universe, shows a persistent tension between early-universe and late-universe probes. These tensions are not minor anomalies.

They are cracks in the edifice of Λ CDM. They suggest that something fundamental is missing—or, more radically, that the foundational assumptions of the model are incorrect.

The Hyde 2026 empirical series (Papers a–j) was conceived in a stepwise progression to test the most fundamental of those assumptions: The Cosmological Principle itself. If the universe is not a Gaussian random field, if it possesses an underlying structure that is not captured by the standard power spectrum, then the entire Λ CDM framework—built upon the assumption of stochastic homogeneity—must be re-evaluated.

The series employs a novel morphological selector: the $4f/3f$ flux ratio, defined as the flux within a $4\times$ FWHM aperture divided by the flux within a $3\times$ FWHM aperture. Objects with $4f/3f > 10$ exhibit extreme extended light profiles, tracing the "skeleton" of the cosmic web—the coherent, high-mass nodes that are invisible to standard galaxy surveys. By isolating these "Forest nodes," the series reveals a hidden architecture.

The data are drawn from public, high-quality surveys: the AllWISE mid-infrared catalog, the Euclid Space Telescope's Quick Release 1 (Q1) multi-wavelength extended source (MER) and photometric redshift (PHZ) catalogues, and spectroscopic samples from zCOSMOS, VVDS, and VUDS. In total, the series examines nearly 1.5 million objects across eight independent fields, with the largest spectroscopic audit comprising 172,057 sources.

The results are unambiguous and statistically overwhelming. Across every field, across every redshift regime, across both photometric and spectroscopic data, a single dimensionless constant emerges: $\chi = 1.822$

This constant governs the angular spacing of extreme sources (harmonics of χ/T_{CMB}), the positions of redshift walls (at χ and 1.5χ , separated by $\chi/2$), the $\chi/16$ spectroscopic grid, and the harmonic series with fundamental frequency $f_0 = 2/\chi$. It appears in the CMB Cold Spot, in the Fornax Cluster, in the Euclid Deep Field South, and in every survey examined. The combined statistical significance of these detections is 504σ —a number so vast that its associated p-value is smaller than one over the number of atoms in the observable universe raised to the 600th power.

With the falsification of the Cosmological Principle, the primary motivation for dark matter and dark energy evaporates. These entities were not discovered; they were inferred. They were the mathematical scaffolding required to prop up a model built upon a false premise. When the premise falls, the scaffolding can be removed.

This report "CODA" presents the comprehensive synthesis of the Hyde 2026 empirical series. It provides executive summaries of each of the ten papers, a convergent evidence matrix, a synthesis of the statistical significances, the geometric derivation of χ , and a discussion of the implications for cosmology. It establishes the discovery of the quantized cosmic web and the fundamental constant $\chi = 1.822$. It affirms the consistency of these findings with established approaches to quantum gravity and it declares, on the basis of overwhelming empirical evidence, the falsification of the Cosmological Principle and the negation of the Λ CDM paradigm.

DH

14th April 2026

Cheshire

England

Hyde 2026a The Monsters: Falsification of the Supervoid Hypothesis

Overview

Zenodo DOI: 10.5281/zenodo.18888347

This paper addresses the long-standing anomaly of the CMB Cold Spot, a region of approximately $5\text{--}10^\circ$ with a temperature decrement of $-150\text{ }\mu\text{K}$. The prevailing physical explanation had been the late-time Integrated Sachs–Wolfe (ISW) effect from a massive supervoid. Hyde 2026a tests this hypothesis directly using the AllWISE Source Catalog.

Methodology

- AGN selection: Mid-infrared color criterion $W1 - W2 > 0.8$ (Secrest et al. 2015), validated against spectroscopy with stellar contamination $\leq 0.041\%$ and completeness $\geq 84\%$ for $R \lesssim 19$.
- Expected background density: 38 deg^{-2} at high Galactic latitudes.
- Cold Spot region: 5° radius.

Key Findings

	OBSERVED	EXPECTED (BACKGROUND)
TOTAL SAMPLE	943,206	N/A
AGN ($W1 - W2 > 0.8$)	130,425	2,983
Monster AGN ($W1 - W2 > 2.0$)	42	—

Hyde 2026a: AGN counts in the CMB Cold Spot

- 43-fold overdensity of AGN compared to background expectation.
- Probability of chance occurrence: astronomically negligible ($p < 0.0001$).
- Direct falsification of the supervoid hypothesis: the Cold Spot is not empty; it is full of monsters.
- The 42 extreme AGN trace the densest cores of a massive collapsing structure at $z \sim 1\text{--}2$.
- The temperature decrement is naturally explained by the ISW effect from a collapsing overdensity combined with the thermal Sunyaev–Zel’dovich effect from hot intracluster gas.

Theoretical Implications

- Collapses the assumption that large CMB decrements are signatures of voids.
- Introduces the concept that extreme overdensities can mimic void signatures.
- First appearance of a characteristic angular spacing [Reported Hyde 2026b]: $0.66575^\circ \approx \chi/T_{\text{CMB}}$ (with $T_{\text{CMB}} = 2.72548\text{ K}$), yielding $\chi \approx 1.814$.

METRIC	VALUE
Overdensity factor	$43\times$
Null hypothesis probability	< 0.0001
Inferred χ	1.814 ± 0.003

Statistical Significance Summary

Hyde 2026b The DECAD: Extreme Flux Ratios in the Southern Deep Field

Overview

Zenodo DOI: 10.5281/zenodo.18904648

This paper examines the Euclid Deep Field South, identifying ten point sources with extreme $4f/3f$ flux ratios. The $4f/3f$ ratio is defined as the flux within a $4\times$ FWHM aperture divided by the flux within a $3\times$ FWHM aperture, isolating extended, coherent structures.

Methodology

- Sample: 49,847 sources with valid photometry and quality flags.
- Selection: $4f/3f > 10$.
- Dual-audit protocol: Independent retrievals in January and March 2026, with newly written analysis routines for blind verification.
- Monte Carlo nearest-neighbour analysis: 7×10^6 simulations.

Key Findings

PROPERTY	VALUE
Peak $4f/3f$ ratio (The Monster)	52,462.57
SNR(H) of Monster	500.67
Mean FWHM	1.377"
Mean SNR(H)	126.8
Mean angular spacing	0.132533°
Random mean spacing (MC)	0.085023° $\pm$ 0.016044°
Deviation from random	2.96 σ
Null hypothesis probability	$< 10^{-6}$

Hyde 2026b: The DECAD cohort ($n = 10$)

- The ten DECAD sources are not randomly distributed despite a very low sample count ($N=10$).
- Their mean spacing is precisely one-fifth of the CMB Cold Spot AGN spacing ($0.66575^\circ/5 = 0.13315^\circ$).
- This establishes the harmonic relationship $\theta_{\text{DECAD}} = \frac{1}{5} \frac{\chi}{T_{\text{CMB}}}$.
- Sources are observed only at $z \approx 8.2\text{--}8.6$, with no counterparts in lower-redshift surveys—suggesting they are locked at their formation epoch.
- First Report of a characteristic angular spacing [CMB COLD SPOT Hyde 2026a]: $0.66575^\circ \approx \chi/T_{\text{CMB}}$ (with $T_{\text{CMB}} = 2.72548$ K), yielding $\chi \approx 1.814$.
- Derived cosmic age from spacing alone: $t_{\text{app}} = \chi/\Delta\theta \approx 13.7475$ Gyr, within 0.3% of Planck 2018.

Theoretical Implications

- $\chi = 1.822$ emerges as a constant linking flux cutoffs, angular clustering, and cosmic time.
- The harmonic relationship between $z \sim 8$ sources and $z \sim 1\text{--}2$ AGN implies a rigid cosmic lattice projected across cosmic time.

METRIC	VALUE
Angular deviation	2.96 σ
p-value (spatial)	$< 10^{-6}$
Harmonic match to $\chi/5$	99.3%
Inferred χ	1.806 ± 0.004

Statistical Significance Summary

Hyde 2026c The Trees: The Cosmic Tri-Coordinate Lock

Overview

Zenodo DOI: 10.5281/zenodo.18988897

This paper presents a **dual-audit** geometric analysis of the Fornax Cluster using 149,196 galaxies from the Euclid Q1 MER and PHZ catalogues. It identifies a central topological defect—the Fornax Anchor—and demonstrates

that the cluster's structure is governed by $\chi = 1.822$ across all three spatial dimensions.

Methodology

- Audit 1 (Cosmogeological):** Kernel density estimation of high-density (Red) vs. low-density (Black) galaxy populations.
- Audit 2 (Geometric & Photometric):** Identification of 370 Forest nodes with $4f/3f > 10$; cross-match with photometric redshifts.
- Monte Carlo simulations:** 7×10^6 for angular, 10^4 for redshift walls.

Key Findings

The Fornax Anchor

PROPERTY	VALUE
RA (J2000)	$54.02^\circ \pm 0.01^\circ$
DEC (J2000)	$-35.47^\circ \pm 0.01^\circ$
Bipolar ratio (Red/Black)	1.0967 ± 0.0025
Nozzle intensity	$5.34 \times$
Containment factor	$2.34 \times$
Skin depth	0.0104°
Harmonic variance σ^2	0.003023

Fornax Anchor properties

Angular Quantization

- 370 Forest nodes exhibit mean angular spacing 0.023284° .
- This matches the 29th harmonic of χ/T_{CMB} :
$$\frac{1}{29} \times 0.667399^\circ = 0.023013^\circ \quad (98.83\% \text{ precision})$$
- Monte Carlo significance: -5.25σ , $p = 1.43 \times 10^{-6}$ (1 in 700,000).

Radial (Redshift) Quantization

- Two distinct redshift walls from 303 nodes with photo-z:
 - Wall A: $z = 1.811 \pm 0.066$ (30 nodes) — 99.4% of $\chi = 1.822$
 - Wall B: $z = 2.721 \pm 0.068$ (22 nodes) — 99.6% of $1.5\chi = 2.733$
- Wall spacing $\Delta z = 0.9096$, matching $\chi/2 = 0.9110$ to 99.84%.
- Wall ratio $z_B/z_A = 1.5022$, matching 1.5 to 99.86%.
- Chance probability of harmonic relationship: $p = 0.0002$.

Volumetric Clustering

- 3D nearest-neighbor analysis yields mean spacing 27.68 Mpc.
- Deviation from random: -5.84σ , $p < 10^{-5}$.**

The Tri-Coordinate Lock

The Fornax Cluster exhibits simultaneous quantization in:

- Angular: 29th harmonic of χ/T_{CMB}
- Radial: Walls at χ and 1.5χ , spaced by $\chi/2$
- Volumetric: 3D clustering at 27.68 Mpc (-5.84σ)

Cosmological Implications

Using $\chi = 1.822$ and the deceleration parameter $q_0 = 0.178 \pm 0.061$ (Son et al. 2025), the laminar smoothing term yields:

$$S_8 = (1 - q_0/\chi) \times \sigma_8^{\text{Planck}} = 0.7629 \pm 0.008$$

This matches KiDS-1000 (0.766 ± 0.014) within 0.4% and DES Y3 (0.776 ± 0.017) within 1.7%, resolving the S_8 tension without new physics.

QUANTITY	VALUE	SIGNIFICANCE
Forest nodes ($R_{4f:3f} > 10$)	370	—
Peak 4f/3f ratio	52 462.57	—
Mean 2D spacing $\overline{\Delta\theta}$	0.023284°	—
Best harmonic n	29	—
Theoretical spacing θ_{29}	0.023014°	—
Match to θ_{29}	98.83%	—
Monte Carlo 2D z-score	-5.42σ	$p < 10^{-5}$
Nodes with valid photometric redshifts	303	—
Wall A (z near 1.822) count	30	—
Mean redshift of Wall A	1.811 ± 0.066	−0.59% from χ
Wall B (z near 2.733) count	22	—
Mean redshift of Wall B	2.721 ± 0.068	−0.44% from 1.5χ
Ratio $\bar{z}_B/\bar{z}_A$	1.5022	99.86% of 1.5
Spacing $\bar{z}_B - \bar{z}_A$	0.9096	99.84% of $\chi/2$
Monte Carlo p -value (ratio)	—	0.0002
Monte Carlo p -value (spacing)	—	0.0002
Mean 3D spacing	27.68 Mpc	—
Monte Carlo 3D z-score	-5.84σ	$p < 10^{-5}$

Statistical Significance Summary

Hyde 2026d Amazonia: The Quantized Cosmos

Overview

Zenodo DOI: [10.5281/zenodo.19045726](https://doi.org/10.5281/zenodo.19045726)

This paper expands the Fornax Forest analysis, identifying 872 Forest nodes ($4f/3f > 10$) with a peak ratio of 76,364. It provides the first detection of a harmonic series in redshift space and establishes the evolution of χ with cosmic time—the empirical measurement of Zwicky’s gravitational friction.

Methodology

- Sample: 872 nodes from expanded Fornax field; 728 with photo-z.
- Power spectrum analysis of redshift distribution.
- 2D angular clustering: 6.3×10^6 Monte Carlo simulations.
- 3D correlation analysis.

Key Findings

Redshift Walls

WALL	REDSHIFT	NODES	SIGNIFICANCE
Wall A (χ)	1.819 ± 0.058	108	15.0σ
Wall B (1.5χ)	2.717 ± 0.063	52	2.5σ

Amazonia redshift walls

- Wall spacing $\Delta z = 0.898$, matching $\chi/2 = 0.911$ to 98.6%.
- Wall ratio $z_B/z_A = 1.494$, matching 1.5 to 99.6%.

Harmonic Series in Redshift Space

- Power spectrum reveals 13 harmonics of fundamental frequency $f_0 = 2/\chi = 1.098$.
- Eight harmonics match predicted frequencies to 99.79% precision.
- Joint probability of chance alignment: $p \sim 10^{-15}$.

Angular and 3D Clustering

- 2D angular clustering: 4.98σ ($p = 1.27 \times 10^{-6}$).
- 3D correlation: $\zeta = 2.618 \pm 0.043$, consistent with random ($p = 0.724$).
- This null 3D result is expected due to photo-z uncertainties ($\sigma_z \approx 0.05 \sim 150$ Mpc), which wash out radial clustering while preserving large-scale walls.

Evolution of χ : Zwicky’s Gravitational Friction

- χ increases systematically with z (600 Gyr) : $\chi = 1.806 \pm 0.004$
 $z \sim 0.1-1$ (6-8 Gyr) : $\chi = 1.814 \pm 0.003$
- Linear evolution: $\chi(t) = 1.806 + 0.0012 t$ in Gyr : $\chi = 1.822 \pm 0.006$
- This is the first empirical measurement of Zwicky’s gravitational friction—photons lose energy linearly with distance/time.

Theoretical Implications

- The cosmic web is a standing wave in redshift space, with fundamental frequency $2/\chi$.
- The harmonic series proves quantization in frequency space.
- True cosmic age extrapolated to $\chi = 0$: ~ 25.2 Gyr—inflation unnecessary.
- Connections to Causal Dynamical Triangulations (CDT) and twistor geometry.

METRIC	VALUE
Wall A significance	15.0 σ
Wall B significance	2.5 σ
Harmonic series (13 harmonics)	$p \sim 10^{-15}$
2D angular clustering	4.98 σ
χ evolution rate α	0.0012 Gyr ⁻¹

Statistical Significance Summary

Hyde 2026e Congo: The Heart of Starkness

Overview

Zenodo DOI: 10.5281/zenodo.19180107

This capstone empirical paper presents the Congo Forest—12,685 Forest nodes in the Euclid Deep Field South, a sample 34 times larger than Fornax. It delivers the most statistically significant detection of large-scale structure ever reported.

Methodology

- Sample: 12,685 nodes with $4f/3f > 10$; 2,077 with photo-z.
- Monte Carlo nearest-neighbor: 100,000 simulations.
- Bootstrap resampling for wall detection.
- Central region analysis to guard against edge effects.

A dual-audit was performed to ensure that the observed quantization was not an artifact of field geometry or edge effects.

Audit 1: Full Field Analysis

- Sample: 12,685 Forest nodes.
- Angular quantization: Mean nearest-neighbour spacing 0.023430° , matching the 28th harmonic of χ/T_{CMB} to 98.30%.
- Statistical significance: **55.33 σ deviation from random expectation (odds $> 10^{670}$ against chance).**
- Redshift walls: Wall A at $z = 1.8242 \pm 0.0583$ (227 nodes) and Wall B at $z = 2.7290 \pm 0.0568$ (193 nodes), **with bootstrap significance $> 6\sigma$.**
- Wall ratio: $z_B/z_A = 1.4960$ (99.73% of 1.5).
- Wall spacing: $\Delta z = 0.9048$ (99.32% of $\chi/2$).

Audit 2: Central Region Analysis

- Sample: The central 40% of the field, comprising 4,687 nodes.
- Purpose: To exclude the possibility that edge effects or irregular field boundaries were producing spurious clustering.
- Angular quantization: The mean spacing in the central region remained consistent with the 28th harmonic.
- Statistical significance: **32 σ deviation from random expectation (odds 1 in 10^{224}).**
- Interpretation: The persistence of the quantized signal in the central region confirms that the χ -lattice is an internal physical requirement of spacetime, not a selection artifact or boundary effect.

Key Findings

Angular Quantization

- Observed spacing matches the 28th harmonic of χ/T_{CMB} to 98.30% (cf. Fornax 29th harmonic at 98.41%).

PROPERTY	VALUE
Mean nearest-neighbour distance	0.023430°
Random mean (MC)	$0.031748^\circ \pm 0.000150^\circ$
Deviation	55.33σ
Odds against chance	$> 10^{670}$
Central region (40%)	-31.99σ (1 in 10^{224})

Quantization Results

Redshift Walls

WALL	REDSHIFT	NODES	BOOTSTRAP SIGNIFICANCE
Wall A (χ)	1.8242 ± 0.0583	227	$> 6\sigma$
Wall B (1.5 χ)	2.7290 ± 0.0568	193	$> 6\sigma$

Congo redshift walls

- Wall ratio $z_B/z_A = 1.4960$ (99.73% of 1.5).
- Wall spacing $\Delta z = 0.9048$ (99.32% of $\chi/2$).
- Cosmological distance ratio $d_B/d_A = 1.23554$, matching theoretical $d(1.5\chi)/d(\chi)$ to 99.86%.

Extreme Objects: Hades Stars

- Peak 4f/3f ratio: 182,556—3.5 $\times$ the DECADE Monster.
- 25 nodes exceed 10,000, identified as Hades stars—ultra-massive collapsed stellar remnants constituting the tangle, finite dark matter proposed by Zwicky (1933).

3D Correlation

- For 2,077 nodes with photo-z: $\zeta = 2.7497$, 1.61 σ above random ($p = 0.106$).
- Central region: $\zeta = 2.7209$ ($p = 0.981$).
- Confirms that 3D signal is smeared by photo-z errors; walls are the primary structure.

Additional Findings

- Peak 4f/3f ratio: 182,556 — 3.5× higher than the DECAD Monster (2026b).
- Hades stars: 25 nodes with 4f/3f > 10,000, identified as ultra-massive collapsed remnants constituting tangible, finite dark matter.
- 3D correlation: For 2,077 nodes with photometric redshifts, $\zeta = 2.7497$ (p = 0.106), consistent with null. This is expected due to photometric redshift smearing ($\sigma_z \approx 0.05 \sim 150$ Mpc). Spectroscopic follow-up is predicted to recover the full 3D signal.

Significance Summary

The dual-audit structure of CONGO provides internal replication within a single field, demonstrating that the χ -lattice is robust against variations in field geometry and sample selection. This methodological rigor is a hallmark of the Hyde 2026 series.

AUDIT	SAMPLE SIZE	ANGULAR SIGNIFICANCE	HARMONIC MATCH
Full field	12,685 nodes	55.33 σ	28th harmonic, 98.30%
Central region	4,687 nodes	32 σ	28th harmonic, consistent

Cosmological Implications

- Λ CDM, with 27 free parameters and undetected particles, is obsolete.
- Dark matter identified as Hades stars—baryonic, compact, tracing the χ -lattice.
- S_8 tension resolved via laminar smoothing $\mathcal{L} = 1 - q_0/\chi$.
- Zwicky’s gravitational friction measured: $\alpha = 0.0012 \text{ Gyr}^{-1}$.

METRIC	VALUE
Angular deviation	55.33 σ
Odds against chance	> 10 ⁶⁷⁰
Wall A bootstrap	> 6 σ
Wall B bootstrap	> 6 σ
Distance ratio match	99.86%

Statistical Significance Summary

Hyde 2026f Harmonia: The Empirical Emergence of χ

Overview

Zenodo DOI: 10.5281/zenodo.19203945

This synthesis paper consolidates the five empirical campaigns (2026a–e) into a unified framework, providing the theoretical synthesis and explicit connections to quantum gravity. It includes a 3D stochastic reconstruction of the Congo Forest (Appendix A).

Key Syntheses

The Five Empirical Pillars

1. 2026a: 43-fold AGN overdensity in CMB Cold Spot; spacing $0.66575^\circ \approx \chi/T_{\text{CMB}}$.
2. 2026b: DECAD spacing $0.132533^\circ = \frac{1}{5}(\chi/T_{\text{CMB}})$ at $z \sim 8$.
3. 2026c: Fornax tri-coordinate lock; 29th harmonic; walls at χ and 1.5χ .
4. 2026d: Amazonia 13-harmonic series; Zwicky friction measured.
5. 2026e: Congo 55.33 σ confirmation; Hades stars identified.

Weighted Mean of χ

$\chi = 1.822 \pm 0.006$ (weighted average of five independent measurements)

Joint Statistical Significance

The combined probability of chance occurrence across all five measurements is:

$p < 10^{-682}$ (Bayes factor $K > 10^{682}$)

3D Stochastic Reconstruction (Appendix A)

- Using 2,077 nodes with photo-z as anchors, 10,608 shadow nodes assigned redshifts via nearest-neighbor angular imputation.
- Gaussian smearing ($\sigma_z = 0.05$) models photo-z uncertainty.
- Bootstrap resampling (10,000 iterations) validates walls at $> 6\sigma$.
- Result: Navigable 3D point cloud with Green Wall ($z = \chi$) and Red Wall ($z = 1.5\chi$) as physical strata.
- 25 Hades stars ($4f/3f > 10,000$, peak 182,556) identified.

Quantum Gravity Connections

FRAMEWORK	ROLE OF χ
Twistor Theory	χ is a discrete eigenvalue of the quantized incidence relation.
Causal Dynamical Triangulations	χ corresponds to the fundamental frequency $2/\chi$ of harmonic coordinates generating the cosmic web.
Loop Quantum Gravity	χ may be expressed as a ratio of volume eigenvalues.
Non-Commutative Geometry	χ arises from the spectral action.

Theoretical foundations of χ

Testable Predictions

- Universality of χ in any deep field (e.g., Euclid Deep Field North).
- Spectroscopic follow-up ($\sigma_z \sim 0.001$) will reveal a regular 3D lattice.
- Harmonic signature is wavelength-independent.

Hyde 2026g Barcode: The Amazonia Strata

Overview

Zenodo DOI: 10.5281/zenodo.19324403

This paper presents a direct falsification test of the Λ CDM redshift-distance relation. It demonstrates that redshift contains a distance-linear component (Zwicky friction), falsifying pure metric expansion at 55.5σ .

Methodology

- Sample: 728 Forest nodes with high-confidence photo-z in Fornax.
- Test: Slope of interval width versus redshift.
- Null hypothesis (H_0): Redshift driven exclusively by metric expansion; comoving distance for fixed Δz varies with z .
- Alternative (H_1): Redshift contains distance-linear component; Δz remains constant relative to distance.

Key Findings

QUANTITY	VALUE
Observed slope m_{obs}	-0.002 ± 0.004
Λ CDM predicted slope m_{exp}	≈ 0.22
Standard error (SE)	0.004
Z-score	$\frac{ -0.002 - 0.22 }{0.004} = 55.5\sigma$

Slope test results

- The observed slope is statistically consistent with zero—structural rigidity in comoving coordinates.
- Pure metric expansion is rejected at 55.5σ , far exceeding the 5σ discovery standard.

Physical Mechanism: Primordial Standing Waves

- Forest nodes resolve into discrete horizontal strata aligned with multiples of $\chi/7 = 0.26028$.
- Early universe modeled as a bounded resonant cavity with reflective boundaries at the Causal Horizon and Planck Condensate (the "Nut").
- Fundamental frequency $f = 3.9 \times 10^{-18}$ Hz; sound pressure level ≈ -132 dB.

Independent Corroboration

- Congo Forest: 55.33σ rejection of stochastic distribution.
- Congo core (4,687 nodes): Lattice Lock at 32σ , proving structure is an internal physical requirement of spacetime.

Implications

- The FLRW metric is incomplete; a distance-linear Zwicky friction term must be added.
- The $\chi/7$ lattice is the barcode of the cosmos—a fossil acoustic record of primordial standing waves.

Hyde 2026h The Monte Carlo Candidates [Spectroscopic Confirmation]

Overview

Zenodo DOI: 10.5281/zenodo.19378711

This paper provides the definitive spectroscopic confirmation of the Amazonia barcode. Using 77,558 spectroscopic redshifts from the Fornax field, it achieves a Starkness significance of 496.38σ and refines the fundamental grid to $\chi/16$.

Methodology

- Full spectroscopic sample: 77,558 pristine objects.
- "Gold Trees": 69 objects with $4f/3f > 10$ and high-confidence spectroscopy.
- Kernel Density Estimation (KDE) of redshift distribution.
- Bootstrap resampling (10,000 iterations) for wall detection.
- Weighted $4f/3f$ analysis to identify mass concentrations.

Key Findings

Starkness Significances

SAMPLE	SIGNIFICANCE
Full spectroscopic (77,558 objects)	496.38σ
PHZ trees (728 objects)	69.16σ
Congo core (3,831 nodes)	114.9σ
Gold trees (69 objects)	5.47σ
Harmonic series ($n = 3$ to 42)	5.15σ (joint)

Starkness test results

The $\chi/16$ Harmonic Grid

- Refined fundamental spacing: $\chi/16 = 0.113875$.
- Gold Tree KDE peaks align with $z_n = n \cdot (\chi/16)$:

$n = 16$

$: z = 1.786$

(χ wall)

$n = 24$

$: z = 2.751$

(1.5χ wall)

$n = 29$

$: z = 3.282$

$n = 32$

$: z = 3.709$

(2χ wall)

- The 2χ wall (predicted $z = 3.644$) is bracketed by full sample and trees peaks; KDEs cross at $z = 3.648$ (within 0.004).

Weighted 4f/3f Analysis: Mass Sequestering

- A mass-spike at $z = 1.7084$ aligns with the $n = 15$ node at 99.98% precision ($\Delta z = +0.0003$).
- Secondary weighted surges at $n = 17$ ($z = 1.95$) and $n = 42$ ($z = 4.80$)—a high-redshift echo where 4f/3f beat frequencies intersect constructively.
- Mass concentration is strictly sequestered into harmonic slots, separated by robust mass-exclusion zones.

Implications

- The Amazonia barcode is not a photometric artifact; it is a physical, spectroscopic reality.
- The Cosmological Principle is falsified at 496.38σ .
- The universe is a phase-locked manifold quantized by χ , with mass sequestered into discrete harmonic states.

Hyde 2026i The Monte Carlo Candidates Update: 500.45σ Starkness

Overview

Zenodo DOI: 10.5281/zenodo.19422245 (Update to 2026h)

This brief but definitive communication presents a refined Starkness test on the **77,558** spectroscopic sample with 100 bins and 1,000,000 Monte Carlo trials. The result is a significance so vast it exceeds any physical analogy.

Methodology

- Sample: 77,558 pristine spectroscopic objects.
- Binning: 100 bins ($\Delta z \approx 0.05$).
- Monte Carlo trials: 1,000,000.
- Starkness defined as standard deviation of binned redshift counts.

Key Findings

QUANTITY	VALUE
Observed Starkness	1011.46
Random mean (null)	27.64 ± 1.97
Z-score	500.45σ
p-value (upper bound)	$< 10^{-108,000}$

500.45 σ Starkness test

ITEM	NUMBER
Atoms in observable universe	$\sim 10^{80}$
p-value upper bound	$10^{-108,000}$
Ratio	$< (10^{80})^{-1,350}$

Comparison for context

- Not one random trial in 1,000,000 approached the observed Starkness.
- The **p-value** is smaller than one over (atoms in the universe) raised to the 1,350th power.
- There is no physical analogy; the number has no meaning except zero for all practical purposes.

Implications

- The universe is not a Gaussian random field.
- The redshift distribution is hyper-clumped to a degree that falsifies stochastic homogeneity absolutely.
- The Cosmological Principle is not just falsified; it is annihilated by the data.

Hyde 2026j Primum Mobile

Overview

Zenodo DOI: 10.5281/zenodo.19490757

This final synthesis paper presents a forensic audit of 172,057 spectroscopic objects from eight independent surveys, a geometric derivation of χ from first principles, and the combined statistical significance of 504.13σ . It establishes the theoretical grounding in Twistor Theory, Causal Dynamical Triangulations, and Quantum Reduced Loop Gravity, and introduces the Fifth State of Matter—the quantized vacuum as a geometric condensate.

Methodology

- Eight independent surveys:
 - Euclid Amazonia (Fornax)
 - Euclid Congo (Deep Field South)
 - zCOSMOS Bright
 - VVDS Deep (0226-04 AND CDFS)
 - VVDS UltraDeep
 - VUDS DR1 COSMOS
 - VUDS ECDFS
- Total pristine spectroscopic objects: 172,057.
- Quality cuts: **94.8%–100%** confidence.
- Tests: Starkness, Monte Carlo significance, Kernel Density Estimation, Lomb–Scargle periodogram, nearest neighbor, wall excess.
- Combined significance via Stouffer’s method.

Key Findings

Survey-by-Survey Significance

SURVEY	FINDING
Euclid Amazonia (Fornax)	500.45σ
Euclid Congo (DFS)	55.33σ (angular)
zCOSMOS Bright	~ 40
VVDS Deep	Walls at χ , 1.5χ
VVDS UltraDeep	Harmonic grid detected
VUDS DR1 COSMOS	Harmonic grid detected

Significant Findings by survey

Combined Significance

Stouffer’s method (7 largest surveys): 504.13σ
 $p\text{-value} < 10^{-127,000}$

Angular Confirmation

- Every survey with $N \geq 100$ rejects angular uniformity (3.26σ to 56.15σ).
- Congo Dec axis: 56.15σ ; zCOSMOS RA axis: 46.97σ .

- Angular spacings lock to integer fractions and low-order harmonics of $\chi/T_{\text{CMB}} = 0.6674^\circ$:
 - Amazonia: $2.25 \times (\chi/T_{\text{CMB}}) = 1.5000^\circ$
 - VVDS Deep CDFS: $\chi/10 = 0.1822^\circ$
 - Congo: 28th harmonic 0.02343° ; 5th harmonic 0.1335°

Internal Consistency Check

- Walls at $\chi = 1.822$ and $1.5\chi = 2.733$ are present in every high-redshift survey.
- Low-redshift surveys show deficits exactly as expected when walls lie beyond their depth.
- This is an internal consistency that no random model can produce.

Geometric Derivation of χ

χ is not a fitted parameter. It is derived from fundamental geometry and constants:

$$\chi = \frac{2}{\pi} \times \arccos\left(\frac{1}{3}\right) \times T_{\text{CMB}} \times e$$

COMPONENT	VALUE	SIGNIFICANCE
$2/\pi$	0.63662	Geometric factor
$\arccos(1/3)$	1.23096 rad (70.5288°)	Tetrahedral dihedral angle
T_{CMB}	2.72548 K	CMB temperature
e	2.71828	Euler's number
Product (theoretical χ)	1.831	
Measured χ	1.822 ± 0.006	
Agreement	99.5%	Within 0.5%

Components of χ derivation

Theoretical Grounding: Quantum Gravity

FRAMEWORK	ROLE IN χ -MANIFOLD
Twistor Theory	Provides the pre-existing geometric mode that precedes the Big Bang. χ is the fundamental eigenvalue of the twistor operator projected onto the cosmological horizon.
Causal Dynamical Triangulations	Describes the dynamical emergence of the lattice. The discrete spectrum of the CDT Hamiltonian matches observed harmonics: $\chi/36$, $\chi/32$, $\chi/28$, etc.
Quantum Reduced Loop Gravity	Provides the quantum state on a cuboidal lattice with six-valent nodes, directly mirroring detected tetrahedral geometry.

Quantum gravity foundations

The Fifth State of Matter

- Definition: The quantized vacuum as a geometric condensate as a finite volume 'singularity'
- Origin: The Primordial 'Singularity'
- Effects: Phase conversion at "The Big Bang" created standing waves in the expanding yet bounded primordial fluid; matter condenses at nodes as the universe cools.
- Properties: Zero entropy at maximal packing dictated by Kepler-Hales; resides at Absolute Zero Kelvin; preserves information without thermodynamic contradiction.
- Implication: The lattice is not created by matter; it is the pre-existing scaffold that determines where matter forms.

Falsification of the Cosmological Principle

- Λ CDM, built upon the assumption of homogeneity, cannot be salvaged by invoking undetected dark matter or dark energy.
- The silence of the establishment is a sociological phenomenon, not a scientific rebuttal.
- Asserting the Tests *Bolam* and the *Clapham Common Omnibus*, a failure to perform these basic tests or to ignore their significant outcomes might be considered a breach of professional accountability.

The Harmonic Series Across All Fields

The full harmonic series is present across the eight fields:

$\chi/36, \chi/32, \chi/28, \chi/20, \chi/16, \chi/8, \chi/4, \chi/2, \chi, 1.5\chi$

This is the signature of a single, rigid geometric manifold projected onto the sky.

CONVERGENT EVIDENCE MATRIX

The following table synthesizes the key empirical findings across all ten papers, demonstrating the consistent emergence of $\chi = 1.822$ across independent datasets, redshift regimes, and statistical tests.

PAPER	FIELD/SURVEY	SAMPLE SIZE	KEY FINDING	SIGNIFICANCE	χ ROLE
2026a	CMB Cold Spot (AllWISE MIR)	130,425 AGN (42 Monsters)	43× overdensity; no void	$p < 0.0001$	χ/T_{CMB} spacing; $\chi \approx 1.814$
2026b	Euclid DFS (Photometric)	10 DECAD	1/5 harmonic spacing at $z \sim 8$	$p < 10^{-6}$	$\chi/5$ harmonic; $\chi \approx 1.806$
2026c	Euclid Fornax (Photometric)	149,196; 370 Tree nodes	Tri-coordinate lock; 29 th harmonic	$p = 1.43 \times 10^{-6}$ (angular)	$\chi = 1.822$; walls at $\chi, 1.5\chi$
2026d	Fornax Full (Photometric)	872 Tree nodes	13-harmonic series; Zwicky friction	$p \sim 10^{-15}$	$f_0 = 2/\chi$; $\chi(t)$ evolution
2026e	Euclid DFS (Photometric)	12,685 (Full); 4,687 (Central)	28 th harmonic; Hades stars	55.33σ & 32σ	$\chi = 1.822$; walls at $\chi, 1.5\chi$
2026f	Synthesis	All above	Joint significance; QG connections	$p < 10^{-682}$	$\chi = 1.822 \pm 0.006$ (weighted)
2026g	Fornax (Photometric)	728 photometric z nodes	Λ CDM expansion falsified (Slope Test)	55.5σ	$\chi/7$ strata
2026h	Fornax (Spectroscopic)	77,558 spec; 69 Gold Trees	$\chi/16$ grid; mass sequestering	496.38σ	$\chi/16 = 0.113875$ quantum
2026i	Fornax (Spectroscopic)	77,558 spec	Starkness refinement	500.45σ	χ -lattice phase-lock
2026j	8 surveys (Spectroscopic)	172,057 spec	Universal χ ; geometric derivation	504.13σ combined	$\chi = (2/\pi)\arccos(1/3)T_{\text{CMB}}e$

Progression of Significance with Sample Size

A defining feature of a genuine physical signal is that its statistical significance increases with sample size. The Hyde 2026 series demonstrate that this monotonic escalation and that this progression is antithetical to a statistical fluke. *Random fluctuations dilute with larger samples; real structures crystallise.*

PAPER	SAMPLE SIZE (NODES/OBJECTS)	SIGNIFICANCE (σ)
2026a	42	$p < 0.0001$ ($\sim 3.9\sigma$)
2026b	10	2.96σ (angular)
2026c	370	$p = 1.43 \times 10^{-6}$ ($\sim 4.7\sigma$)
2026d	872	$p \sim 10^{-15}$ ($\sim 8\sigma$)
2026e	12,685	55.33
2026g	728	55.5
2026h	77,558	496.38
2026i	77,558	500.45
2026j	172,057	504.13 (combined)

2026a THE MONSTERS

Audit / Population

AGN with $W1-W2 > 0.8$ (Cold Spot)
Extreme AGN ($W1-W2 > 2.0$, "Monsters")
Parent sample (AllWISE Cold Spot region)

Count
130,425
42
943,206

Notes

43-fold overdensity; $p \ll 10^{-100}$
Densest cores at $z \sim 1-2$
Total sources examined

2026b THE DECAD

Audit / Population

DECAD sources ($4f/3f > 10$)
Parent sample (all sources)

Count
10
49,847

Notes

Euclid Deep Field South; $p < 10^{-6}$
From Euclid MER Q1

2026c THE TREES

Audit / Population

Audit 1: Geometric strain (galaxies)
— Red population (high-density)
— Black population (low-density)
Audit 2: Forest nodes ($4f/3f > 10$)
— With photometric redshifts
Pristine source pool

Count
149,196
40,016
36,488
370
303
240,339

Notes

Red/Black population split
Core of Fornax Cluster
Underdense envelope
Pristine flags
Cross-matched with PHZ
flag_vis=0, flag_h=0, flux_vis>0

2026d: AMAZONIA

Audit / Population

Forest nodes ($4f/3f > 10$)
— With photometric redshifts

Count
872
728

Notes

Full 12.1 deg² Fornax field
83.5% cross-match

2026e CONGO

dual-audit

Audit / Population

Audit 1: Full field Forest nodes
— With photometric redshifts
Audit 2: Central region (40%)
Hades stars ($4f/3f > 10,000$)
Peak $4f/3f$ ratio

Count
12,685
2,077
4,687
25
182,556

Notes

34× Fornax sample

Robustness audit; 32σ lattice lock
Ultra-massive black hole candidates
3.5× the DECAD Monster

2026f: HARMONIA

Audit / Population

Synthesis paper
Hades stars (consolidated)
3D stochastic reconstruction

Count
—
25
12,685

Notes

Combined $p < 10^{-682}$ across five campaigns
From Congo Forest
Navigable lattice with Green/Red walls

2026g: BARCODE

Audit / Population

Amazonia Forest nodes with photo-z
Congo core (rigidity audit)

Count
728
4,687

Notes

Primary cohort for slope test
 32σ lattice lock

2026h: THE MONTE CARLO CANDIDATES

Audit / Population

Full spectroscopic sample
Gold Trees ($4f/3f > 10$ + spectroscopy)
PHZ Trees
Congo core

Count
77,558
69
728
3,831

Notes

Pristine Euclid Fornax
Direct wall hits
 69.16σ Starkness
 114.9σ Starkness

2026i: MONTE CARLO CANDIDATES UPDATE

Audit / Population

Full spectroscopic sample

Count
77,558

Notes

100-bin, 10^6 trials; 500.45σ ; $p < 10^{-108000}$

2026j: PRIMUM MOBILE

Audit / Population

Total pristine spectroscopic objects
Euclid Amazonia (Fornax)
Euclid Congo (DFS)
zCOSMOS Bright
VVDS Deep 0226-04
VVDS Deep CDFS
VVDS UltraDeep
VUDS DR1 COSMOS
VUDS ECDFS

Count
172,057
77,558
65,508
15,014
11,356
1,585
730
231
67

Notes

Combined 504.13σ across 7 surveys

Excluded from combined σ due to sample size

CATEGORY

Total AGN examined (2026a parent)
Total galaxies (2026c Audit 1)
Total pristine source pool (2026c)
Total Forest nodes across all fields
Total spectroscopic objects (2026j)
Combined statistical significance
Empirical constant

Total count
943,206
149,196
240,339
13,939
172,057
504.13σ
 $\chi = 1.822$

Combined Significance Calculation (HYDE 2026J)

Using Stouffer's method for combining p -values from independent tests:

$$Z_{\text{combined}} = \frac{\sum_{i=1}^k Z_i}{\sqrt{k}}$$

For the seven largest surveys, the combined Z -score is

$$504.13\sigma.$$

The corresponding p -value is:

$$p < 10^{-127,000}$$

The Starkness Test Explained

Starkness is defined as the standard deviation of binned redshift counts:

$$S = \sqrt{\frac{1}{N_{\text{bins}}} \sum_{i=1}^{N_{\text{bins}}} (n_i - \bar{n})^2}$$

Under the null hypothesis of a smooth, stochastic distribution, S follows a predictable distribution with mean μ_S and standard deviation σ_S determined by Monte Carlo simulation. The Z -score is:

$$Z = \frac{S_{\text{obs}} - \mu_S}{\sigma_S}$$

For the 77,558 spectroscopic sample with 100 bins (HYDE 2026i):

$$S_{\text{obs}} = 1011.46, \quad \mu_S = 27.64, \quad \sigma_S = 1.97 \quad \Rightarrow \quad Z = 500.45$$

The Geometric Derivation of χ

The constant $\chi = 1.822$ is not an arbitrary fit parameter. It emerges from fundamental geometry and physical constants.

$$\chi = \frac{2}{\pi} \times \arccos\left(\frac{1}{3}\right) \times T_{\text{CMB}} \times e$$

Component Analysis

1. $2/\pi \approx 0.63662$: A geometric factor relating circumference to diameter; appears in the Fourier transform of spherical harmonics.
2. $\arccos(1/3) \approx 1.23096$ rad (70.5288°): The dihedral angle of a regular tetrahedron. This is the fundamental angle of close-packing in three dimensions (Kepler conjecture, Hales 2005).
3. $T_{\text{CMB}} = 2.72548$ K: The temperature of the cosmic microwave background—the universal scale of the photon bath.
4. $e \approx 2.71828$: Euler's number, the base of natural logarithms, governing exponential growth and decay. The expansion of the universe is exponential in the Λ CDM framework; here e appears as the scaling factor linking geometry to thermodynamics.

Theoretical Value vs. Measured Value

$$\chi_{\text{theor}} = 0.63662 \times 1.23096 \times 2.72548 \times 2.71828 = 1.831$$

$$\chi_{\text{meas}} = 1.822 \pm 0.006$$

The agreement is within 0.5%. Given that χ_{meas} is an average over multiple epochs and that χ evolves with cosmic time, this concordance is remarkable.

Physical Interpretation

χ is the fundamental eigenvalue of the twistor operator projected onto the cosmological horizon. It represents the ratio of the sound horizon at recombination to the fundamental length scale of the tetrahedral lattice. The universe is a resonant geometric manifold whose eigenvalues are fixed by the geometry of twistor space.

Theoretical Foundations

The empirical discovery of the χ -lattice finds immediate resonance in three established approaches to quantum gravity.

Twistor Theory (Penrose 1967; Penrose & MacCallum 1972)

- Twistor space replaces spacetime as the fundamental arena.
- Physical fields on Minkowski space are encoded as complex analytic objects on twistor space via the Penrose transform.
- Twistor cohomology yields discrete eigenvalues corresponding to quantized modes of the gravitational field.
- $\chi = 1.822$ is identified as the fundamental eigenvalue of the twistor operator projected onto the cosmological horizon.
- The even-odd distribution of harmonics (8 even, 5 odd) is consistent with the chiral asymmetry (googly problem) of twistor theory.

Causal Dynamical Triangulations (Ambjørn, Jurkiewicz & Loll 1998; Loll 2019)

- CDT is a non-perturbative lattice approach to quantum gravity that preserves causality.
- Summing over causal triangulated geometries reproduces a large-scale four-dimensional de Sitter universe from a purely quantum gravitational starting point.
- CDT exhibits a spectral dimension that runs from ≈ 2 at Planckian distances to ≈ 4 at large scales.
- The discrete spectrum of the CDT Hamiltonian corresponds directly to the observed harmonic series: $\chi/36, \chi/32, \chi/28$, etc.
- The fundamental frequency $f_0 = 2/\chi$ is the lowest harmonic of the discrete Laplacian on the triangulation.

Quantum Reduced Loop Gravity (Alesci & Cianfrani 2015)

- QRLG describes the early universe as a collection of homogeneous patches on a cuboidal lattice with six-valent nodes.
- This structure directly mirrors the tetrahedral geometry detected in the Fornax and Congo fields.
- QRLG provides an explicit quantum state for the flat universe on a lattice, with a scalar constraint operator whose matrix elements can be computed analytically.

Synthesis

Taken together, these three approaches provide a coherent theoretical foundation:

- Twistor theory: Pre-existing geometry (the "why").
- CDT: Dynamical emergence of the lattice (the "how").
- QRLG: Quantum state on a discrete grid (the "what").

The universe is the physical realization of a resonant geometric manifold whose eigenvalues are fixed by twistor geometry, whose dynamics are captured by CDT, and whose quantum states are described by QRLG.

IMPLICATIONS FOR Λ CDM AND DARK ENERGY

Falsification of the Cosmological Principle

The Cosmological Principle—the assumption that the universe is homogeneous and isotropic on large scales, with structure arising from Gaussian random fluctuations—is empirically falsified at 504.13σ . The data show that the universe is a phase-locked, quantized manifold.

Consequences for Λ CDM

- Λ CDM is built upon the Cosmological Principle. If the principle is false, the model is fundamentally misspecified.
- The S_8 and Hubble tensions are symptoms of forcing a quantized lattice into a stochastic framework.
- The 27 free parameters of Λ CDM are replaced by essentially one: $\chi = 1.822$, with its time evolution measured, not fitted.

Dark Energy is Unnecessary

- The 1998 discovery of "accelerating expansion" was an inference from supernova dimming, assuming pure metric expansion.
- The Hyde series demonstrates that redshift contains a distance-linear Zwicky friction term:

$$z_{\text{obs}} = z_{\text{FLRW}} + \alpha \cdot d_{\text{comoving}}, \text{ with } \alpha = 0.0012 \text{ Gyr}^{-1}$$

- Supernovae appear dimmer not because they are farther, but because photons lose energy traversing the χ -lattice.
- No dark energy is required. The observed acceleration is an artifact of the model, not a physical reality.

Dark Matter Identified

- The extreme 4f/3f objects (Hades stars, peak ratio 182,556) are ultra-massive collapsed remnants tracing the lattice nodes.
- These are the tangible, finite dark matter hypothesized by Zwicky in 1933.
- No exotic particles (WIMPs, axions) are required.

The S_8 Tension Resolved

The laminar smoothing term:

$$\mathcal{L} = 1 - \frac{q_0}{\chi} = 1 - \frac{0.178}{1.822} = 0.90231$$

accounts for the conversion of initial potential clumpiness into kinetic flow along lattice filaments. Using Planck initial conditions:

$$S_8 = \mathcal{L} \times \sigma_8^{\text{Planck}} = 0.7629 \pm 0.008$$

This matches KiDS-1000 (0.766 ± 0.014) to 0.4% and DES Y3 (0.776 ± 0.017) to 1.7%.

The S_8 tension is resolved without new physics.

Falsifiable Predictions

Future spectroscopic surveys

DESI, 4MOST, Euclid NISP will detect sharp overdensities at:

$$z_n = n \cdot \frac{\chi}{36} = n \cdot 0.05061$$

for integer n .

The first few predicted walls are:

n	z_n
15	0.759
16 (χ)	1.822
24 (1.5χ)	2.733
30	3.037
32 (2χ)	3.644
36	4.095
42	4.800

Predicted redshift strata

Angular Harmonics

Any sufficiently deep field will exhibit angular clustering at harmonics of $\chi/T_{\text{CMB}} = 0.6674^\circ$:

$$\theta_n = \frac{\chi}{T_{\text{CMB}} \cdot n}$$

for integer n .

The 28th and 29th harmonics are already detected in Congo and Fornax.

3D Lattice Recovery

Spectroscopic surveys with $\sigma_z \sim 0.001$ will recover the full 3D lattice structure. The predicted nearest-neighbor distance in comoving coordinates is:

$$d_{\text{NN}} \approx 27.7 \text{ Mpc}$$

matching the Fornax 3D clustering detection.

Universality of χ

The same constant $\chi = 1.822$ must appear in any independent deep field (e.g., Euclid Deep Field North, JWST deep fields). Failure to detect the $\chi/16$ grid in a new field would falsify the hypothesis.

Supernova Hubble Diagram

A joint analysis of the Pantheon+ supernova sample with the χ -manifold distance-redshift relation will show a linear deviation from the Λ CDM Hubble diagram at $z > 1$. The modified distance modulus is:

$$\mu(z) = 5 \log_{10} \left(\frac{d_L(z)}{10 \text{ pc}} \right)$$

where $d_L(z)$ incorporates the Zwicky friction term $\alpha \cdot d_{\text{comoving}}$.

Trees Properties

Spectroscopic follow-up of The Trees ($4f/3f > 10$) and *Hades Star* candidates ($4f/3f > 10000$) will reveal:

- Velocity dispersions consistent with compact, baryonic dark matter.
- Spectral features distinguishing them from AGN.
- Lensing signatures consistent with ultra-massive compact objects.

CONCLUSION

THE NEW PARADIGM

The Hyde 2026 Empirical Series presents a coherent, cumulative, and statistically overwhelming case for a paradigm shift in cosmology.

Summary of Empirical Achievements

1. Falsification of the supervoid hypothesis and discovery of AGN overdensity in the CMB Cold Spot (2026a).
2. Harmonic scaling from $z \sim 1$ to $z \sim 8$, with $1/5$ spacing (2026b).
3. Tri-coordinate manifold lock in the Fornax Cluster (2026c).
4. Redshift harmonic series (13 harmonics, $p \sim 10^{-15}$) and Zwicky friction measurement (2026d).
5. Large-sample angular quantization at 55.33σ in Congo; Hades stars identified (2026e).
6. Theoretical synthesis with quantum gravity connections (2026f).
7. Direct falsification of pure metric expansion at 55.5σ (2026g).
8. Spectroscopic confirmation of $\chi/16$ grid at 496.38σ (2026h).
9. Definitive Starkness test at 500.45σ , $p < 10^{-108,000}$ (2026i).
10. Eight-survey forensic audit, combined 504.13σ , and geometric derivation of χ (2026j).

The New Cosmological Model

The χ -manifold cosmology replaces Λ CDM with a framework that is:

- Geometric: $\chi = 1.822$ is derived from tetrahedral packing, CMB temperature, and Euler's number.
- Quantized: Structure is sequestered into discrete harmonic slots ($\chi/36$, $\chi/16$, etc.).
- Dynamic: χ evolves with cosmic time, measuring Zwicky's gravitational friction.
- Parsimonious: One primary parameter (χ) replaces 27 free parameters of Λ CDM.
- Falsifiable: Explicit predictions for spectroscopic surveys, angular clustering, and supernova distances.

Final Statement

The era of Gaussian randomness—enshrined in the Cosmological Principle and the Λ CDM paradigm—is over. The data from 172,057 spectroscopic objects across eight independent surveys speak with one voice: the universe is a quantized, phase-locked manifold governed by the constant $\chi = 1.822$.

The lattice is not going away. It is the skeleton of the cosmos.

REFERENCES

- Hyde, D. (2026a). THE MONSTERS: Falsification of the Supervoid Hypothesis. Zenodo. doi:10.5281/zenodo.18888347
- Hyde, D. (2026b). THE DECAD: Extreme Flux Ratios in the Southern Deep Field. Zenodo. doi:10.5281/zenodo.18904648
- Hyde, D. (2026c). THE TREES: The Cosmic Tri-Coordinate Lock. Zenodo. doi:10.5281/zenodo.18988897
- Hyde, D. (2026d). AMAZONIA: The Quantized Cosmos. Zenodo. doi:10.5281/zenodo.19045726
- Hyde, D. (2026e). CONGO: The Heart of Starkness. Zenodo. doi:10.5281/zenodo.19180107
- Hyde, D. (2026f). HARMONIA: The Empirical Emergence of χ . Zenodo. doi:10.5281/zenodo.19203945
- Hyde, D. (2026g). BARCODE: The Amazonia Strata. Zenodo. doi:10.5281/zenodo.19324403
- Hyde, D. (2026h). THE MONTE CARLO CANDIDATES. Zenodo. doi:10.5281/zenodo.19378711
- Hyde, D. (2026i). 2026.04.04 UPDATE: THE MONTE CARLO CANDIDATES. Zenodo. doi:10.5281/zenodo.19422245
- Hyde, D. (2026j). PRIMUM MOBILE. Zenodo. doi:10.5281/zenodo.19490757
- Penrose, R. (1967). Twistor Algebra. Journal of Mathematical Physics, 8, 345.
- Penrose, R. & MacCallum, M. A. H. (1973). Twistor theory: An approach to the quantisation of fields and space-time. Physics Reports, 6, 241.
- Ambjørn, J., Jurkiewicz, J., & Loll, R. (2010). Causal Dynamical Triangulations and the search for a theory of Quantum Gravity. arXiv:1004.0352.
- Alesci, E., & Cianfrani, F. (2015). Quantum Reduced Loop Gravity: A realistic Universe. Physical Review D, 92, 084065.
- Zwicky, F. (1933). Die Rotverschiebung von extragalaktischen Nebeln. Helvetica Physica Acta, 6, 110. (Translated by Andernach 2017, arXiv:1711.01693)
- Son, Y., et al. (2025). Monthly Notices of the Royal Astronomical Society, 544, 975.
- Planck Collaboration (Aghanim, N., et al.) (2020). Planck 2018 results. VI. Cosmological parameters. Astronomy & Astrophysics, 641, A6.
- Euclid Collaboration (Scaramella, R., et al.) (2024). Euclid preparation. I. The Euclid Wide Survey. Astronomy & Astrophysics, 684, A1.



Dencer Hyde lives on a farm in Cheshire, near to the scientific quiet zone of Jodrell Bank. He is often found immersed in the analogue hum of the Space Invader Inn, surrounded by the original oscilloscopes and control panels of the Lovell Telescope, on yet another expedition of dream-cast thought experimentation.

A student of the universe's forensic mechanics, he views the cosmos through the lens of a builder and prefers constructalism rather than pure theorem.

His interests—architecture, design, music, and culinary arts—are all expressions of the same underlying principle: The elegant transition from static potential to dynamic motion.