## AMINO RIP MUSCLE PAIN RELIEF- lidocaine hcl liquid LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION

-----

## Llorens - Amino Rip Muscle Pain Relief

## **Active Ingredients**

Lidocaine HCI

## **Purpose**

**Topical Anesthetic** 

**Use** Temporarily relieves minor pains

**Warnings** For external use only

## Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor.

## When using this product

Use only as direct. Read and follow all directions and warnings on this label.

- Do not allow contact with eyes
- Do not bandage or apply local heat (such as heating pads) to the area of use.

## Stop use and ask doctor if

- Condition worsens
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- If pregnant or breast feeding, ask a doctor before use.
- Keep out of the reach of children
- If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children.

## **Directions**

- Adults and children over 12 years of age
- Apply generously to the affected area as needed every 6-8 hours, not to exceed 3
  applications in a 24 hour period. Not for use in children under 12 years of age

## **Inactive ingredients**

camphor, glycerin, isopropyl alcohol, menthol, methylparaben, propylparaben, purified water, xantham gum

NDC 54859-415-02

# **AMINORIP**

# MUSCLE TOPICAL ANESTHETIC •

**UPPER & LOWER BACK NECK | THIGHS | CALVES** ROLL-ON 2 FL OZ (60 mL)

## Drug Facts

**Topical Anesthetic** 

Use Temporarily relieves minor pains

ngs For external use only

large areas of the body or on cut, irritated or swollen n • On puncture wounds • For more than one week hout consulting a doctor.

### When using this product

Use only as directed. Read and follow all directions and warnings on this label. - Do not allow contact with eyes Do not bandage or apply local heat (such as heating pads) to the area of use.

 Condition worsens • Symptoms persist for more that days or clear up and occur again within a few days • If pregnant or breast feeding, ask a doctor before use.
 Keep out of the reach of children • If swallowed, get edical help or contact a Poison Control Center right away.

Adults and children over 12 years of age - Apply generously to the affected area as needed every 6-8 hours, not to exceed 3 applications in a 24 hour period. Not for use in children under 12 years of age.

active Ingredients amphor, glycerin, isopropyl alcohol, menthol, ethylparaben, propylparaben, purified water and

nufactured by ans Pharmaceutical International Division, Inc ni FL, 33147

WWW.AMINORIP.COM



## **AMINO RIP MUSCLE PAIN RELIEF**

lidocaine hcl liquid

## **Product Information**

**Product Type** HUMAN OTC DRUG **Item Code (Source)** NDC:54859-415

TOPICAL **Route of Administration** 

## **Active Ingredient/Active Moiety**

**Basis of Strength Ingredient Name** Strength LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 4 mg in 100 mL

## **Inactive Ingredients**

Ingredient Name	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:54859-415- 02	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2019				

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC Monograph Drug	M017	10/01/2019					

## Labeler - LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION (037342305)

## **Registrant -** LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION (037342305)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION		037342305	manufacture(54859-415)		

Revised: 12/2024 LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION