

ALTIPRES PEDIATRIC- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Alternative Pharmacal Corporation

Alt-AltipresPed 103

Active Ingredients (in each 5 mL tsp.)

Purpose

Dextromethorphan HBr 5 mg Cough Suppressant

Guaifenesin 75 mg Expectorant

Phenylephrine HCl 2.5 mg Nasal Decongestant

Purpose

Cough Suppressant

Expectorant

Nasal Decongestant

Warnings

Ask a doctor before use if your child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to the enlargement of the prostate gland
- a cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product, do not exceed recommended dosage

Stop use and ask doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition

Do not use in a child who is taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI; ask a doctor or pharmacist before taking this product -Do not use- in a child under 2 years of age.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Indications

- Directions** Do not exceed more than 6 doses in any 24-hour period

adults and children 12 years of age and over	take 4 teaspoonfuls (20 mL) every 4 hours
children 6 to under 12 years of age	take 2 teaspoonful (10 mL) every 4 hours
children 2 years to under 6 years of age	take 1 teaspoonful (5 mL) every 4 hours
children under 2 years of age	ask a doctor

Inactive ingredients citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate and sucralose

Questions or comments? 1-305-403-3788

Drug Facts

Active ingredients (in each 5 mL tsp.)

Dextromethorphan HBr, USP.....	5 mg	Cough Suppressant
Guafenesin, USP.....	75 mg	Expectorant
Phenylephrine HCl, USP.....	2.5 mg	Nasal Decongestant

Indications ■ Temporarily relieves cough due to minor throat and bronchial irritation as may occur with common cold ■ Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes ■ Temporarily relieves nasal congestion due to the common cold.

Warnings ■ **Do not use** in a child who is taking a prescription Monoamine Oxidase Inhibitor (MAOI) (Certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains a MAOI, ask a doctor or pharmacist before giving this product. Do not use in a child under 2 years of age.

Ask a doctor before use if your child has ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

When using this product, do not exceed recommended dosage

Stop use and ask a doctor if ■ your child gets nervous, dizzy, or sleepless ■ symptoms do not get better within 7 days or are accompanied by fever ■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition →

†Tussi-Pre[®] Pediatric is a registered trademark of Kramer-Novis. This product is not manufactured, distributed or marketed by Kramer-Novis.

Code #: L-51 Rev. 08/17


Lot #:

Exp. Date:

NDC 53163-103-16


Altipres

Pediatric



- Cough Suppressant
- Expectorant
- Nasal Decongestant

Contains the same active ingredients as Tussi-Pre[®] Pediatric†



Manufactured For:
Alternative Pharmaceutical Corp.
Miami, FL 33147
www.alternativepharmaceutical.com

Orange Flavor

Sugar FREE
Alcohol FREE
Dye FREE
Saccharin FREE

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Do not take more than 6 doses in any 24-hour period.

Adults and children 12 years of age and over	take 4 teaspoonfuls (20 mL) every 4 hours
Children 6 to under 12 years of age	take 2 teaspoonfuls (10 mL) every 4 hours
Children 2 to under 6 years of age	take 1 teaspoonfuls (5 mL) every 4 hours
Children under 2 years of age	ask a doctor

Other information ■ store at room temperature 15° - 30°C (59° - 86°F). Tamper evident by imprinted heat seal under cap. Do not use if there is evidence of tampering.


Pharmacist: Preserve and dispense in tight light resistant container with child resistant cap as defined in the USP.

Inactive ingredients - Citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

Questions or comments? 1-305-403-3788

Manufactured in USA For: Alternative Pharmaceutical Corp., Miami, FL 33147.
www.alternativepharmaceutical.com

THIS IS A BULK CONTAINER NOT INTENDED FOR DISPENSING



3 53163 10316 4

16 fl. oz. (473 mL)

ALTIPRES PEDIATRIC

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53163-103
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	75 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE (Orange Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53163-103-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2013	

Labeler - Alternative Pharmacal Corporation (078528214)