



CIS 419/519

Introduction to

Machine Learning

Instructor: Eric Eaton

www.seas.upenn.edu/~cis519

These slides were assembled by Eric Eaton, with grateful acknowledgement of the many others who made their course materials freely available online. Feel free to reuse or adapt these slides for your own academic purposes, provided that you include proper attribution. Please send comments and corrections to Eric.

What is Machine Learning?

“Learning is any process by which a system improves performance from experience.”

- Herbert Simon


Definition by Tom Mitchell (1998):

Machine Learning is the study of algorithms that


- improve their performance P
- at some task T
- with experience E .

A well-defined learning task is given by $\langle P, T, E \rangle$.

Traditional Programming




Machine Learning



When Do We Use Machine Learning?

ML is used when:

- Human expertise does not exist (navigating on Mars)
- Humans can't explain their expertise (speech recognition)
- Models must be customized (personalized medicine)
- Models are based on huge amounts of data (genomics)



Learning isn't always useful:

- There is no need to “learn” to calculate payroll

A classic example of a task that requires machine learning:

It is very hard to say what makes a 2

0 0 0 1 1 1 1 1 2

2 2 2 2 2 2 3 3 3

3 4 4 4 4 4 5 5 5

6 6 7 7 7 7 8 8 8

8 8 8 8 9 4 9 9 9

Some more examples of tasks that are best solved by using a learning algorithm

- Recognizing patterns:
 - Facial identities or facial expressions
 - Handwritten or spoken words
 - Medical images
- Generating patterns:
 - Generating images or motion sequences
- Recognizing anomalies:
 - Unusual credit card transactions
 - Unusual patterns of sensor readings in a nuclear power plant
- Prediction:
 - Future stock prices or currency exchange rates

Sample Applications

- Web search
- Computational biology
- Finance
- E-commerce
- Space exploration
- Robotics
- Information extraction
- Social networks
- Debugging software
- [Your favorite area]

Samuel's Checkers-Player

“Machine Learning: Field of study that gives computers the ability to learn without being explicitly programmed.” -Arthur Samuel (1959)



Defining the Learning Task

Improve on task T, with respect to
performance metric P, based on experience E

T: Playing checkers

P: Percentage of games won against an arbitrary opponent

E: Playing practice games against itself

T: Recognizing hand-written words

P: Percentage of words correctly classified

E: Database of human-labeled images of handwritten words

T: Driving on four-lane highways using vision sensors

P: Average distance traveled before a human-judged error

E: A sequence of images and steering commands recorded while observing a human driver.



T: Categorize email messages as spam or legitimate.

P: Percentage of email messages correctly classified.

E: Database of emails, some with human-given labels

State of the Art Applications of Machine Learning

Autonomous Cars




- Nevada made it legal for autonomous cars to drive on roads in June 2011
- As of 2013, four states (Nevada, Florida, California, and Michigan) have legalized autonomous cars



Penn's Autonomous Car →
(Ben Franklin Racing Team)



Autonomous Car Sensors



Autonomous Car Technology



Images and movies taken from Sebastian Thrun's multimedia website.

Deep Learning in the Headlines

BUSINESS NEWS


Is Google Cornering the Market on Deep Learning?

A cutting-edge corner of science is being wooed by Silicon Valley, to the dismay of some academics.

By Antonio Regalado on January 29, 2014



How much are a dozen deep-learning researchers worth? Apparently, more than \$400 million.




This week, Google [reportedly paid that much](#) to acquire [DeepMind Technologies](#), a startup based in London that has developed a program that can learn to play video games.

WIRED GEAR SCIENCE ENTERTAINMENT BUSINESS SECURITY DESIGN
INNOVATION INSIGHTS | [community content](#) | ▾ featured

Deep Learning's Role in the Age of Robots

BY JULIAN GREEN, JETPAC 05.02.14 2:56 PM



BloombergBusinessweek Technology

Acquisitions

The Race to Buy the Human Brains Behind Deep Learning Machines


By Ashlee Vance [Twitter](#) | January 27, 2014

intelligence projects. "DeepMind is bona fide in terms of its research capabilities and depth," says Peter Lee, who heads Microsoft Research.


According to Lee, Microsoft, Facebook ([FB](#)), and Google find themselves in a battle for deep learning talent. Microsoft has gone from four full-time deep learning experts to 70 in the past three years. "We would have more if the talent was there to

A video still from a CNBC program. On the left, a man in a suit and tie, Matt Strelak, is speaking. On the right, there is a graphic overlay with the text 'DEEP LEARNING' and two bullet points: '» Computers learning and growing on their own' and '» Able to understand complex, massive amounts of data'. At the bottom, there is a banner with 'DATA ECONOMY' and 'DEEP LEARNING' repeated, along with logos for GE and NBC.


Deep Belief Net on Face Images



Learning of Object Parts



Training on Multiple Objects



Trained on 4 classes (cars, faces, motorbikes, airplanes).

Second layer: Shared-features and object-specific features.

Third layer: More specific features.

Scene Labeling via Deep Learning



Inference from Deep Learned Models

Generating posterior samples from faces by “filling in” experiments (cf. Lee and Mumford, 2003). Combine bottom-up and top-down inference.

Input images



Samples from
feedforward
Inference
(control)




Samples from
Full posterior
inference




Machine Learning in Automatic Speech Recognition

A Typical Speech Recognition System



ML used to predict of phone states from the sound spectrogram




Deep learning has state-of-the-art results

| # Hidden Layers | 1 | 2 | 4 | 8 | 10 | 12 |
|-------------------|------|------|------|------|------|------|
| Word Error Rate % | 16.0 | 12.8 | 11.4 | 10.9 | 11.0 | 11.1 |

Baseline GMM performance = 15.4%

[Zeiler et al. "On rectified linear units for speech recognition" ICASSP 2013]

Impact of Deep Learning in Speech Technology




Types of Learning

Types of Learning

- **Supervised (inductive) learning**
 - Given: training data + desired outputs (labels)
- **Unsupervised learning**
 - Given: training data (without desired outputs)
- **Semi-supervised learning**
 - Given: training data + a few desired outputs
- **Reinforcement learning**
 - Rewards from sequence of actions


Supervised Learning: Regression

- Given $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$
- Learn a function $f(x)$ to predict y given x
 - y is real-valued == regression




Supervised Learning: Classification

- Given $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$
- Learn a function $f(x)$ to predict y given x
 - y is categorical == classification




Supervised Learning: Classification

- Given $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$
- Learn a function $f(x)$ to predict y given x
 - y is categorical == classification




Supervised Learning: Classification

- Given $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$
- Learn a function $f(x)$ to predict y given x
 - y is categorical == classification




Supervised Learning

- x can be multi-dimensional
 - Each dimension corresponds to an attribute




Unsupervised Learning

- Given x_1, x_2, \dots, x_n (without labels)
- Output hidden structure behind the x 's
 - E.g., clustering



Unsupervised Learning

Genomics application: group individuals by genetic similarity




Unsupervised Learning



Organize computing clusters



Social network analysis




Market segmentation



Astronomical data analysis


Unsupervised Learning

- Independent component analysis – separate a combined signal into its original sources



Unsupervised Learning


- Independent component analysis – separate a combined signal into its original sources



Reinforcement Learning

- Given a sequence of states and actions with (delayed) rewards, output a policy
 - Policy is a mapping from states → actions that tells you what to do in a given state
- Examples:
 - Credit assignment problem
 - Game playing
 - Robot in a maze
 - Balance a pole on your hand

The Agent-Environment Interface




Agent and environment interact at discrete time steps : $t = 0, 1, 2, K$

Agent observes state at step t : $s_t \in S$

produces action at step t : $a_t \in A(s_t)$

gets resulting reward : $r_{t+1} \in \mathcal{R}$

and resulting next state : s_{t+1}



Reinforcement Learning



<https://www.youtube.com/watch?v=4cgWya-wjgY>

Inverse Reinforcement Learning

- Learn policy from user demonstrations



Stanford Autonomous Helicopter


<http://heli.stanford.edu/>

<https://www.youtube.com/watch?v=VCdxqn0fcnE>

Framing a Learning Problem

Designing a Learning System

- Choose the training experience
- Choose exactly what is to be learned
 - i.e. the **target function**
- Choose how to represent the target function
- Choose a learning algorithm to infer the target function from the experience



Training vs. Test Distribution

- We generally assume that the training and test examples are independently drawn from the same overall distribution of data
 - We call this “i.i.d” which stands for “independent and identically distributed”
- If examples are not independent, requires ***collective classification***
- If test distribution is different, requires ***transfer learning***

ML in a Nutshell

- Tens of thousands of machine learning algorithms
 - Hundreds new every year
- Every ML algorithm has three components:
 - **Representation**
 - **Optimization**
 - **Evaluation**

Various Function Representations

- Numerical functions
 - Linear regression
 - Neural networks
 - Support vector machines
- Symbolic functions
 - Decision trees
 - Rules in propositional logic
 - Rules in first-order predicate logic
- Instance-based functions
 - Nearest-neighbor
 - Case-based
- Probabilistic Graphical Models
 - Naïve Bayes
 - Bayesian networks
 - Hidden-Markov Models (HMMs)
 - Probabilistic Context Free Grammars (PCFGs)
 - Markov networks

Various Search/Optimization Algorithms


- Gradient descent
 - Perceptron
 - Backpropagation
- Dynamic Programming
 - HMM Learning
 - PCFG Learning
- Divide and Conquer
 - Decision tree induction
 - Rule learning
- Evolutionary Computation
 - Genetic Algorithms (GAs)
 - Genetic Programming (GP)
 - Neuro-evolution

Evaluation

- Accuracy
- Precision and recall
- Squared error
- Likelihood
- Posterior probability
- Cost / Utility
- Margin
- Entropy
- K-L divergence
- etc.

ML in Practice

Loop

- 
- Understand domain, prior knowledge, and goals
 - Data integration, selection, cleaning, pre-processing, etc.
 - Learn models
 - Interpret results
 - Consolidate and deploy discovered knowledge

Lessons Learned about Learning

- Learning can be viewed as using direct or indirect experience to approximate a chosen target function.
- Function approximation can be viewed as a search through a space of hypotheses (representations of functions) for one that best fits a set of training data.
- Different learning methods assume different hypothesis spaces (representation languages) and/or employ different search techniques.

A Brief History of Machine Learning

History of Machine Learning

- 1950s
 - Samuel's checker player
 - Selfridge's Pandemonium
- 1960s:
 - Neural networks: Perceptron
 - Pattern recognition
 - Learning in the limit theory
 - Minsky and Papert prove limitations of Perceptron
- 1970s:
 - Symbolic concept induction
 - Winston's arch learner
 - Expert systems and the knowledge acquisition bottleneck
 - Quinlan's ID3
 - Michalski's AQ and soybean diagnosis
 - Scientific discovery with BACON
 - Mathematical discovery with AM

History of Machine Learning (cont.)

- 1980s:
 - Advanced decision tree and rule learning
 - Explanation-based Learning (EBL)
 - Learning and planning and problem solving
 - Utility problem
 - Analogy
 - Cognitive architectures
 - Resurgence of neural networks (connectionism, backpropagation)
 - Valiant's PAC Learning Theory
 - Focus on experimental methodology
- 1990s
 - Data mining
 - Adaptive software agents and web applications
 - Text learning
 - Reinforcement learning (RL)
 - Inductive Logic Programming (ILP)
 - Ensembles: Bagging, Boosting, and Stacking
 - Bayes Net learning

History of Machine Learning (cont.)

- 2000s
 - Support vector machines & kernel methods
 - Graphical models
 - Statistical relational learning
 - Transfer learning
 - Sequence labeling
 - Collective classification and structured outputs
 - Computer Systems Applications (Compilers, Debugging, Graphics, Security)
 - E-mail management
 - Personalized assistants that learn
 - Learning in robotics and vision
- 2010s
 - Deep learning systems
 - Learning for big data
 - Bayesian methods
 - Multi-task & lifelong learning
 - Applications to vision, speech, social networks, learning to read, etc.
 - ???

What We'll Cover in this Course

- **Supervised learning**
 - Decision tree induction
 - Linear regression
 - Logistic regression
 - Support vector machines & kernel methods
 - Model ensembles
 - Bayesian learning
 - Neural networks & deep learning
 - Learning theory
- **Unsupervised learning**
 - Clustering
 - Dimensionality reduction
- **Reinforcement learning**
 - Temporal difference learning
 - Q learning
- **Evaluation**
- **Applications**

Our focus will be on applying machine learning to real applications