

Introduction to N-adic numbers

Practical Applications

Denis Morozov, PhD

`morozov.den@samsung.com`

¹Samsung R&D

²Department of Computer Science, doctoral studies
University of "Kiev-Mogyla Academy"

Presentation , 2013




Figure : A.Fomenko, 2-adic solenoid

Outline

1 Objective

- Introduction
- Basic properties of ultrametrics

2 Description

- Key components of the course
- Possible directions for further study

Outline

1 Objective

- Introduction
- Basic properties of ultrametrics

2 Description

- Key components of the course
- Possible directions for further study

Introduction

N-adic analysis is key to understanding the logic of the processor.

Not having deep understanding of the nature of the essences we work with, we have to strictly follow the rules that guarantee correct work results.

However, the rules limit the range of solvable tasks, while violation of them may lead to an unpredictable result. Yet, such violation might be appropriate, given that we are fully aware of what we are doing.

Clear understanding of the nature of a processor's arithmetic is necessary for building adequate computational models for problems encountered in the process of software development.

Introduction

N-adic analysis is key to understanding the logic of the processor.

Not having deep understanding of the nature of the essences we work with, we have to strictly follow the rules that guarantee correct work results.

However, the rules limit the range of solvable tasks, while violation of them may lead to an unpredictable result. Yet, such violation might be appropriate, given that we are fully aware of what we are doing.

Clear understanding of the nature of a processor's arithmetic is necessary for building adequate computational models for problems encountered in the process of software development.

Introduction

N-adic analysis is key to understanding the logic of the processor.

Not having deep understanding of the nature of the essences we work with, we have to strictly follow the rules that guarantee correct work results.

However, the rules limit the range of solvable tasks, while violation of them may lead to an unpredictable result. Yet, such violation might be appropriate, given that we are fully aware of what we are doing.

Clear understanding of the nature of a processor's arithmetic is necessary for building adequate computational models for problems encountered in the process of software development.

Introduction

N-adic analysis is key to understanding the logic of the processor.

Not having deep understanding of the nature of the essences we work with, we have to strictly follow the rules that guarantee correct work results.

However, the rules limit the range of solvable tasks, while violation of them may lead to an unpredictable result. Yet, such violation might be appropriate, given that we are fully aware of what we are doing.

Clear understanding of the nature of a processor's arithmetic is necessary for building adequate computational models for problems encountered in the process of software development.

Outline

1 Objective

- Introduction
- Basic properties of ultrametrics

2 Description

- Key components of the course
- Possible directions for further study

Sufficiency

Consideration for the following reasons ultrametrics (non-Archimedean metric spaces) is natural:

- in the context of a real analysis the computer is a discrete system, but in terms of a 2-adic - continuous
- the modern computer is essentially an analog in terms of non Archimedean analysis

Sufficiency

Consideration for the following reasons ultrametrics (non-Archimedean metric spaces) is natural:

- in the context of a real analysis the computer is a discrete system, but in terms of a 2-adic - continuous
- the modern computer is essentially an analog in terms of non Archimedean analysis

Sufficiency

Consideration for the following reasons ultrametrics (non-Archimedean metric spaces) is natural:

- in the context of a real analysis the computer is a discrete system, but in terms of a 2-adic - continuous
- the modern computer is essentially an analog in terms of non Archimedean analysis

Quick calculations

2-adic continuity of the processor's basic operations allows the creation of models that use floating point numbers, but all calculations are made in the set of integers.

Outline

1 Objective

- Introduction
- Basic properties of ultrametrics

2 Description

- Key components of the course
- Possible directions for further study

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Izometries

Izometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Isometries

Isometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Isometries

Isometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Izometries

Izometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Izometries

Izometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Izometries

Izometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Theory

Ultrametrics

Basics of non Archimedean analysis. Ostrowski theorem.

Izometries

Izometrical polynomials of the ring \mathbb{Z}_2 . Inductive construction of isometries.

Hensel's lemma

Extend uniquely the root of polynomial in \mathbb{Z}_p to of the root of a polynomial in \mathbb{Z}_p .

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring \mathbb{Z}_2 - addition, multiplication, division.

Presentation of real numbers in \mathbb{Z}_2

Rational numbers in \mathbb{Z}_2 . Some irrationals numbers in \mathbb{Z}_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Practice

N-adic Arithmetics

Basic of arithmetics of the ring Z_2 - addition, multiplication, division.

Presentation of real numbers in Z_2

Rational numbers in Z_2 . Some irrationals numbers in Z_2 .

Fast Calculations

Using of 2-adic arithmetic for providing computational scheme close to the processor architecture.

Outline

1 Objective

- Introduction
- Basic properties of ultrametrics

2 Description

- Key components of the course
- Possible directions for further study

Applications

Using techniques discussed in the course is possible to build computational models that are close to the processor architecture.

As a result, these models have good performance characteristics. Moreover we have no calculation errors that appear in the calculation with floating point.

Applications

Using techniques discussed in the course is possible to build computational models that are close to the processor architecture.

As a result, these models have good performance characteristics. Moreover we have no calculation errors that appear in the calculation with floating point.

Links

This course can be used as the basic for the course "Groups' automata and the automorphisms' group of the regular rooted tree "

Bibliography I



Fernando Q. Gouvêa

P-Adic Numbers: An Introduction .

Springer (1997)



Nil Koblitz

P-adic Numbers, p-adic Analysis, and Zeta-Functions .

Mir (1981)



Denis Morozov

Differentiable finite-state isometries and isometric polynomials of the ring of integer 2-adic numbers.

8th Int. Algebraic Conf. in Ukraine: Abstr.

Lugansk, July 2011