TEST STRATEGY

Kayak Website Project

QA Tester Baicu Mariana Denisa

CONTENTS

I. INTRODUCTION	3
II. PURPOSE	3
III. SYSTEM OVERVIEW	3
IV. SCOPE OF TESTING	3
V. APPROACH TO TESTING	4
VI. TEST ENVIRONMENT REQUIREMENTS	6
VII. TEST DATA REQUIREMENTS	7
VIII. TESTING TOOLS AND TECHNIQUES	7
IX. TESTING ROLES AND RESPONSIBILITIES	7
X. TEST MANAGEMENT	7
XI. DEFECT MANAGEMENT	8
XII. TEST SCHEDULE	9
XIII. REFERENCED DOCUMENTS	
XIV. TERMS/ACRONYMS	10

I. INTRODUCTION

The objective of the Kayak Website Project to check if the functionality of the implemented features is working properly and can be used by the website's users.

II. PURPOSE

This Test Strategy will provide a high-level view of how testing will be completed for the Kayak Website Project.

Test Cases will be designed and run to test every feature listed in the system plan.

Performance, security, and load reliability will be included as part of the system tests and will be performed by an external QA team.

Performance and API testing will start as soon as the system has achieved stability.

Before bug fixes are reintroduced into the test, they must first successfully pass the unit testing, and, if necessary, integration testing.

All the test cases must be documented and run in test cycles.

All test cases must pass.

All Medium and High severity defects must be fixed before release.

Code coverage must be 100% (including Integration and Unit Testing).

III. SYSTEM OVERVIEW

The Application Under Test (AUT) consists of the following newly created components:

- 1. A homepage of the website, located at https://www.kayak.com/
- 2. A flight search results page, located at https://www.kayak.com/flights/
- 3. Features and functionality for the above web pages.

IV. SCOPE OF TESTING

The scope of the testing is to check the functionalities of the Kayak Website.

The types of testing in scope are:

- 1. Functional Testing
- 2. Non-functional Testing
 - Browser compatibility
 - Mobile compatibility
- 3. Regression Testing (if required)

The types of testing out of scope are:

- 1. Static Testing
 - Requirements
 - Architecture

- Code Reviews
- 2. Unit Testing
- 3. Non-functional Testing
 - Test performance
 - Stress test
 - Load test
 - Testing partner's links availability
 - Security testing

V. APPROACH TO TESTING

The Testing approach is using a requirement-based strategy and it features two key components:

- 1. **Test Preparation:** In this stage, the team will review each available document and starts working on the functional and UI Test Cases.
- 2. **Test Execution:** The team will execute the created Test Cases and document the actual results and raise defects.

PRINCIPLES AND APPLICATION

Principle

It is important to understand the risks to the business of any system that is developed. Some parts of the system will be critical to the running of the business and some will not. By understanding the risk profile, we can tune the amount & types of testing we complete. This can then give a realistic scale of testing for each project and therefore we can support the estimates we put forward.

The software testing principles impacting our project include:

- 1. Testing should show the defects obtained after the execution of the Test Cases;
- 2. Exhaustive testing is impossible in our project because of the number of key combinations the user can make.
- 3. Early testing is cost-efficient and should be implemented in the first stages of the process.
- 4. Defects cluster together and result in more bugs in the later stages of the process.
- 5. The software test data needs to be reviewed regularly to revise the test cases to avoid the "pesticide paradox".
- 6. The testing approach depends on the software development.
- 7. The application must fulfill the specified client requests

Application

The application in testing is a flight search website that allows the users to find better deals than the ones that they are getting from the official airline's websites by combining different airlines, partners, etc.

Methodology

This project will be delivered using the Agile planned sprints. The principles impacting testing include:

- 1. Testing is completed by an Independent Testing Group;
- 2. Test throughout the Project;
- 3. Focus on finding defects early in the Software Development LifeCycle (SDLC);
- 4. Formal Testing Scope within each iteration (Continuously verifying quality);
- 5. Focus on testing the Architecture first;
- 6. Test Cases derived from Use Cases;
- 7. Tailor process and documentation for the size and complexity of the project.

TEST PHASE 1 (First Sprint)

Objective

The overall objective of the first sprint is to have a website stable version, capable to resolve the incoming traffic. The testing team's objective is to build the required Test Cases from the User Stories' Acceptance Criteria and execute them by documenting the results.

Scope

The scope of testing for TEST PHASE is:

- 1. **Functional Testing:** test each part of the software application, by providing the appropriate input, and verifying the output and user journey against the requirements.
- 2. **UI Testing:** test the interface to see if it responds to the design requirements.
- 3. **Regression Testing (if needed):** test to confirm that a recent program or code change has not adversely affected existing features.

Test Preparation

The documentation and User Stories are studied to create relevant Test Cases. In the Test Case development process a proactive approach is used, initiating the process as early as possible to find and fix the defects. Testers must continuously explore, learn and apply the most efficient approaches for data collection, generation, maintenance, and automation for any types of testing.

Entry Criteria

- 1. Verify if the test data is available and validated.
- 2. Requirements are defined and approved.
- 3. The test environment is set up.
- 4. The tools and devices are available.
- 5. QA Engineers team is prepared with the functionality overview.

Exit Criteria

- 1. All the Test Cases are executed.
- 2. 100% level of requirements coverage has been achieved.
- 3. No Medium and High severity bugs are left outstanding.
- 4. Regression testing was performed (if required).

Test Execution

- 1. Execute tests as planned.
- 2. Document test results.
- 3. Log defects for failed Test Cases.
- 4. Regression is performed.
- 5. Run as many test cycles are required to complete the sprint.

TEST PHASE 2 (Second Sprint)

Objective

The overall objective of the second sprint is to have a stable website version. The users can use the website to their needs without encountering any flaws. The resulting website version will be the foundation to further build upon. The testing team's objective is to build the required Test Cases from the User Stories' Acceptance Criteria and execute them by documenting the results.

Scope

The scope of testing for TEST PHASE is:

- 1. **Functional Testing:** test each part of the software application, by providing the appropriate input, and verifying the output and user journey against the requirements.
- 2. Non-functional Testing:
 - **Browser & Mobile compatibility:** test the compatibility and responsiveness of the application/webpage using desktop/mobile browsers.
- 3. **UI Testing:** test the interface to see if it responds to the design requirements.
- 4. **Regression Testing (if needed):** test to confirm that a recent program or code change has not adversely affected existing features.

Test Preparation

The documentation and User Stories are studied to create relevant Test Cases. In the Test Case development process a proactive approach is used, initiating the process as early as possible to find and fix the defects. Testers must continuously explore, learn and apply the most efficient approaches for data collection, generation, maintenance, and automation for any type of testing.

Entry Criteria

- 1. Verify if the test data is available and validated.
- 2. Requirements are defined and approved.
- 3. The test environment is set up.
- 4. The tools and devices are available.
- 5. QA Engineers team is prepared with the functionality overview.

Exit Criteria

- 1. All the Test Cases are executed.
- 2. 100% level of requirements coverage has been achieved.
- 3. No Medium and High severity bugs are left outstanding.
- 4. Regression testing was performed (if required).

Test Execution

- 1. Execute tests as planned.
- 2. Document test results.
- 3. Log defects for failed Test Cases.
- 4. Regression is performed.
- 5. Run as many test cycles are required to complete the sprint.

VI. TEST ENVIRONMENT REQUIREMENTS

The test environment will be configured as shown below:

- 1. Production Environment (for the TEST PHASE 1) is not accessible to the general public yet.
- 2. Pre-PROD Environment (for TEST PHASE 2) is accessible only by the internal team and the selected community testers.
- 6. Testing is done using Chrome Browser
- 7. Testing devices:
 - Laptop with internet connection running Windows 10
 - iPhone XS Mobile Phone, connected to the internet, running iOS

VII. TEST DATA REQUIREMENTS

The data used for testing are:

- 1. Airports' IATA codes and access to the internal airport's database
- 2. Provided Google Account

Based on the provided data and the results of the test execution, the obtained data must be collected and documented for further reference. The two sprints are linked. The relationship between them will be tested and will be the foundation for the other features that need to be implemented in the future.

VIII. TESTING TOOLS AND TECHNIQUES

The following tools will be used for testing:

- 1. Jira as a management tool
- 2. Zephyr Scale as an addon for Jira to help the QA team on Test Cases
- 3. Latest Chrome Windows Version possible (e.g. 106.0.5249.119 Official Build)
- 4. Latest Safari iOS Version possible (e.g. 15.6 Official Build)

All testing will be done using the Blackbox testing techniques.

Requirements and Use Case Management

The user stories will be developed in Jira using the Scrum board.

Test Management and Defect Tracking

Test Cases will be developed in Jira using the Zephyr Scale extension. The test cycles will be created using Zephyr Scale. The defects will be reported to the Jira board.

IX. TESTING ROLES AND RESPONSIBILITIES

The following table shows the testing roles for the project, together with the individuals involved in the testing effort.

ROLE	NAME	RESPONSIBILITY
Test Manager	BAICU MARIANA DENISA	Test Plan Creation
Test Manager	BAICU MARIANA DENISA	Test Phase Plan Creation
Test Manager	BAICU MARIANA DENISA	Test Management
QA Engineers	BAICU MARIANA DENISA	Test Preparation, Execution & Results
QA Engineers	BAICU MARIANA DENISA	Test Defect Submission
Test Manager	BAICU MARIANA DENISA	Test Summary Reporting
Test Manager	BAICU MARIANA DENISA	Test Completion Reporting
Release Manager	INTERNAL RELEASE MANAGER	Test Environment Deployment

X. TEST MANAGEMENT

Overall responsibility for the Testing Project and the day-to-day Test Management will be on the Test Manager, BAICU MARIANA DENISA.

One of the key roles of the Test Management Team (QA Engineers & Test Manager) is to work closely with the Project Manager, Technical Lead & Lead Business Analyst to ensure that testing is integrated

and executed efficiently while attending recurrent meetings with them where all actions, issues, and risks are reviewed and progressed.

In addition, daily testing updates at the beginning of the day will be undertaken, whereby each tester will be required to state their progress (what they did yesterday, what they intend to do today, and any issues they have preventing them from progressing).

At the end of the Testing Phase (multiple sprints if needed), a Testing Review Board meeting will be arranged. The Testing Review Board (TRB) is a review board working within a project environment assembled from the key stakeholders and decision-makers for the project. It is designed as a mechanism to review readiness for testing, testing status, and make formal strategic project decisions on testing and portfolio management.

The Project Team (Test Management, Project Management, Business Analysis, and Development) will also attend a daily Defect Review Board meeting at the end of each day, whilst test executions are still in progress. The Defect Review Board (DRB) will assess errors and issues that arise during testing. The key purpose of the DRB is to prevent the testing from becoming distracted by low-priority issues that take them off the critical path. The DRB will carefully assess functional, technical, and data implications, as well as business impact.

XI. DEFECT MANAGEMENT

Final Diagram of Bug life cycle

Duplicate

Invalid

Close

Can't fix
Developer

T.E

Not
Re-test
Re-open

Not
Reproducible
Reproducible
REPRODUCIBLE
REQUEST for enhancement

Defect Management Process

Once a defect has been found by the QA Engineers (TEs), a report must be made and sent to the Business Analyst Lead (BAL) or the Technical Lead (TL). If the bug does not have a high level of severity and the team decides to work on it in the next sprint the defect will be relocated to the product backlog.

Defects reports must come with testing proof, screenshots, steps to be reproduced, and a severity level.

Defects found in each Sprint will have the following route:

- 1. **Discovery** will receive an ID number.
- 2. Categorization will have a status after review by the BAL or TL.
- 3. **Fixing the defect** the developers team will fix the defect.
- 4. **Verification** defect fixed will be tested again.
- 5. **Defect closure** after the fixing and verification defect will be closed.

XII. TEST SCHEDULE

TEST PHASE 1 (First Sprint)

The following table shows the high-level testing milestones for this page of the project:

STAGE	PROJECT MILESTONE	DUE DATE
Test Preparation Stage	Phase Test Plan document completed.	30.11.2022
Test Preparation Stage	Test analysis completed on the detailed requirements and technical documentation.	07.12.2022
Test Preparation Stage	Test Conditions/Cases/Scripts completed and signed off.	13.12.2022
Test Execution Stage	Execution of Test scripts completed.	28.12.2022

TEST PHASE 2 (Second Sprint)

The following table shows the high-level testing milestones for this page of the project:

STAGE	PROJECT MILESTONE	DUE DATE
Test Preparation	Phase Test Plan document completed.	30.11.2022
Stage	Thase rest han accament completed.	30.11.2022
Test Preparation	Test analysis completed on the detailed requirements and	07.12.2022
Stage	technical documentation.	07.12.2022
Test Preparation	Test Canditions/Cases/Serints completed and signed off	27.12.2022
Stage	Test Conditions/Cases/Scripts completed and signed off.	27.12.2022
Test Execution Stage	Execution of Test scripts completed.	11.01.2023

XIII. REFERENCED DOCUMENTS

DOCUMENT	DESCRIPTION	AUTHOR
Test Plan	The document provides information regarding what specific testing will be completed on the Project.	BAICU MARIANA DENISA
JIRA Board	JIRA Board	BAICU MARIANA DENISA
Zephyr Scale - Test Cases	Test Cases	BAICU MARIANA DENISA
Zephyr Scale - Test Cycles	Test Cycles	BAICU MARIANA DENISA

XIV. TERMS/ACRONYMS

TERM/ACRONYM	DEFINITION
Defect	Code error in a computer application that refers to the functional model configured/developed by the programmer; if the system does not function according to the business requirements and the functional and technical specification, a fault is initiated
Severity	It represents the degree of impact that a defect has on Business processes.
QA	Quality Assurance
AUT	Application Under Test
UI	User Interface
SDLC	Software Development Lifecycle

BAL	Business Analyst Lead
TL	Technical Lead
TE	QA Engineers
TRB	Testing Review Board
DRB	Defect Review Board