
Newsletter
newsletter_id <pi> Integer <M>
sent_date Date
total_subscribers Integer
catalogue_id Variable characters (20)
Relationship_17
newsletter_user
Relationship_18
address_type
type_id <pi> Characters (3) <M>
type_description Characters (10)
Relationship_2
categories
name Variable characters (20)
image Variable characters (50)
url <pi> Variable characters (50) <M>
product_options
option_id <pi> Integer <M>
weight Float
Relationship_22
Relationship_8
users
id <pi> Integer <M>
account_type Characters (3)
username Variable characters (64)
password Variable characters (64)
salt Variable characters (64)
name Variable characters (20)
email Variable characters (50)
phone Variable characters (15)
c_name Variable characters (20)
abn Variable characters (15)
newsletter Short integer
locked Short integer
registration_date Timestamp
Relationship_1
address
addr_id <pi> Integer <M>
line_1 Variable characters (15)
line_2 Variable characters (15)
street Variable characters (15)
city Variable characters (15)
c_postcode Variable characters (4)
state Characters (15)
products
product_url <pi> Variable characters (20) <M>
name Variable characters (20)
image Variable characters (50)
gst Decimal (4,2)
price Decimal (7,2)
weight_default Float
unit Variable characters (2)
stock Integer
description Text
low_stock Integer
high_stock Integer
qnt_sold Integer
Relationship_11
Relationship_13
order_line
quantity Integer
weight_default Float
Relationship_20
Relationship_10
payment
order_date Timestamp
type Variable characters (10)
paypal_id <pi> Variable characters (50) <M>
Relationship_14
orders
order_id <pi> Integer <M>
order_date Timestamp
total Decimal (7,2)
billing_address Integer
shipping_address Integer
paid Short integer
shipped Short integer
tracking_id Variable characters (15)
Relationship_5
shopping_cart_items
quantity Integer
weight_default Float
Relationship_12
Relationship_9
Relationship_15
discount
discount_id <pi> Variable characters (3) <M>
rate Decimal (4,2)
description Text
invoice
invoice_num <pi> Integer <M>
billing_addrress Integer
order_date Timestamp
Relationship_21
shipping_method
shipping_method_id <pi> Variable characters (4) <M>
description Text
price Decimal (7,2)
shopping cart
cart_id <pi> Variable characters (50) <M>
date_open Date & Time
last_saved Timestamp
date_closed Date & Time
active Variable characters (1)
Relationship_6
Relationship_19


Newsletter
newsletter_id int <pk>
sent_date date
total_subscribers int
catalogue_id varchar(20)
newsletter_user
id int <fk2>
newsletter_id int <fk1>
address_type
type_id char(3) <pk>
type_description char(10)
categories
name varchar(20)
image varchar(50)
url varchar(50) <pk>
product_options
option_id int <pk>
product_url varchar(20) <fk>
weight float
users
id int <pk>
account_type char(3)
username varchar(64)
password varchar(64)
salt varchar(64)
name varchar(20)
email varchar(50)
phone varchar(15)
c_name varchar(20)
abn varchar(15)
newsletter smallint
locked smallint
registration_date timestamp
address
addr_id int <pk>
type_id char(3) <fk2>
id int <fk1>
line_1 varchar(15)
line_2 varchar(15)
street varchar(15)
city varchar(15)
c_postcode varchar(4)
state char(15)
products
product_url varchar(20) <pk>
url varchar(50) <fk>
name varchar(20)
image varchar(50)
gst decimal(4,2)
price decimal(7,2)
weight_default float
unit varchar(2)
stock int
description text
low_stock int
high_stock int
qnt_sold int
order_line
product_url varchar(20) <fk2>
order_id int <fk1>
quantity int
weight_default float
payment
order_date timestamp
type varchar(10)
paypal_id varchar(50) <pk>
order_id int <fk2>
id int <fk1>
invoice_num int <fk3>
orders
order_id int <pk>
id int <fk1>
cart_id varchar(50) <fk2>
shipping_method_id varchar(4) <fk3>
order_date timestamp
total decimal(7,2)
billing_address int
shipping_address int
paid smallint
shipped smallint
tracking_id varchar(15)
shopping_cart_items
product_url varchar(20) <fk2>
cart_id varchar(50) <fk1>
quantity int
weight_default float
discount
discount_id varchar(3) <pk>
rate decimal(4,2)
description text
shopping cart
cart_id varchar(50) <pk>
discount_id varchar(3) <fk1>
id int <fk2>
date_open datetime
last_saved timestamp
date_closed datetime
active varchar(1)
invoice
invoice_num int <pk>
billing_addrress int
order_date timestamp
shipping_method
shipping_method_id varchar(4) <pk>
description text
price decimal(7,2)