Example index

accelerated life test, 346, 379
adaptive test, 187, 188
AIDS data, 1, 342, 369
air-conditioning data, 4, 15, 17, 19, 25, 27, 30, 33, 36, 197, 199, 203, 205, 207, 209, 216, 217, 233, 501, 508, 513, 520
Amis data, 253
AML data, 83, 86, 146, 160, 187
antithetic bootstrap, 493
association, 421, 422
autoregression, 388, 391, 393, 398, 432, 434
average, 13, 15, 17, 19, 22, 25, 27, 30, 33, 36, 47, 51, 88, 92, 94, 98, 128, 501, 508, 513, 516
axial data, 234, 505

balanced bootstrap, 440, 441, 442, 445, 487, 488, 489, 494
Bayesian bootstrap, 513, 518, 520
beaver data, 434
bias estimation, 106, 440, 464, 466, 488, 492, 495
binomial data, 338, 359, 361
bivariate missing data, 90, 128
bootstrap likelihood, 508, 517, 518
bootstrap recycling, 464, 466, 492, 496
block bootstraps, 398, 401, 403, 432
brambles data, 422
Breslow data 378

calcium uptake data, 355, 441, 442
capability index, 248, 253, 497
carbon monoxide data, 67
cats data, 321
caveolae data, 416, 425
CD4 data, 68, 134, 190, 251, 252, 254
cement data, 277
changepoint estimation, 241
Channing House data, 131
circular data, 126, 517, 520
city population data, 6, 13, 22, 30, 49, 52, 53, 54, 66, 95, 108, 110, 113, 118, 201, 238, 439, 440, 447, 464, 473, 490, 492, 513
Claridge data, 157, 158, 496
cloth data, 382
coal-mining data, 435
comparison of means, 159, 162, 163, 166, 171, 172, 176, 181, 186, 454, 457, 519
comparison of variable selection methods, 306
convex regression, 371
correlation coefficient, 48, 61, 63, 68, 80, 90, 108, 115, 157, 158, 187, 247, 251, 254, 475, 493, 496, 518
correlogram, 388

Darwin data, 186, 188, 471, 481, 498
difference of means, 71, 75
dogs data, 187
Downs' syndrome data, 371
double bootstrap, 176, 177, 224, 226, 254, 464, 466, 469
ducks data, 134

eigenvalue, 64, 134, 252, 277, 445, 447
empirical likelihood, 501, 516, 519, 520
empirical exponential family likelihood, 505, 516, 520
equal marginal distributions, 78
exponential mean, 15, 17, 19, 30, 61, 176, 224, 250, 510
exponential model, 188, 328, 334, 367

factorial experiment, 320, 322
fir seedlings data, 142
Frets' heads data, 115, 447

gamma model, 5, 25, 36, 148, 207, 233, 247, 376
generalized additive model, 367, 369, 371, 382, 383
generalized linear model, 328, 334, 338, 342, 367, 376, 378, 381, 383
gravity data, 72, 121, 131, 454, 457, 494, 519

handedness data, 157, 496
hazard ratio, 221
head size data, 115
heart disease data, 378
hypergeometric distribution, 487

importance sampling, 454, 457, 461, 464, 466, 489, 490, 491, 495
imputation, 88, 90
independence, 177
influence function, 48, 53
intensity estimate, 418
Islay data, 520
isotonic regression, 371

jackknife, 51, 64, 65, 317
jackknife-after-bootstrap, 115, 130, 134, 313, 325

K-function, 416, 422
kernel density estimate, 226, 413, 469
kernel intensity estimate, 418, 431

laterite data, 234, 505
leukaemia data, 328, 334, 367
likelihood ratio statistic, 62, 148, 247, 346, 501
linear approximation, 118, 468, 490
logistic regression, 141, 146, 338, 359, 361, 371, 376

Downloaded from https://www.cambridge.org/core. Universitaetsbibliothek TU Dortmund, on 13 Dec 2020 at 19:10:23, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511802843

log-linear model, 342, 369
lognormal model, 66, 148
low birth weights data, 361
lynx data, 432

maize data, 181,
mammals data, 257, 262, 265, 324
MCMC, 146, 184, 185
matched pairs, 186, 187, 188, 492
mean, *see* average
mean polar axis, 234, 505
median, *see* sample median
median survival time, 86
melanoma data, 352
misclassification error, 359, 361, 381
missing data, 88, 90, 128
mixed continuous-discrete distributions, 78
model selection, 304, 306, 393, 432
motorcycle impact data, 363, 365
multinomial distribution, 66, 487
multiple regression, 276, 277, 281, 286, 287, 298, 300, 304, 306, 309, 313

neurophysiological point process data, 418
neurotransmission data, 189
Nile data, 241
nitrofen data, 383
nodal involvement data, 381
nonlinear regression, 355, 441, 442
nonlinear time series, 393, 401
nonparametric regression, 365
normal plot, 150, 152, 154
normal prediction limit, 244
normal variance, 208
nuclear power data, 286, 298, 304, 323

one-way model, 276, 319, 320
overdispersion, 142, 338, 342

paired comparison, 471, 481, 498
partial correlation, 115
Paulsen data, 189
periodogram, 388
periodogram resampling, 413, 430
PET film data, 346, 379
phase scrambling, 410, 430, 435
point process data, 416, 418, 421
poisons data, 322
Poisson process, 416, 418, 422, 425, 431, 435
Poisson regression, 342, 369, 378, 382, 383
prediction, 244, 286, 287, 323, 324, 342
prediction error, 298, 300, 320, 321, 359, 361, 369, 381, 393, 401
product-limit estimator, 86, 128
proportional hazards, 146, 160, 221, 352

quantile, 48, 253, 352
quartzite data, 520

ratio, 6, 13, 22, 30, 49, 52, 53, 54, 66, 95, 98, 108, 110, 113, 118, 126, 127, 165, 201, 217, 238, 249, 439, 447, 464, 473, 490, 513
regression, *see* convex regression, generalized additive model, generalized linear model, logistic regression, log–linear model, multiple regression, nonlinear regression, nonparametric regression, robust regression, straight-line regression
regression prediction, 286, 287, 298, 300, 320, 321, 323, 324, 342, 359, 361, 369, 381
reliability data, 346, 379
remission data, 378
returns data, 269, 272, 449, 461
Richardson extrapolation, 494
Rio Negro data, 388, 398, 403, 410
robust M-estimate, 318, 471, 483
robust regression, 308, 309, 313, 318, 324
robust variance, 265, 318, 376
rock data, 281, 287

saddlepoint approximation, 468, 469, 471, 473, 475, 477, 481, 483, 492, 493, 497
salinity data, 309, 313, 324
sample maximum, 39, 56, 247
sample median, 41, 61, 65, 80
sample variance, 61, 62, 64, 104, 481
separate families test, 148
several samples, 72, 126, 131, 133, 519
simulated data, 306
smoothed bootstrap, 80, 127, 168, 169, 418, 431
spatial association, 421, 422
spatial clustering, 416
spatial epidemiology, 421
spectral density estimation, 413
spherical data, 126, 234, 505
spline model, 365
stationary bootstrap, 398, 403, 428, 429
straight-line regression, 257, 262, 265, 269, 272, 308, 317, 321, 322, 449, 461
stratified ratio, 98
Strauss process, 416, 425
studentized statistic, 477, 481, 483
sugar cane data, 338
sunspot data, 393, 401, 435
survival probability, 86, 131
survival proportion data, 308, 322
survival time data, 328, 334, 346, 352, 367
survivor functions, 83
symmetric distribution, 78, 251, 471, 483

tau particle data, 133, 495
test of correlation, 157
test for overdispersion, 142, 184
test for regression coefficient, 269, 281, 313
test of interaction, 322
tile resampling, 425, 432
times on delivery suite data, 300
traffic data, 253
transformation, 33, 108, 118, 169, 226, 322, 355, 418
trend test in time series, 403, 410
trimmed average, 64, 121, 130, 133
tuna data, 169, 228, 469
two-sample problem, *see* comparison of means
two-way model, 177, 184, 338

Downloaded from https://www.cambridge.org/core. Universitaetsbibliothek TU Dortmund, on 13 Dec 2020 at 19:10:23, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511802843

unimodality, 168, 169, 189
unit root test, 391
urine data, 359

variable selection, 304, 306
variance estimation, 208, 446, 464, 488, 495

Weibull model, 346, 379
weighted average, 72, 126, 131
weird bootstrap, 128
Wilcoxon test, 181
wild bootstrap, 272, 319
wool prices data, 391

Downloaded from https://www.cambridge.org/core. Universitaetsbibliothek TU Dortmund, on 13 Dec 2020 at 19:10:23, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511802843