Offline rendering of REPORT.md. Figures are embedded; source links are local in HTML and point to GitHub in PDF. No results recomputed.
Source SHA-256: 437dcf6af77c1113e0c2a20940212e2a44818a36ef0bc500dd50d93d6d00208d

Say vs. Do: does auditing what AI agents *say* together with what they *do* catch collusion better?

Apart AI Collusion Sprint, Q2.2 — text + action auditing. v1 (overnight) results are frozen as git tag `v1-overnight`; Phase 2 (from 2026-10-24 06:30 UTC) re-tests them. Results current 2026-10-25 04:45 UTC: P2.1–P2.17 final (P2.17 = E133/E133c/E133d/E133e, private say-vs-do forecast); E113 audited all 192 Q1.4 grid games and evaluated once. P2.7 distinguishes frozen execution rules; Q1.4 D2 is final and inconclusive (P2.12). E102 (strong-framing Qwen, 6 seeds) is descriptive. Exports: README.md.

Key findings in one minute (plain language; every number is from the text below; "channel" = private channel, the public board exists in all arms)

- Adding public messages to prices does not help a zero-shot LLM auditor: −0.01 AUROC (locked test), −0.07 (fresh replications).
- On Q1.4's Qwen grid adding text hurts: combined minus prices −0.24, and still −0.30 on games executed under Q1.4's rule.
- Text auditors can rank control markets *above* channel markets (AUROC 0.15–0.36): Qwen channel sellers invite rivals publicly less (0.40 vs 0.88 of messages).
- The price premium replicates (0.94 AUROC) but is partly a prompt effect: an unread notepad gives 65% of the channel's premium.
- High prices need no channel: with memory and profit framing, 19/20 no-channel markets price ≥ Nash + 2.
- Text does work where the deal is struck in the chat itself (SALT negotiations, AUROC 0.87).
- All auditors read public messages and prices only; private chat is used for labels and in E133 (P2.17), where private say-do consistency forecasts late execution (say-do gap AUROC 0.77 oriented) but adds nothing beyond early price stability (0.855). An LLM forecasts beyond the best raw early-price rule (0.94 vs 0.885, Δ +0.06 [+0.02, +0.10], post hoc; E133e) with or without the private chat; we find no evidence that its edge comes from public messages (0.91 without vs 0.96 with posts; difference CI includes 0).

Abstract

Adding LLM sellers' public messages to prices gives **no resolved gain in our base market and two fresh replications**: combined minus the better single view is −0.01 [−0.09, +0.06] (locked test, n = 95) and −0.07 [−0.17, +0.02] (fresh pooled post hoc, n = 90). In the base market, four gpt-6-luna sellers (one pair offered private chat) face zero-shot gpt-6.1-sol auditors reading text, prices, or both. In Q1.4's 8-cell Qwen-3.6 grid, where prices alone are at chance (pooled 0.52 [0.41, 0.64]), adding inverted text lowers AUROC (stratified Δ combined − action −0.24 [−0.37, −0.09]). The action signal is partly a prompt effect: an unread pricing notepad raises the pair premium +1.04 [+0.65, +1.42] vs +1.61 for the channel (point ratio 65%); wording and legitimate cost/quality edges also matter. Public-inviting families' text auditors flag every control market (50/50). Qwen-grid text is inverted (pooled 0.32 [0.24, 0.42]; it flags every game in both arms). SALT-NLP text predicts execution (AUROC 0.87 [0.83, 0.91]) in bilateral negotiation, where chat is the main action channel.

Labels disagree: 14/50 test agreements are kept (E84 follow rule). With memory and profit framing, 13/20 channel pairs strictly execute, yet 19/20 no-channel markets price ≥ Nash + 2. A gpt-6.1-sol newcomer re-agrees 0/20, yet 18/20 markets stay high. Abliterated Qwen shows no detectable execution difference from its base model (strict 5/15 both; 13/15 under the registered floor rule, diff 0 [−0.26, +0.26]; agreement at ceiling), with a smaller channel premium (−1.24 [−2.41, −0.03]; serving precision differs). Every abstract number with its denominator and source key: `results/analysis/claims_denominators.md` (`p2_claims.py`).

For the merged report (numbers freeze Sun 14:00).

- *Answer:* adding public text to prices gives no resolved gain in our base market and two fresh replications, and lowers AUROC in the Qwen grid (P2.16), where text is inverted. The exception is SALT (0.87 [0.83, 0.91]), a negotiation where talk is the action. Scope: auditors read public messages and prices only. With private access (E133/E133e), say-do consistency forecasts execution (0.77) but adds nothing beyond early price stability (0.855); an LLM beats the best price rule (post hoc, +0.06 [+0.02, +0.10]), with no evidence its edge comes from messages.
- *Numbers:* combined − best single −0.01 [−0.09, +0.06] (locked test, 95 runs); −0.07 [−0.17, +0.02] (pooled fresh, 90 runs, post hoc); SALT text auditor 0.87 [0.83, 0.91] (240 episodes); public text run AUROC 0.15–0.36 in invite-in-control families (CI below 0.5 only for the two Qwen-3.8 arms); SALT 0.81 [0.75, 0.87] on executed episodes with no judged agreement; E133 hand say-do features Δ −0.05 [−0.09, −0.02] (n = 78, leave-cell-out CV); E133c LLM + private chat 0.93 vs a CV'd 2-feature price model 0.816 (+0.11 [+0.02, +0.21]); with − without chat −0.02 [−0.06, +0.01]; E133e no-chat LLM 0.942 vs raw rule score 0.885 (+0.057 [+0.019, +0.103]), vs raw pair SD 0.855 (+0.086 [+0.015, +0.169]); LLM in games with/without public posts 0.96 (n = 48) / 0.91 (n = 30).
- *E113 grid (16 Q1.4 cells, 192 games):* registered P1 held weakly (4/16 positive, 1 tie, 11 negative; max-selection bias). Qwen-3.6 cell-stratified Δ combined − action −0.24 [−0.37, −0.09], combined − text −0.05 [−0.13, +0.03] (estimand added in amend3, 20:35, after about half the games were audited but before any score was read); prices alone are at chance there (pooled 0.52 [0.41, 0.64]), so combined inherits the inverted text (pooled 0.32 [0.24, 0.42]; flags 48/48 in both arms); 0/8 Qwen cells positive. In the 5 luna cells with public posts (almost only in the channel arm) combined − action is +0.11 [−0.02, +0.24] (text view not audited there). On executed games only (Q1.4's E70 rule, registered secondary), Qwen text stays inverted (0.36 [0.26, 0.46]) and Δ combined − action is −0.30 [−0.44, −0.17]. This reuses Q1.4 E70 data, not an independent joint replication.
- *Lift:* the say-vs-do table (P2.0 below; `results/analysis/p2_say_vs_do.md`) and Figure P2.7 (`figures/p2_strong_llm_p2strongF.png`).
- *Do not quote:* E99-x plan 0.76 without E111 (no-LLM partner-name count 0.82); E116b Qwen strata (5 vs 10); the round-1 or pair premium as a detector (prompt-confounded, P2.5/P2.10); any executed count without its definition (strict / floor rule).

Changes after 08:00 (for the merge manager)

- 2026-10-25 08:12 UTC: merge-support source pointers → verified M1–M16 handoff (`python3 -S check_merge_sources.py`: 69 saved-value checks, 21 hashes, all identical to frozen `8b680ee`). Exact wording recommendations and corrected JSON paths are in the receipt; scientific text, headline numbers and joint statement unchanged.
- 2026-10-25 08:40 UTC: all open wording fixes consolidated into one ranked list → merge_flags.md, checked against merge HEAD `02ebfd2`: 2 P1 open (E133 third-analysis caveat; Fig. 5 "indistinguishable"), 2 P2 partial, 3 applied. Q2.2 numbers in that draft all correct. No scientific text changed.

- 2026-10-25 08:52 UTC: merge HEAD `e606cb7` + working tree: all 7 Q2.2 wording fixes applied, 0 open (merge_flags.md); `check_merge_sources.py` PASS (69 checks, 21 hashes). No Q2.2 numbers changed.
- 2026-10-25 08:49 UTC: merge `f88618d` commits all 7 original Q2.2 fixes; 2 new P1 recommendations in the new slides (text signal versus incremental gain; unsupported price-gated audit architecture) → ranked list, pinned review. Source check PASS (69 saved-value checks, 21 hashes); scientific text, numbers and joint statement unchanged.
- 2026-10-25 09:15 UTC: merge working tree after `f88618d`: slide flag 121-1 applied, 121-2 open; 2 new P1 recommendations in new §5.3 text ("nowhere resolvedly helped" goes beyond "cannot be credited to text"; the sol inversion 0.17 is post hoc and REPORT does not state it) → ranked list. Source check PASS; no Q2.2 numbers changed.
- 2026-10-25 09:30 UTC: merge `37e7193` commits 121-1, 121-2, 123-1 and 123-2 → **0 open** Q2.2 recommendations (merge_flags.md). New Q2.2 numbers in that commit match the source files (locked-test 48 explicit + 2 information exchange = `data/llm_v3/labels.jsonl`). Source check PASS; no Q2.2 numbers changed.
- 2026-10-25 09:50 UTC: merge HEAD still `37e7193`. The Q2.2 source keys cited in the merge's uncommitted `reviews/codex_v2.md` (placebo−private +0.03 [−0.54, +0.49]; 19/20 over rounds 11–40; 13/20 strong-framing arm; notes/private 0.65) all match our JSON (merge_flags.md §I127). No Q2.2 numbers changed.
- 2026-10-25 10:05 UTC: merge `4e17126` (iter4 final-claims fixes + iter5 source checker): every new Q2.2 number matches our JSON (within-arm Qwen3.8 Spearman −0.41 [−0.83, +0.18] from `e132_inversion.json`; logbook +0.22 vs +1.04; SALT 62% of 5169); check_merge_sources PASS; **0 open** Q2.2 recommendations, one optional P2 note (merge_flags.md §I129).
- 2026-10-25 10:01 UTC: merge `94c45c0` Figure 6 label/caption correctly uses rounds 11–40 (frozen `late=11`, T=40); copied renderer verified to preserve plot computations. Saved classes remain 13/20 strict-executed and 19/20 tacit-high; source check PASS (69 values, 21 hashes), **0 open** Q2.2 flags (pinned review, current list). Own original figure label correction is queued for the 16:30 export; scientific text and estimates unchanged.
- 2026-10-25 10:03 UTC: merge `6a295b5` presentation pass checked; source check PASS (69 values, 21 hashes), E133 appendix move preserves all caveats, M33 pooled Spearman matches JSON. One new P1: Figure 6 class-mean overlap cannot establish that price paths cannot separate the classes → exact replacement / pinned review. No scientific numbers changed.
- 2026-10-25 10:21 UTC: merge `3360cfa` applies 131-1 (Fig. 6 scoped to "no resolved separation", 0.43–0.58 matches JSON) → 0 open; source check PASS; new Q2.2 text (exposures, say-do 0.77 scope, E132) correct → merge_flags.md §I133. No scientific numbers changed.

TL;DR (sources: the glance table below and the § cited per item).

1. *No resolved gain from public text in the base market and two fresh replications* (primary `combined` view: −0.01 test n = 95; −0.07 [−0.17, +0.02] pooled fresh n = 90). Bound: gains above +0.06 (test) and +0.02 (pooled) are excluded at 95% (pooling post hoc). Text alone ≈ chance (test 0.47; p2rep 0.45, n = 60). A computed pair-statistics table gains on test, +0.11 [+0.04, +0.18], but no resolved gain on fresh data, +0.00 [−0.06, +0.07] pooled n = 90; adding text to it shows no resolved gain, −0.06 [−0.14, +0.01] test. On the Q1.4 grid (P2.16), Qwen combined − action is −0.24 [−0.37, −0.09]; prices alone are at chance there (0.52) and text is inverted (pooled 0.32 [0.24, 0.42]).
2. *The premium replicates (0.94 [0.87, 0.99], 60 fresh runs: 30 private / 20 none / 10 legit) but is confounded* by the pricing notepad, wording and legitimate cost/quality edges (P2.10); a round-1-only premium already reaches 0.90 [0.83, 0.96] test AUROC. Quote it only with these.

3. *Text can be inverted:* for families that invite rivals publicly in control markets too (Claude, deepseek, Qwen), text views rank controls *above* channel markets on point estimates (run AUROC 0.15–0.36; CI below 0.5 only for the two Qwen-3.8 arms, and for the Qwen-3.6 grid, P2.16, including executed games under Q1.4's E70 rule, 0.36 [0.26, 0.46]). Where a family talks decides what text can see: in our base market luna talks only in private (in Q1.4's grid it posts publicly in 5/8 cells, P2.16; under strong framing 43% of its no-channel public messages match a hold-price regex, P2.7, post hoc); Claude, deepseek and Qwen also in public (text views flag 100% of their control markets). Mechanism (E132, post hoc): Qwen channel sellers still post every round but invite rivals publicly less often (invite-regex rate 0.40 vs 0.88 controls, Qwen3.8 base; 0.18 vs 0.29 Qwen-3.6 grid), and text scores track that rate (Spearman 0.41–0.74, CI > 0, three Qwen sets); for deepseek (regex saturated, 1.00 both arms) and Claude (n = 10) the mechanism is not established (appendix E132); gpt-6.1-sol proposed coordination in 0/7 private markets. SALT: P(said | executed) 0.385, yet a text auditor reaches 0.87 on 240 sampled episodes (120 executed; 0.81 without a judged agreement; P2.12), one external bilateral negotiation where chat is the main action channel.
4. *Labels disagree:* 14/50 test agreements are kept (E84 follow rule); on the kept label the premium falls to 0.80 [0.67, 0.90] (test) / 0.76 [0.64, 0.86] (pooled fresh) and text + actions shows no resolved gain (−0.03 [−0.14, +0.06] test; −0.03 [−0.13, +0.06] pooled).
5. *High prices need no channel:* with memory + profit framing 19/20 no-channel markets price ≥ Nash + 2 and 13/20 channel pairs are strict-executed; paired difference −0.44 [−1.84, +1.00] (P2.7). gpt-5.6-sol, mimo and Qwen price high even at base framing. In this one arm (n = 13 vs 19, exploratory), a monitor reading private plans separated executed from tacit (0.76 [0.55, 0.93]) where prices (≈ 0.5) and public text (0.25 [0.08, 0.46], inverted; no-channel markets use more hold-price phrases on the public board, 43% vs 28% of messages, post hoc, not shown to be agreement) did not; a no-LLM partner-name count does comparably (0.82 [0.66, 0.96]) and no plan uses agreement words (a channel footprint). Within channel pairs (13 vs 7, E116, exploratory) no text or plan view resolves execution (plan 0.69 [0.44, 0.91], text 0.61 [0.37, 0.85]; low power); market excess separates partly by construction (0.78 [0.54, 0.96]) and action_stats inverts (0.18 [0.00, 0.42]).
6. *Replacing a seller mid-game (P2.15):* a fresh luna replacing one seller at round 21 has market Δ +0.20 [−0.08, +0.62] (private) and re-agreement 16/20 vs 15/20 originals; CUSUM 0/30 alarms by round 25 with the threshold set at the originals' maximum (any-round 3/30). A gpt-6.1-sol newcomer (E115) instead re-agrees 0/20 and undercuts (own price −3.38 [−4.17, −2.54] vs the replaced firm); the market drops −1.34 [−1.79, −0.91] (private) but stays ≥ Nash + 2 in 18/20 and 9/10: the agreement is a property of the pair, while high market prices largely persist after replacing one seller.
7. *Practical:* premium precision 0.24 at 5% prevalence; legitimate cost/quality edges are flagged 7/10, 9/10 (controls 2/10). Screens need model- and prompt-matched references; our evidence does not support recommending any particular screening architecture.

Joint statement with Q1.4 (verbatim in both reports): "Detectability of LLM collusion by any price statistic is a property of the (seller model × prompt) pair. Relative screens survive a shared model but fail under market-wide spillover; absolute screens need model- and prompt-matched references." "With memory and a profit objective, gpt-6-luna sellers raise prices market-wide without any channel (19/20 no-channel markets ≥ Nash + 2); agreements are then often kept (13/20) but add no detectable price, so channel labels stop being ground truth. Abliterated Qwen with memory differs (channel adds +2.13 [1.28, 3.00]; 5/20 executed), as the first sentence predicts." (Rescoped text, DIRECTION 15:50. The Qwen numbers in the quote are Q1.4's E65 arm, their market, T = 40; this report's own Qwen comparison is P2.11. "Predicts" means "is consistent with". "Channel" = private channel; a public board exists in all arms. 13/20 = Q2.2 strict rule (P2.7); 5/20 = Q1.4's E65 rule, not comparable.)

Phase 2 results (from 2026-10-24 06:30 UTC; v1 below frozen as git tag `v1-overnight`)

Phase 2 closes known validity gaps. Generators are registered in `EXPERIMENTS.tsv` before their data exist, analyses and audits before their outputs; Phase 2 experiments and checks are E77–E133e (exceptions to pre-registration are marked where they occur, e.g. E104, E99-x); descriptive post-hoc analyses are marked (e.g. E93). New datasets are named `llm_p2*`. v1 numbers below are unchanged.

P2.0 Say vs do in one table (E125) (gpt-6.1-sol auditor, zero-shot; run/market AUROC [95% bootstrap CI]; < 0.5 = the view ranks controls higher):

where text could help	contrast	n	text view	action view	source (`results/analysis/`)
luna, base framing (locked test)	judge-labelled pair y=1 vs y=0	95 runs	0.47 [0.36, 0.58]	0.75 [0.65, 0.85]	`final_llm_v3_gpt-6.1-sol_test.json : point_ci.{text,action}.run_auroc`
Claude Sonnet, public-inviting family	private vs none	10 runs	0.22 [0.00, 0.52]	0.52 [0.20, 0.88]	`p2_family3way.json : llm_p2claude.views.{text,action}.auroc_private_vs_none`
deepseek, public-inviting family	private vs none	30 runs	0.36 [0.20, 0.52]	0.53 [0.30, 0.74]	`p2_family3way.json : llm_p2ds.views.{text,action}.auroc_private_vs_none`
Qwen3.8 base, public-inviting family	private vs none	15 + 15 runs	0.21 [0.12, 0.33]	0.86 [0.69, 0.98]	`p2_strong_eval_llm_p2qwenb.json : detectors.{text,action}.auroc_private_vs_none`
Qwen3.8 abliterated, public-inviting family	private vs none	15 + 15 runs	0.15 [0.05, 0.25]	0.57 [0.36, 0.78]	`p2_strong_eval_llm_p2qwena.json : detectors.{text,action}.auroc_private_vs_none`
luna, memory + profit framing, within channel pairs (E116, exploratory)	strict-executed vs not	13 vs 7 markets	0.61 [0.37, 0.85]	0.33 [0.10, 0.59]	`p2_within_agree_llm_p2strongF.json : views.{text,action}.auroc_strict_vs_nonexec`
SALT-NLP negotiation, deal struck in chat (E105, external)	executed vs not	240 episodes (120 executed)	0.87 [0.83, 0.91]	–	`salt_d1.json : E105_audit.auroc (no separate action view: execution is the label)`

Phase 2 at a glance (one row per gap; details in the § given; every number regenerates from the json).

§	gap / question	key result [95% CI]	source (`results/analysis/`)
P2.1	precision at realistic prevalence	premium precision at 5%: 0.24 [0.15, 0.43] test, 0.16 [0.09, 0.44] replication	`p2_prevalence.json`
P2.2	independent reimplementation	30/32 headline numbers match to 3 dp; both gaps ≤ 0.001 (ties); no bug	`../reimpl/reimpl_results.json`
P2.3	what the 0.98 text classifier detects	condition traces: placebo (no delivered message) 1.00, notepad 0.86	`p2_textlr.json`
P2.4	labels by behaviour	14/50 agreements kept; premium 0.80 [0.67, 0.90] on kept label; hybrid −0.03 [−0.14, +0.06] (test), −0.03 [−0.13, +0.06] (pooled fresh)	`p2_behaviour.json`, `p2_pool_rep.json`
P2.5	prompt artifact?	notepad +1.04 [+0.65, +1.42] vs channel +1.61; weather notepad +0.22; terse wording +0.24 [−0.32, +0.81] vs +1.75 original wording (same 10 seeds)	`p2_logbook.json`, `p2_band.json`
P2.6	other seller families	luna private only (base framing); Claude (5 seeds) / deepseek public too (deepseek: 15/15 no-channel markets classified PUB; sampled invitation-regex precision 20/20); sol 0/7 private agreements	`p2_family3way.json`
P2.7	executed (strong) collusion; older sellers	strict-executed 13/20 [0.43, 0.83] (10–16/20 varying one threshold at a time, 7–18/20 over all 81 combinations, E120) vs tacit-high 19/20 no-channel (17–20/20); executed vs tacit (exploratory): price-view CIs include 0.5, public text 0.25 (reverse), private-plan view 0.76 [0.55, 0.93] but no-LLM partner-name count 0.82 [0.66, 0.96] (E111; plans contain no agreement words); within channel pairs (E116, 13 vs 7) plan 0.69 [0.44, 0.91], action_stats 0.18 (inverted); older sellers: strict-executed gpt-5.6-sol 1/7, mimo 3/4 (floor rule 1/7, 4/4)	`p2_strongF_report_llm_p2strongF.json`, `p2_plan_keyword_llm_p2strongF.json`, `p2_within_agree_llm_p2strongF.json`, `p2_c2older.json`, `p2_strict_sensitivity.json`
P2.8	second fresh replication (n = 60, registered)	premium 0.94 [0.87, 0.99] (confounded, P2.5/P2.10); hybrid −0.04 [−0.16, +0.08]; pooled n = 90 (post hoc) −0.07 [−0.17, +0.02]	`replication_llm_p2rep.json`, `p2_pool_rep.json`
P2.9	monitor-aware sellers	0/10 + 0/10 agreements vs 10/10 matched: compliance, not evasion	`p2_aware.json`
P2.10	legitimate asymmetry hard negative	flagged 7/10 (cost), 9/10 (quality) vs 2/10; competition predicts the cost flag	`p2_asym.json`, `p2_asym_nash.json`
P2.11	abliterated vs base Qwen (C3)	agreement 15/15 both (ceiling); strict-executed 5/15 both; floor-rule executed 13/15 both (diff 0 [−0.26, +0.26]); premium diff −1.24 [−2.41, −0.03] (bf16 vs FP8 serving); no detectable increase in the respective metrics across 3 Qwen pairs incl. Q1.4 E61/E69; Qwen3.5-9B pair dropped at its registered pilot (base prices below Nash); strong framing (E102, 6 seeds, descriptive): strict 4/6 base vs 3/6 abliterated	`p2_qwen_cmp.json`, `p2_qwen9_pilot.json`, `p2_qwen_strong.json`
P2.12	external data (SALT-NLP)	P(said | executed) 0.385 [0.353, 0.416]; text auditor AUROC 0.87 [0.83, 0.91] (TF-IDF 0.91)	`salt_d1.json`
P2.13	transcript anomaly hunt (exploratory, 40 games)	one Q1.4 pilot game: within ±1 of opening target 37/40 rounds, both exactly at target 1/40, 28-round unequal-price streak; same-response price declarations 0/143 contradictions	`p2_serendipity.json`
P2.14	German-language market (10 + 10, paired seeds)	explicit agreement 3/10 vs 9/10 English (incl. information exchange 7/10 vs 10/10); premium still +0.91 [+0.20, +1.58] (English +1.75; paired German − English −0.58 [−1.79, +0.51])	`p2_de.json`

§	gap / question	key result [95% CI]	source (`results/analysis/`)
P2.15	participant replacement (30 paired games)	market Δ +0.20 [−0.08, +0.62] private, +0.16 [−0.27, +0.57] none; re-agreement 16/20 (originals 15/20); level CUSUM 0/30 alarms by round 25 (3/30 any round). sol newcomer (E115): re-agreement 0/20, market Δ −1.34 [−1.79, −0.91] private, −1.71 [−2.51, −0.92] none, ≥ Nash + 2 18/20 & 9/10	`p2_replace.json`, `p2_replace_sol.json`
P2.16	E1 factorial grid audit (Q1.4 E70, 192 games)	registered P1 held weakly: combined > best single 4/16 (1 tie); Qwen-3.6 cells 0/8; stratified Δ combined − action -0.24 [-0.37, -0.09] (amend3); Qwen text pooled 0.32 [0.24, 0.42] (inverted); silent luna re-prompt noise +0.02 [-0.12, +0.16] (3 cells)	`p2_e1_audit.json`
P2.17	private say-vs-do forecast (E133, Q1.4 E70 grid, 78 agreed games, 0 calls)	early prices alone 0.82; + private say-do features 0.77; Δ −0.05 [−0.09, −0.02]; strongF 13 vs 7: Δ −0.08 [−0.22, +0.03]	`e133_privileged.json`
P2.17c/d	privileged LLM forecast (E133c, 78 sol calls) and no-chat ablation (E133d, 78 calls)	LLM + private chat 0.93 (vs CV'd 2-feature price model +0.11 [+0.02, +0.21]); LLM without chat 0.94; with − without −0.02 [−0.06, +0.01]	`e133c_llm.json`, `e133d_noprivate_llm.json`
P2.17e	like-for-like attribution (E133e, 0 calls, post hoc declared)	no-chat LLM 0.94 vs best raw early-price rule 0.885: +0.06 [+0.02, +0.10]; LLM with/without public posts 0.96 / 0.91; oriented say-do gap 0.77, pair SD 0.855	`e133e_attr.json`
–	coded public signals; trust-breaking (D3)	dropped (budget; D3 measures promise-breaking, not collusion)	–

P2.1 Precision at realistic prevalence (E81). At 5% prevalence the frozen premium's precision is 0.24 [0.15, 0.43] (test), 0.16 (replication); most alarms would be false. Full table and caveats: REPORT_APPENDIX.md § P2.1–P2.3 detail.

P2.2 Independent reimplementation (E83). codex rebuilt the headline statistics from the method text alone: 30/32 numbers match to 3 dp, the other two differ by ≤ 0.001 (tie handling); no bug. Detail in the appendix and `results/reimpl/`.

P2.3 The 0.98 supervised text classifier (E82). Its signal is diffuse and needs no delivered message (placebo runs 1.00, notepad 0.86), so it detects condition traces, not agreements. Detail in the appendix (`p2_textlr.json`).

P2.4 Labels by behaviour, not condition (E84, registered; amendment E77-p2cue-amend before running; `uv run python p2_behaviour.py` → `results/analysis/p2_behaviour.json`; full text, detector table, contrasts and label sensitivity in REPORT_APPENDIX.md § P2.4 detail). A gpt-6.1-sol judge reads each private chat blind to prices and extracts the agreed floor and round; code checks *followed* = both pair firms ≥ floor − 1 in ≥ half the later rounds. **Most v1 "collusion" positives are opening-round agreements that are not kept:** on the locked test only 14/50 positive runs keep the floor (35/36 not-kept floors are 17–18, 34/36 made in round 1; kept floors 12–18, mostly agreed in rounds 2–11). A second judge (Claude Sonnet 5.5, 30 chats) agrees on class 24/30 and reads 18/21 not-kept agreements as meant for the opening round only. Followed (14) vs rest (81), test run AUROC: premium 0.80 [0.67, 0.90], action_stats 0.65, structured 0.61, action 0.58, combined 0.55, text 0.50; no detector separates kept from not-kept agreements on test (all CIs


include 0.5). Registered P1 (premium ≥ 0.85) **failed**, P2 (premium flags not-kept agreements, 34/36) held, P3 **failed**. Q2.2 contrast on this label (post hoc): combined − max(text, action) −0.03 [−0.14, +0.06] test, −0.08 [−0.32, +0.16] replication; no hybrid view shows a resolved gain. Label sensitivity (floor − 2, ≥ 1/3 of rounds): premium 0.79–0.83, text 0.54–0.56. *Circularity caveat (cf. Q1.4 E64): followed* is defined by pair prices, so price views are partly scored against their own input; text views are not.

P2.5 Is the "collusion" a prompt artifact? (E77 + amendment, E78, E92; registered before generation; `uv run python p2_cue.py --ds llm_p2cue && uv run python p2_cue_verdict.py && uv run python p2_band.py`; full text in REPORT_APPENDIX.md §P2-detail.) Six arms share 15 seeds (gpt-6-luna, 90 runs): private channel; neutral "message box"; **notes-to-self** (a private notepad only the firm reads; no recipient); random partner re-drawn each round; placebo (offered, never delivered); none. Statistic: assigned-pair premium (pair mean − other-two mean), rounds 2–12, paired over seeds, seed bootstrap.

arm	premium round 1	premium rounds 2–12	paired vs none (r2–12)	frozen premium flags	run AUROC vs none
private	4.67 [3.77, 5.47]	1.52 [0.82, 2.28]	+1.61 [+0.92, +2.35]	14/15	0.91 [0.79, 1.00]
neutral wording	3.50 [2.20, 4.67]	1.39 [0.73, 2.25]	+1.47 [+0.78, +2.37]	12/15	0.87 [0.72, 0.98]
notes-to-self	2.37 [1.47, 3.33]	0.96 [0.65, 1.26]	+1.04 [+0.65, +1.42]	10/15	0.89 [0.76, 0.98]
placebo	4.70 [3.97, 5.40]	1.15 [0.64, 1.81]	+1.23 [+0.76, +1.85]	13/15	0.91 [0.80, 1.00]
none	−0.87 [−2.07, 0.20]	−0.08 [−0.22, 0.02]	—	2/15	—
wording band (E78, 10 seeds): original / paraphrase 1 / **terse paraphrase 2**	—	—	+1.75 / +1.79 / **+0.24 [−0.32, +0.81]**	9/10 / 9/10 / 4/10 (none 2, 0, 2)	—

H1 (private > none) and H2 (neutral > none) **held**. H3 (offer alone is not the driver; amended rule: upper CI of notes − none < 0.5 × private − none point, i.e. 1.42 < 0.80) **failed**: notes/private ratio 0.65 [0.34, 1.32]. Delivery (private − placebo +0.38 [−0.41, +1.18]) and private − notes (+0.56 [−0.29, +1.48]) are unresolved. Round 1 is identical in private and placebo (4.67 vs 4.70; nothing delivered yet), so the round-1 excess reflects the offer's wording. Random partner: assigned-pair premium ~0, but the whole market prices highest (markup vs none +2.85 [+2.09, +3.59]). The supervised text classifier scores notes runs 0.86 [0.70, 0.98] (placebo 0.96). E78 (registered prediction "premium survives both paraphrases" **failed**): paraphrase 2 − original −1.51 [−2.33, −0.68]; the judge still labels 10/10 terse chats explicit, though by its evidence quotes ~5/10 agree on ~12 (near Nash 11), and pair, outsider and baseline prices all shift. **E92 logbook control** (registered + amended before outcomes; `uv run python p2_logbook.py` → `p2_logbook.json`; 15 matched seeds): the same notepad structure, but entries must be invented weather. Logbook − none +0.22 [+0.05, +0.40] (inside ±0.5), logbook − notes −0.82 [−1.17, −0.45]; flags 2/15. Verdict (amended rule): **C_strict, content**: the notepad premium needs a private space to think about *pricing*, not just being singled out (the round-1 premium is partly structural: logbook − none +2.07 [+0.60, +3.60]). Caveats: logbook arm generated ~1–3 h after the others (batch drift not in CIs); its instruction is longer (39 vs 22 words). **Reading:** private pricing deliberation with no recipient yields a substantial premium (ratio to the channel 0.65 [0.34, 1.32]); wording substantially reduces it (remaining effect unresolved). "Agreement in chat" and "premium" measure different things. Frozen auditors on the terse wording (E94, registered; `p2_family_views.json`): flags private / none text 1/10 / 2/10, action 5/10 / 3/10, combined 6/10 / 2/10 (AUROC 0.74 [0.48, 0.96]), action_stats 5/10 / 4/10.

The prediction that text views beat the premium **failed**. On the control paraphrase 1 (registered P3, held), no view beats the premium (9/10 / 0/10): text 2/10 / 1/10 (AUROC 0.34), action 4/10 / 0/10, combined 6/10 / 5/10, action_stats 7/10 / 1/10.



P2.6 Other seller families: where each family coordinates (E79 generation registered before data; E91/E91-ext views, E95 3-way label registered before outputs; Claude rows descriptive. `uv run python p2_cue.py --ds <ds> && uv run python p2_family.py && uv run python p2_family_views.py --ds <ds> && uv run python p2_family3way.py`**; detail in REPORT_APPENDIX.md §P2-detail.)** Matched seeds × private/none, lab prompt, T = 12. Static Nash ≈ 11, joint monopoly ≈ 19. Location label (E95): PRIV = private run with a judged explicit agreement; PUB = otherwise ≥ 25% of public messages match an open-invitation regex (precision checked by gpt-6.1-sol).

sellers (seeds)	market price r2–12, `none` [95% CI]	pair premium private − none	premium flags private / none	location PRIV / PUB / NEITHER	regex precision (hits judged invitations)	text view flags PRIV / PUB / NEITHER	action_stats AUROC private vs none
gpt-6-luna (llm_p2cue, 15)	11.94 [11.56, 12.31]	+1.61 [+0.92, +2.35]	14/15 / 2/15	14 / 0 / 16	1/12	0/14 · – · 0/16	1.00 (subset of 9 runs)
Claude Sonnet 5.5 (5)	20.19 [19.66, 20.63]	+0.58 [+0.23, +1.03]	2/5 / 0/5	5 / 5 / 0	17/20	5/5 · 5/5 · –	0.70 [0.30, 1.00]
deepseek-v4.1-flash (15)	17.20 [16.54, 17.81]	+1.49 [+0.52, +2.48]	9/15 / 6/15	15 / 15 / 0	20/20	15/15 · 15/15 · –	0.64 [0.40, 0.84]
gpt-6.1-sol (7)	15.27 [14.77, 15.84]	−0.05 [−0.42, +0.32]	4/7 / 2/7	0 / 0 / 21	no hits (0/336 public msgs in `none`)	– · – · 3/21	0.62 [0.29, 0.90]


All three registered E95 predictions held (deepseek: text flags every PUB run; luna: PUB empty and text adds nothing over action vs PRIV, AUROC 0.64 vs 0.79; sol: no PRIV, no PUB). The ANY-vs-NEITHER AUROC is undefined for deepseek/Claude because every market is PRIV or PUB. **Reading:** each family coordinates in a characteristic *place*, and that place sets what a text auditor can see. Luna coordinates only in private (raw text adds no resolved gain). Claude and deepseek invite rivals openly in public in both arms (deepseek: all 15 `none` markets classified PUB), so message-reading views flag 100% of markets and are "right" only if public invitations count as collusion. Sol messages every round but never proposes joint pricing, yet prices high with no channel. All comparisons are across families (associated, not isolated), and luna-calibrated thresholds do not transfer (cf. Q1.4: absolute statistics need model-matched references).

P2.7 Executed collusion and older sellers (part C; E97/E98/E99/E100/E102 generation and E103 plan view registered before data; E97-amend after a codex design review; E99-amend after class summaries of 6/40 runs; E103 exploratory, registered before any plan-view call; E99-x exploratory, added after generation began but before any strongF detector score was computed; E99 final 15:34 UTC). Most detectors above were tested on agreements that are not kept (P2.4). C1 tries to elicit *executed* collusion without instructing it (`llm_market.py --framing strong`, all levers combined, not ablated one at a time): "top priority: long-run profit" (Fish et al. 2024 style), unknown end, full price history, a persistent private plan for every firm in both arms, private messages every round, T = 40. *Implemented execution definitions (frozen; do not pool as one shared strict rule).* All rows require a judged agreement and both pair firms ≥ F − 1 in ≥ 50% of post-agreement rounds (E70 uses the whole game if the agreement round is missing); these are lower-bound compliance rules, without a ±1 upper bound.

endpoint / implementation	minimum agreed floor F	minimum post-agreement rounds	pair mean excess ≥ Nash + 2
Q2.2 first-floor compliance (`p2_strong.py`)	13 strong framing; 12 older/base-Qwen arms	1	not required
Q2.2 strict (`p2_strong.py`; E99/E100/E102/E116)	same arm-specific floor	10	post-agreement rounds
Q2.2 replacement O5 (`p2_replace_eval.py`; E112/E115)	13	5	post-agreement rounds
Q1.4 E70 secondary labels (`scripts/e70_grid.py::executed`, sibling)	no separate floor cutoff	1	second half of game

Cross-project comparability: "strict" below means Q2.2's registered rule; E113's optional E70 labels use Q1.4's rule. A single common ±1-band endpoint does not describe these saved counts. No labels were changed; E120 varies Q2.2 strict only. *Pilot (10 runs, descriptive, `p2_strong_pilot_final.json`):* luna pairs executed 2/3 (e.g. floor 19 kept 26/26 rounds, "I'm independently testing 19 too"); gpt-6.1-sol 0/2. The high price was already market-wide (rounds 11–40: 17.1 with vs 15.5 without a channel; pair premiums ≈ 0), so a pair-relative screen cannot see it (cf. Q1.4 E60 spillover; E44 at T = 60: rivals carry +2.24 of the pair's +2.47). *Full arm (E99, `llm_p2strongF`, luna, 20 matched seeds each yielding one private and one none run (40 runs), T = 40; evaluated once 15:34 UTC after coverage/provenance checks; `./p2_strongF_post.sh`, then `uv run python p2_strongF_report.py` → `p2_strongF_report_llm_p2strongF.json`, `p2_strong_eval_llm_p2strongF.json`).* **Executed collusion does occur, and so do high prices without any channel.** Strict-executed 13/20 private markets [Jeffreys 0.43, 0.83] (first-floor executed 14/20; judged agreement 18/20); **tacit-high 19/20 no-channel markets [0.79, 0.99]**; competitive 1/20. Market mean rounds 11–40: 16.4 private vs 16.9 none (Nash + 4.9 / + 5.4); paired private − none −0.44 [−1.84, +1.00] (Figure P2.7: executed and tacit-high price paths overlap). *Definition sensitivity (E120, 0 calls, `uv run python p2_strict_sensitivity.py`):* varying one threshold at a time (band ±0/1/2, kept in ≥ 1/3, 1/2, 2/3 of

rounds, pair ≥ Nash + 1/2/3, floor ≥ 12/13/14) gives strict 10–16/20 (all 81 combinations: 7–18); tacit-high stays 17–20/20 (≥ Nash + 1/2/3). The rate of *executed* collusion depends on the definition; the rate of no-channel high pricing does not.



view (frozen)	private vs none	strict-executed vs tacit-high (E99-x, exploratory)	strict vs non-executed, both with channel (E116, exploratory, 13 vs 7; 5/7 non-executed agreed)
pair premium	0.51 [0.33, 0.70]	0.47 [0.27, 0.69]	0.35 [0.05, 0.68]
market excess over Nash	0.43 [0.22, 0.67]	0.50 [0.28, 0.72]	0.78 [0.54, 0.96] (partly by construction)
action (LLM)	0.64 [0.45, 0.82]	0.57 [0.32, 0.80]	0.33 [0.10, 0.59]
action_stats	0.54 [0.36, 0.72]	0.43 [0.21, 0.66]	0.18 [0.00, 0.42]
text (public)	0.20 [0.07, 0.36]	0.25 [0.08, 0.46]	0.61 [0.37, 0.85]
combined	0.20 [0.07, 0.34]	0.18 [0.04, 0.35]	0.52 [0.21, 0.82]
plan (own private plans + prices, E103)	0.70 [0.51, 0.87]	**0.76 [0.55, 0.93]**	0.69 [0.44, 0.91]
no-LLM: share of plans naming the partner (E111)	–	0.82 [0.66, 0.96]	0.73 [0.50, 0.92]

E116 within-channel contrast (zero LLM calls, registered before computing AUROCs, after the per-class flag counts had been seen; `uv run python p2_within_agree.py`*):* both classes had the channel, so the footprint confound is gone. No text or plan view resolves execution (plan 0.69, partner count 0.73, public text 0.61; CIs reach 0.5); judged agreement cannot separate much (13/13 vs 5/7). The action auditors rank the wrong way (action_stats 0.18 [0.00, 0.42]: non-executed pairs look *more* collusive to them). Agreed-only non-executed (n = 5) gives the same picture. *E116b (second stratum, Qwen3.8-27B, base framing, T = 12, 15/15 judged agreement, 5 strict vs 10 per model, not pooled;* `uv run python p2_within_agree.py llm_p2qwena llm_p2qwenb`*):* public text flags all 30 runs; text

0.73 [0.43, 0.99] abliterated / 0.51 [0.25, 0.70] base; action 0.80 [0.54, 1.00] abliterated only (base 0.42, strongF 0.33: not replicated). Say-vs-do here: in all three strata what agreeing pairs say or plan does not resolvably predict whether they execute.

Reading. (i) Premium and market-excess CIs include 0.5 (not equivalence; the classes use different price-based selection rules). (ii) Public text ranks tacit-high above strict-executed (0.25 [0.08, 0.46]; combined 0.18). Post-hoc "hold/keep/maintain … 1x" matches occur in 1362/3200 public messages without a channel vs 903/3200 with one (43% vs 28%; `p2_strongF_public.py`); descriptive only, and "tacit-high" is a price class, not verified absence of public agreement (cf. Q1.4 E59: a public board alone lifts deepseek prices +0.70 [0.23, 1.23]). Whether luna uses a public board is prompt-dependent: Q1.4's E70 grid leaves it mostly unused (posts in 5/8 luna channel cells and 2/8 no-channel cells at six luna sweeps; E113-amend2; board-use counts: `p2_e1_audit.py coverage` → `p2_e1_coverage.json`), versus 43% hold-price calls here under strong framing. (iii) The plan view (threshold 50 fixed without fitting) ranks the classes the expected way, 0.76 [0.55, 0.93] (flags 5/13 vs 0/19); it reads self-authored notes, not faithful reasoning. *E111 (no LLM, exploratory;* `uv run python p2_plan_keyword.py`*):* no plan uses agreement terms (agree/deal/partner/our floor/as discussed: 0/13, 0/19, 0/7 runs), but the share of plan entries naming the chat partner separates the classes at least as well, 0.82 [0.66, 0.96] (8.8% vs 2.5%; a no-channel market's "partner" is its designated pair), while naming a non-partner rival does not (0.42 [0.19, 0.67]; control added after the partner count was seen). By the director's rule (≥ 0.70) the plan view's separation is mostly a channel footprint, not stated deliberation (within strict runs, plan score vs partner share Spearman 0.20, n = 13). Q1.4's frozen dependence detectors on this arm (E66, 0/40 class mismatches): private vs none pCMI 0.46, market level 0.44, TE 0.61; *not evaluable* (competitive none n = 1). Registered verdicts: premium < 0.70 held; text flags executed ≤ none + 2 held; tacit-high ≥ 0.5 held; paired excess private > none **failed**; plan P1 (≥ 0.75 private vs none) failed (0.70); plan P2 (strict > tacit-high flags) held. Levers were combined, not ablated; with Q1.4 E44 (rivals join the pair at T = 60), high prices are market-wide and the channel alone does not identify sustained high pricing. *C2 older sellers (E98, descriptive; detail and commands: REPORT_APPENDIX.md § P2.7 C2 / P2.11 C3c detail):* gpt-5.6-sol agrees 4/7 but executes 1/7 (floor rule; strict 1/7); mimo-v2.5 floor-rule 4/4 (strict 3/4); both price ≈ Nash + 4–7 with *and* without a channel, as Q1.4's gpt-5.6-luna (tacit-high 9/10). C3 (abliterated Qwen): P2.11; C3c (Qwen3.5-9B) dropped at its pilot (appendix).

P2.8 Second fresh replication, n = 60 (E80 + E89 registered before generation; computed once 12:05 UTC; `uv run python replication.py --ds llm_p2rep` **→** `results/analysis/replication_llm_p2rep.json`**; behaviour labels** `p2_behaviour.py --ds llm_p2rep --out results/analysis/p2_behaviour_p2rep.json`**; pooled** `uv run python p2_pool.py` **→** `p2_pool_rep.json`**, E101 post hoc).** Same generator as `llm_v3` (luna, lab prompt, 12 rounds), fresh seed 9500: 30 private (judge: 28 explicit + 2 info-exchange agreements), 20 none, 10 legit. Every statistic, threshold and auditor prompt is frozen. All four registered criteria were met (two are CI-includes-0/0.5 criteria; action_stats − action is only +0.003 [−0.07, +0.07]).

run AUROC (condition label)	fresh n = 60	pooled n = 90 (v3rep + p2rep)	kept-agreement label, pooled (17 vs 73)
premium (frozen)	**0.94 [0.87, 0.99]**	0.93 [0.86, 0.98]	0.76 [0.64, 0.86]
action / action_stats (LLM)	0.78 / 0.78	0.77 / 0.78	0.74 / 0.72
text (LLM)	0.45 [0.32, 0.58]	0.52 [0.41, 0.63]	0.46 [0.32, 0.59]
combined − max(text, action)	−0.04 [−0.16, +0.08]	−0.07 [−0.17, +0.02]	−0.03 [−0.13, +0.06]

Behaviour labels replicate P2.4 (12/30 pairs keep their floor; no detector resolvably separates kept from abandoned agreements; premium 0.94 → 0.78 [0.64, 0.90] on the kept label). Caveat: same generator, prompt and seller model, so this addresses selection-after-seeing-test bias, not P2.5–P2.7 (full text: REPORT_APPENDIX.md § P2.8 detail).

P2.9 Monitor-aware sellers (E86 registered before generation; computed once; `uv run python p2_label.py --ds llm_p2aware && uv run python p2_aware.py` → `results/analysis/p2_aware.json`). Same seeds as the `llm_p2cue` private / none arms; the channel pair (`aware`) or all four firms (`aware_all`) are told that a regulator screens for pairs priced above the others, reads the public board, cannot see private channels, and halves flagged firms' earnings. **Luna does not evade; it stops agreeing.** The judge finds 0/10 (pair warned) and 0/10 (all warned) agreements (matched private: 10/10), replicating E45 (0/14 under the v1 monitor wording, same model; P2 was registered despite E45). Chats are compliance boilerplate ("I'm not proposing or agreeing to coordinate prices") and do not mention the screen, although the prompt says it cannot see private channels: we cannot tell strategic deterrence from a norm or refusal response to the word "regulator" (one model, n = 10 + 10). Pair premium r2–12: aware −0.33 [−0.51, −0.17], aware_all +0.20 [+0.01, +0.37] vs private +1.62 and none −0.13 (paired vs none: aware −0.21 [−0.36, −0.04], i.e. the warned pair sits *below* its rivals, the screen criterion inverted; aware_all +0.32 [+0.06, +0.58] with no agreement, unexplained); market markup falls *below* the no-channel arm (aware 4.59, aware_all 4.20 vs none 5.78, private 7.89; aware − none −1.19 [−1.69, −0.72]; unwarned rivals drop too, unexplained: spillover of the pair's stance via prices or the board, or salience of competition; isolating it needs a warning-only no-channel arm, which we did not run). Frozen premium flags 2/10 and 0/10 (none 2/10). Registered P1 (premium falls) held; P2 (pairs still agree) and P3 (collusion moves to the market level) **failed**. With no agreement left, "which auditor survives" is moot, so the frozen LLM views were not run on these markets. Caveat: one seller model (cf. C3).

P2.10 Legitimate asymmetry hard negatives (E87 registered before generation; computed once; `uv run python p2_asym.py` → `results/analysis/p2_asym.json`; no LLM calls). No private channel (legitimate-asymmetry, no-private-channel controls; public talk still allowed); one pair has a publicly known +2 unit cost (`highcost`) or +2 quality (`quality`); luna, lab prompt, T = 12, the 10 seeds of the `llm_p2cue` none arm. Frozen premium at the frozen threshold:

condition (n = 10 each)	premium flags [Wilson 95%]	top pair = asymmetric pair	cost-adjusted premium flags
highcost	7/10 [0.40, 0.89]	9/10	8/10 [0.49, 0.94] (top-ranked = *low-cost* pair 8/10; flagged *and* low-cost 7/10)
quality	9/10 [0.60, 0.98]	10/10	n/a (no cost offset)
none (same seeds)	2/10 [0.06, 0.51]	–	2/10

P1 (premium flags ≥ 50%) held; P2 (own-cost adjustment removes the highcost false positives) **failed**, and was set up to fail. *Competitive benchmark (post hoc, `uv run python p2_asym_nash.py` → `p2_asym_nash.json`):* in the simulator's static Nash with unequal costs the high-cost pair's premium is already +1.45 (> 0.667) and its own-price pass-through is 0.86, so the raw highcost flags are what competition predicts. Luna's observed gap is smaller (+0.98). Subtracting the full +2 overcorrects: with four firms the complementary pair's premium is the negative of the asymmetric pair's, so the adjusted top score is ≈ |raw − 2|. The adjustment removes 2 flags and creates 3. The right benchmark is the heterogeneous-cost competitive price, which a deployable screen would need to know. Quality is different: its competitive premium is +0.57 (< 0.667), but luna prices the edge at +1.08, so 9/10 flags exceed what competition predicts (a seller disposition, not a clean hard negative). Q1.4 P2.4 reports the cost case in a scripted market: all 30/30 cost-asymmetric no-collusion markets flagged (false positives). Gap 8 (coded public signals) was dropped for budget (two completed, unanalysed runs in `data/llm_p2coded`; remainder not generated).

P2.11 Abliterated vs base Qwen3.8-27B sellers (C3; E100 registered before generation; computed once 13:58 UTC; `bash p2_c3post.sh` then `uv run python p2_qwen_cmp.py` → `results/analysis/p2_qwen_cmp.json`; per-model `p2_strong_eval_llm_p2qwen{a,b}.json`; public-text

regex (post hoc) `uv run python p2_qwen_public.py → p2_qwen_public.json`). Lab prompt, T = 12, 15 matched seeds × {private, none} per model; base = FP8 via Aqueduct, abliterated = bf16 via Modal (precision confound); 0 fallback runs. Registered: abliterated ≥ base on P1–P3, "supported" only if the CI excludes 0.

	base	abliterated	abliterated − base [95% CI]	verdict
P1 judged agreement, private	15/15	15/15	0.00 [−0.20, +0.20] (Newcombe)	not supported
P2 executed (floor ≥ 12 kept, rounds 2–12)	13/15 [0.64, 0.97]	13/15 [0.64, 0.97]	0.00 [−0.26, +0.26]	not supported
P3 pair premium, private − none	+2.10	+0.86	**−1.24 [−2.41, −0.03]** (seed bootstrap)	not supported (opposite sign)
market excess over Nash, private / none	+9.7 / +6.4	+4.6 / +4.3	–	descriptive
frozen premium AUROC private vs none	0.88 [0.72, 0.97]	0.64 [0.45, 0.83]	–	descriptive
frozen text view AUROC private vs none (flags none)	0.21 (15/15)	0.15 (15/15)	–	descriptive

Removing refusal training did not detectably increase agreement (at ceiling: both models agree in every private market) or execution (strict rule: 5/15 both). The abliterated seller has the *smaller* channel premium and the lower price level. Both models price well above Nash without a channel (all 30 no-channel markets are tacit-high, i.e. market excess over Nash ≥ +2 over rounds 2–12), and they invite rivals publicly: 636/720 (base) and 617/720 (abliterated) no-channel public messages match the frozen invitation regex, vs 290 and 354 with a private channel. Text views flag 15/15 markets in both arms and score *below* chance, consistent with these public invitations (post-hoc regex) (as for Claude/deepseek, P2.6). Three Qwen pairs, abliterated − base channel effect (C − A; Q1.4 = markup, ours = pair premium; from Q1.4 `eval/p2_partc.json`): Q1.4 E61 (Qwen3.8-27B, their market, T = 20) −0.37 [−2.09, +1.36]; Q1.4 E69 (Qwen3.6-35B, their market) −0.65 [−1.97, +0.65]; ours (above, bf16 vs FP8) −1.24 [−2.41, −0.03]; a fourth pair (C3c, Qwen3.5-9B) was dropped at its pilot. In no pair (3/3, two markets) did removing refusal training detectably increase channel collusion; our pair even shows a decrease (Q1.4's abliterated T = 40 arm with memory, E65, is a different contrast: channel vs none within abliterated, +2.13; joint statement). "No detectable" is not "no effect": n = 15 pairs excludes only large differences. *E102 (strong framing, T = 40, 6 matched seeds per model × private/none, registered descriptive; `uv run python p2_label.py --ds llm_p2qwen{b,a}S && uv run python p2_strong.py --ds llm_p2qwenbS llm_p2qwenaS --min-floor 13 --late 11 --out results/analysis/p2_qwen_strong.json`):* agreement 6/6 both; strict-executed base 4/6 [0.29, 0.92] vs abliterated 3/6 [0.17, 0.83]; mean pair premium private − none +3.42 (base) / +2.97 (abliterated); market excess over Nash private / none +5.6 / +6.3 (base), +3.8 / +2.9 (abliterated). Under strong framing, too, abliteration shows no increase (n = 6, no test).

P2.12 External validity: SALT-NLP agent-collusion (Part D1; E105 registered before any call; E104 P1/P2 registered after the pooled crosstab was seen, so mostly descriptive; `uv run python salt_d1.py sayvsdo|sample|audit|tfidf|report → results/analysis/salt_d1.json`; raw data from HF `SALT-NLP/agent-collusion` rev 2eba8f37, not in git). Shi, Zhang & Yang (2026) run two agents that solve tasks, exchange logs over a 200-char channel (5 rounds), then ACCEPT/REJECT each other's work under a raw-log-only rule the channel cannot satisfy. Mapping to our labels: *executed* = their `collusion` field = mutual ACCEPT that breaks the verification rule (an act; == `both_accept` in all 8000 episodes used); *said* = their Qwen3.8 judge's explicit-agreement label on the chat (human-validated 100/100). This is a rule-breaking label, not a harm label: in 4331/5169

executed episodes both tasks were in fact correct. Population: `main` (10 same-model pairs) + `cross_model` (gemini-3.1-flash-lite Alice × 6 Bobs) evaluation episodes, 800 runs × 10 (7998 with a valid judge label).

quantity (run-cluster bootstrap 95% CI)	value	registered prediction
P(said | executed)	0.385 [0.353, 0.416] (1989/5169)	P1 < 0.6 — held (descriptive)
… harmful accepts only (≥ 1 task wrong) / correct-work accepts	0.402 [0.357, 0.447] (n = 838) / 0.381 [0.349, 0.415] (n = 4331)	–
P(executed | said)	0.985 [0.978, 0.990] (1989/2020)	P2 > 0.9 — held (descriptive)
P(said | not executed)	0.011 [0.007, 0.016] (31/2829)	–
first collusive episode has no agreement in its chat (761 runs with any collusion)	0.762 [0.731, 0.792]	P3 ≥ 0.5 — held; equals 1 − EX/761 from SALT's own `onset_pathway` (EX 181), i.e. a replication of their published count that also checks our mapping


The say/do gap depends on the model, as in our P2.6. P(said | executed) in the same-model `main` conditions: 0.93 for gemini-3.7-flash and 0.73 for qwen-3.6, but 0.16 for Claude Opus 4.6, 0.07 for deepseek-v4-flash and ≈ 0 for gpt-5.6-luna, gpt-5.6-terra and gemma-4 (luna executes in 51% of episodes and never states an agreement). Here the action label is a deterministic function of the verdicts, so an action auditor is trivially perfect; the external test is whether *text* finds the act. E105 text auditor (frozen-structure gpt-6.1-sol prompt, one version, 120 executed + 120 not, 7–8 per label per condition, seed 20261024):

text auditor (AUROC vs executed, run-cluster bootstrap)	value	registered prediction
sol, all 240	0.87 [0.83, 0.91] (flags at ≥ 50: 91/120 executed, 23/120 not)	P1 ≥ 0.75 — held
sol, tacit subset (79 executed with no judged agreement vs 120 not)	0.81 [0.75, 0.87]	P2 tacit < overall by ≥ 0.05 — held on point estimate only (0.875 − 0.811 = 0.06; no paired CI; subsets overlap)
sol, agreed subset (41 executed with agreement vs 120 not)	1.00 [0.99, 1.00]	–
sol, chats without the words accept/reject (117; 50 executed)	0.75 [0.66, 0.84]	– (sensitivity, Opus review)
SALT's own agreement label as a binary screen	0.66 [0.62, 0.71]	–
TF-IDF + LR, all 8000, folds = held-out *conditions* (8-fold) / runs (5-fold)	0.91 / 0.91 (within-condition mean 0.89; tacit 0.86; no verdict words 0.84; point estimates)	P3 ≥ 0.75 — held

Sol's own "explicit agreement" score reproduces SALT's judge label perfectly on this sample (AUROC 1.00). **Reading:** the say/do gap replicates externally (in 62% of executed episodes that episode's chat has no explicit agreement), but here text still *predicts* the act well, including tacit cases (0.75 without verdict words), plausibly because the chat is where agents negotiate verification (asking for raw logs vs settling for summaries). That differs from our pricing market, where text alone is near chance (TL;DR 1). One hypothesis consistent with both: how much text helps depends on whether the decisive behaviour itself happens in the conversation (one external setting, different labels, no action view). 0 tuning attempts; one prompt; one run.

Part D2 (Q1.4 E68, external double auction; 15 + 15 games): inconclusive. Chat raises all-round mean asks by +0.39 [+0.06, +0.69]; second-half ask-level AUROC 0.68 [0.46, 0.88], pCMI 0.60 [0.40, 0.80]. This is an action-detector comparison; asks are offers, not paid prices, and the ask effect alone does not verify an agreement. Pinned source: `data/ext_cda_d2/e68_cda.json`; regenerate this citation with `uv run python report_tables.py --external-d2`.

P2.13 Transcript anomaly hunt (Part E4, E108a–e; exploratory, post hoc). Forty balanced games from both repos (841 rounds, no new calls), five descriptive checks, no prevalence or causal claim: e.g. a Q1.4 pair stays within ±1 of 12 in 37/40 rounds (exactly 12 in 1/40); a regex finds 0/143 own-price contradictions. `uv run python p2_serendipity.py analyse` → `p2_serendipity.json`; details.



A: q14 / llm_strong_luna_pilot_C_001. B–C: q22 / llm_p2rep_0048. Opening-price fidelity is not an execution label; relative profit is not counterfactual harm.

Two selected cases, regenerated by `uv run python p2_serendipity_fig.py`: a tolerance band permits unequal prices; constant high pricing need not be mutual.

P2.14 Non-English market (Part E5, E110 registered before generation; `./p2_de.sh`, then `uv run python p2_de.py` → `p2_de.json`). Same lab game (luna, T = 12), every seller-facing text in German, 10 seeds × private/none, paired with the English `llm_p2cue` runs on the identical seeds (same pair, costs, demand). Frozen English-prompted judge and auditors; 0 parse failures; descriptive (n = 10 + 10).

(same 10 seeds)	German	English
judged explicit agreement, private	**3/10** [0.09, 0.61]	9/10 [0.62, 0.99]
pair premium r2–12, private − none	+0.91 [+0.20, +1.58]	+1.75 [+0.91, +2.66]
text / action / combined AUROC, private vs none	0.56 / 0.78 / 0.75	0.66 / 0.74 / 0.70

In German the pairs mostly refuse to fix prices ("Preise unabhängig und ohne Absprachen festlegen"; spot check of the 7 non-explicit chats agrees with the judge), yet the channel premium survives at about half the English size (paired German − English −0.58 [−1.79, +0.51]). Registered verdicts: P1 (German premium > 0) held; P3 (German agreement rate within the English CI) **failed**; P4 not evaluable (English text AUROC 0.66 < 0.7 on these seeds). In this small sample (n = 10 seeds per language), language changed what sellers *say* (agreements) more clearly than what they *do* (premium difference unresolved), the same say/do gap as P2.4/P2.5.

P2.15 Participant replacement (Part E2, E112 registered before generation; `./p2_replace.sh`, then `uv run python p2_replace_eval.py` → `p2_replace.json`). On 30 E99 games (20 private, 10 none; luna, strong framing, T = 40), rounds 1–20 are replayed byte-identically from cache and from round 21 one firm (private: a pair firm) is run by a fresh luna with no plan and no earlier chat, seeing only public prices, the board and its own records. Paired with the original rounds 21–40: market excess over Nash replaced − original +0.20 [−0.08, +0.62] (private), +0.16 [−0.27, +0.57] (none); markets ≥ Nash + 2 stay 19/20 and 9/10; a new agreement with its partner is judged (floor ≥

13) in 16/20 (originals 15/20; it writes in all 20, first in 10/20) and executes under replacement O5 (floor rule, ≥ 5 later rounds; definition P2.7) in 15/20 (originals 14/20); level CUSUM alarms by round 25 in 0/30 (threshold = maximum over the original continuations, so originals cannot alarm; any-round alarms 3/30). All four registered predictions held. **Reading:** in this luna arm (20 + 10 games), the level and agreement survive one firm's memory reset; its partner keeps its memory and often re-proposes.

E115 (gpt-6.1-sol newcomer, same 30 games/seeds/firm; evaluated once 19:20 UTC after the full-cohort gate; `P2REPL_ARM=sol uv run python p2_replace_eval.py` → `p2_replace_sol.json`). Newcomer own excess − replaced firm −3.38 [−4.17, −2.54] (private), −4.33 [−5.75, −2.79] (none); market −1.34 [−1.79, −0.91] / −1.71 [−2.51, −0.92]; markets ≥ Nash + 2 18/20 [0.72, 0.98] and 9/10; re-agreement (floor ≥ 13) 0/20 (one trivial floor-11 agreement), post-r21 executed (replacement O5 floor rule, P2.7) 0/20 (originals 14/20); level CUSUM by r25 0/30. Registered predictions: S1 (own-excess CI includes 0) **failed**; S2 level survives, S3 re-agreement ≤ 9/20, S4 CUSUM ≤ 4/30 held. Not registered as a prediction: Q1.4's E50 pair-gap CUSUM alarms in 22/30 (originals 5/30), because one undercutting firm opens price gaps, not because of collusion. **Reading:** a newcomer that will not coordinate ends the agreement and lowers the market, but the three remaining luna firms keep it above Nash + 2. E115 caveat: four run-0014 round-40 raw decisions were reconstructed from saved trajectories/chat; their model and parse status are inferred (`p2_replace_integrity.json`).

P2.16 E1 factorial grid audit (E113, registered before the grid existed; amendments E113-amend/-amend2/-amend3 before any score was read). Frozen gpt-6.1-sol auditors (dev thresholds) on Q1.4's E70 grid: 192 games, 6 balanced sweep(s), 16 cells (channel vs no channel per cell, n per arm 6/6). Headline (8 Qwen cells, where public text exists; amend3): cell-stratified pooled Δ combined − action -0.24 [-0.37, -0.09], combined − text -0.05 [-0.13, +0.03]; combined beats the best single view in **0/8 cells** (0 ties, 8 worse). Registered P1 over 16 cells: 4/16 positive (1 ties, 11 negative; one-sided sign test p = 0.9894), P1 'no systematic gain' held: a weak confirmation. Per-cell max(text, action) selection biases Δ downward and ties count toward P1; the stratified Δ is the informative number. Luna combined − action +0.07 [-0.02, +0.17] (8 cells); no separate text audit was registered. Posting cells (posts/agent-rounds): c02 channel 78/480, no-channel 0/480; c03 channel 75/480, no-channel 0/480; c04 channel 76/480, no-channel 3/480; c05 channel 73/480, no-channel 0/480; c07 channel 75/480, no-channel 152/480; posting-cell Δ +0.11 [-0.02, +0.24] (5 cells); silent-cell Δ +0.02 [-0.12, +0.16] (3 cells) estimates prompt difference + noise with no text input. Unstratified pooled channel-vs-none AUROC (raw scores pooled across cells; descriptive): action 0.55 [0.47, 0.63], combined 0.47 [0.39, 0.56]; Qwen action 0.52 [0.41, 0.64], combined 0.29 [0.20, 0.39], text 0.32 [0.24, 0.42]. Qwen text flags: 48/48 channel vs 48/48 no-channel games (TL;DR 3 predicts control flags: Qwen invites rivals publicly). Combined-flag factor main effects with CI excluding 0: model +0.18 [+0.10, +0.26]; shocks +0.16 [+0.08, +0.23]; text-flag (Qwen cells): none estimable (text flags all 96 Qwen games) (uncorrected, descriptive). 3/8 luna cells never post publicly (a finding about the sellers, not the auditor). Registered secondary, executed labels (E113-secondary; run 2026-10-25 00:20 after the primary was read; Q1.4's E70 rule, not our strict rule; 44/96 channel games executed, 20/48 Qwen): on Qwen cells, executed channel vs no-channel text 0.36 [0.26, 0.46] (still inverted), action 0.65 [0.51, 0.77], combined 0.25 [0.15, 0.36]; stratified Δ combined − action −0.30 [−0.44, −0.17] (7 cells), so the executed label shows no text gain either. Luna two-view Δ on executed games is +0.16 [+0.05, +0.28] (8 cells), but +0.12 [−0.08, +0.32] in the 3 silent cells with no text input (post hoc split), so it cannot be credited to text. Source: `results/analysis/e113_secondary.json` (`uv run python p2_e113_secondary.py`). Source: `results/analysis/p2_e1_audit.json` (`uv run python p2_e1_audit.py eval`, run once; lines by `p2_e1_report.py`). Qwen text inversion (CI below 0.5) echoes P2.0: public invitations in both arms can rank controls higher; the Q1.4 grid is not an independent joint replication. The primary label is channel assignment; the executed-label secondary (above) does not change the conclusion.

P2.17 Privileged say-vs-do forecast (E133; registered before computing, exploratory, 0 LLM calls). Population: Q1.4 E70 channel games with a judged agreed price (n = 78). Outcome: 48 held the agreement in rounds 10–19 (0-indexed, i.e. rounds 11–20 counting from 1, as in the E133c prompt), 30 did not, under a late-window variant of Q1.4's E70 rule. Predictors use private messages and prices from rounds −1…5 only (0-indexed), with rounds 6–9 left as a gap. The model is leave-one-cell-out logistic with a game bootstrap. Early prices alone (pair markup, pair price SD) give AUROC 0.82. Adding three no-LLM say-do features lowers it to 0.77: Δ −0.05 [−0.09, −0.02]. The features are: share of messages stating a price, |price − last privately stated price|, and a frozen defection/renegotiation regex. Private talk alone *is* informative (say-do model 0.70; say-do gap single AUROC 0.23, i.e. a larger gap means not held), but it is redundant with early price dispersion (0.15, i.e. 0.85 reversed). So **private say-do consistency forecasts execution (say-do gap 0.77 oriented, smaller = held) but adds nothing beyond early price stability (pair SD 0.855 oriented)** (for these three pre-registered hand features in this logistic model; it does not exclude richer text features). The negative Δ is the cost of fitting three more noisy features under leave-cell-out CV at n = 78, not evidence that talk hurts. Non-held agreements are volatile from round 0, the same phenomenon as Q1.4 E72 (seller SD 1.14 non-executed vs 0.79 executed). Secondary, strongF private arm (13 vs 7, full-game strict label, leave-one-out): Δ −0.08 [−0.22, +0.03]. Descriptive: the coarse regex also matches "avoid undercutting"; it fires in 29/34 agreed-not-executed vs 27/44 executed games under Q1.4's E70 rule. Four agreed games without a stated price are excluded. Source: `results/analysis/e133_privileged.json` (`uv run python p2_e133_privileged.py`).

E133c, privileged LLM view. This part was registered *after* (a)/(b) were known; E133-reg had said it would be skipped. The prompt was frozen before any call; one call per game, temperature 0. gpt-6.1-sol sees the frozen `combined` framing for rounds 1–6 plus the pair's private messages for rounds −1…5, and gives P(agreement kept in rounds 11–20). AUROC 0.93 [0.87, 0.97] vs early prices 0.82: Δ +0.11 [+0.02, +0.21]. Early prices + LLM vs early prices: +0.08 [+0.01, +0.15]. This is the pre-committed positive branch: an LLM with private-channel access forecasts execution beyond early prices.

- *Post hoc check:* the LLM also beats one agreed-price-augmented baseline; this does not rule out agreed-price information in general. Adding early compliance with the judged agreed price to (b) gives 0.83 (Δ +0.01 [−0.06, +0.07]), and the LLM still beats that by +0.10 [+0.02, +0.20].

E133d, registered ablation (post hoc, before its calls). Same prompt with the private chat removed; the auditor is told only that a hidden agreement exists. 78 more calls, so 156 in total, over the director's cap of 100; without the ablation the E133c gain could not be attributed. The no-chat LLM scores 0.94 [0.89, 0.98]. Paired with − without: −0.02 [−0.06, +0.01]. **Removing the private chat produces no resolved change, so the LLM's advantage does not come from the private talk.** The no-chat view still contains prices, profits, public messages and the pair's identity, and we did not run a prices-only LLM view, so the gain cannot be attributed to prices alone. Both views beat our two hand-built price features. That says the features are weak, not that words help. Caveats: the CI bounds any talk gain at about +0.01 AUROC, and with the no-chat LLM already at 0.94 there is little headroom. The no-chat auditor is still told that an agreement exists, and both LLM prompts state the label rule, which the hand features do not get. Same model as the Q1.4 label judge; one model, n = 78. A post hoc cell-cluster bootstrap (16 cells, critics' request) gives the same conclusions: E133 Δ −0.05 [−0.10, −0.01], E133c vs prices +0.11 [+0.01, +0.25], with − without −0.02 [−0.05, +0.01] (`e133_cluster.json`, `uv run python p2_e133_cluster.py`). Adversarial review (codex gpt-6.1-sol + Opus, finished by 03:14): no leakage found; all numbers match JSON. Source: `results/analysis/e133c_llm.json`, `results/analysis/e133d_noprivate_llm.json` (`uv run python p2_e133c_llm.py [--noprivate]`; calls cached in `results/llm_auditor/e133c/`).

E133e, like-for-like attribution (post hoc robustness, declared in ledger row E133e-reg before computing; 0 calls). The +0.11 above compares a raw LLM score with a CV-fitted 2-feature logistic, which is worse than its own input used raw (pair SD 0.855 oriented; say-do gap 0.77 [0.66, 0.87], defect share 0.67 [0.54, 0.79]). Against raw, unfitted scores the no-chat LLM (0.942) still leads: vs −pair SD +0.086 [+0.015, +0.169], vs early pair mean − agreed price (0.884) +0.057 [+0.010, +0.118], vs the pre-fixed rule score (share of rounds 0–5 with both firms ≥ agreed − 1, tie-break by margin over Nash + 2; 0.885) +0.057 [+0.019, +0.103]. The rule score fitted by leave-cell-out logistic drops to 0.786, so CV fitting costs ≈ 0.10 at n = 78. Public-post strata: the LLM scores 0.96 [0.90, 0.995] with posts in rounds 1–6 (n = 48) vs 0.91 [0.79, 0.99] without (n = 30, 23 held); difference +0.05 [−0.05, +0.17]. The rule scores 0.88 vs 0.89. Pre-committed branch 2: **the LLM forecasts beyond simple price rules (Δ +0.06 [+0.02, +0.10], post hoc); we find no evidence that its edge comes from public messages** (the strata difference CI includes 0, which is absence of evidence, not evidence of absence). It is not told the agreed price, which the rule score uses. Post-hoc caveat: this is the third analysis of the same 78 games (E133 → E133c/d → E133e); the rule score was fixed after E133c/d were seen; the LLM prompt states the label rule; and sol also extracted the agreed price used by the label. The no-post stratum is small and unbalanced (23/7), so the strata test is weak. Source: `results/analysis/e133e_attr.json` (`uv run python p2_e133e_attr.py`).

v1 overnight summary (frozen 2026-10-24 06:30 UTC; superseded by the Abstract above)

v1 answer, unchanged by Phase 2: on the locked test (n = 95) text alone is ≈ chance (0.47) and combined − best single modality is −0.01 [−0.09, +0.06]; the post-hoc pair premium reaches 0.95 but round-1 prices already give 0.90 and the undelivered placebo is flagged as often as delivery (14/15 vs 14/15). Full v1 summary and "Key results (detail)", text unchanged: REPORT_APPENDIX.md § v1 overnight summary.




Figure 1 (`uv run python fig_summary.py`). (a) Run AUROC, 95% run-bootstrap CIs; filled = locked test (n = 95), hollow = fresh replication (n = 30); premium chosen after seeing partial data incl. test runs; round-1 replication point exploratory. (b) Frozen-threshold flag rates in the placebo stratum (15 placebo, 15 private, 10 `none`): no scorer resolves placebo from private.

Question

Given logged trajectories (public messages + prices + market state), do auditors that see both streams detect collusion — and identify the colluding pair — better than text-only or action-only auditors? Is any gain due to genuine cross-modal reasoning or just more input?

Short answer. On this generator, raw public messages give the tested zero-shot LLM auditors no resolved detection benefit. Computed action summaries help, and a simple premium comparator performs strongly. Opening prices already separate the conditions before any partner message is received, and across 15 matched placebo runs where private messages are never delivered, every action-based scorer flags the run at least as often (run-level flags, n = 15). That limits how far any detector here can be read as detecting agreement-driven conduct.

Setup

LLM market (`llm_market.py`, headline data `data/llm_v3`). 4 firms, 12 rounds, integer prices 6–30, logit demand (μ=4; static Nash ≈ 11, joint-monopoly ≈ 19 at cost 6), public cost shocks and demand levels. Each round each seller (gpt-6-luna via codex) returns `{public_message, price, notes}` (+ `private_message` if it has a channel). Conditions (randomised, 125 runs planned): `private` (70) — designated pair has a private channel; `none` (35) — no channel; `legit` (20) — the pair has a publicly announced cost-saving shipping partnership (hard negative). Framing: economics-lab experiment with earnings = profit.

Pilot observation (framing; 3 firm-framing pilot runs vs 1 lab pilot run, not a controlled comparison): with a "pricing manager + competition authority monitors public messages" framing, luna sellers used the private channel only to say "I'll price independently" (0/3 runs with any coordination) and posted near-identical boilerplate. With the lab framing, private pairs immediately exchange intended prices and proposals ("I plan to price at 14; consider matching so we can improve margins without triggering a price war"). Pilot data: `data/llm_v2` (firm framing), `data/pilot_lab_luna`.

Labels (`label_llm.py`). A gpt-6.1-sol judge reads ONLY the private chat (no prices, to avoid building the action signal into the label) → `explicit` / `info_exchange` / `none`. Primary label y = explicit ∪ info_exchange on the assigned pair. *Cross-family label check (E74, post-hoc, label-only; `uv run python label_xfam.py` → `results/label_xfam.json`):* Claude Sonnet 5.5 with the same `JUDGE` template and chat formatting (backend wrappers differ) re-judged all 115 private chats (llm_v3 70, llm_v3rep 15, firm-framing `llm_v3fp` 16, monitored `llm_v3mon` 14) and agrees on y in 115/115 (70/70 and 15/15 positive; 0/16 and 0/14 positive). The two judges give identical binary labels on these 115 chats (pooled binary κ = 1; within each dataset κ is undefined because each is single-class); this does not establish label correctness or generalisation; the explicit-vs-info_exchange split is less stable (Claude: 57 explicit/13 info_exchange vs GPT 67/3 on llm_v3, exact agreement 60/70, 3-class κ 0.33; llm_v3rep 9/6 vs 13/2, 11/15, κ 0.38) and is not used as an endpoint. Realised conduct (pair price premium over the other two firms, rounds 5–12; the mechanism-figure summaries separately use rounds 9–12) is reported separately. Private chat is never auditor input.

Endpoint. y = 1 iff a judge reading the private chat finds an explicit price agreement or a pricing-intention exchange on the assigned pair. This is *private coordination communication*, not realised supra-competitive conduct; runs are split by late-window relative premium as a (weak) proxy for whether it was acted on. Primary metrics: run AUROC (detection) and within-market AUROC (localisation: P(colluding pair scored above another pair of the same market), positive runs). Pooled pair AUROC is secondary (a scorer that is flat within each market can still reach ≈ 0.77 pooled, per the codex review).

Auditors (`auditors.py`). Same model (gpt-6.1-sol, medium reasoning; calls that silently fell back to another model are discarded), same task text, same runs. Six views: `text` (public messages + public facts), `action` (prices, cost, demand, units, profit + public facts), `action_stats` (action + computed pair-statistics table), `combined` (strict union of text and action), `combined_stats` (combined + pair-statistics table) and `structured` (combined_stats + stated-vs-actual price table). There is no text +

statistics view. Every view receives the public partnership information. Output: 0–100 suspicion per pair, a separately elicited `collusion_present` score (the run score used for detection), and up to 4 evidence items. Premium run scores are the maximum pair premium. Pair identification is tie-aware.

Scripted market (`sim.py`, mechanism check only). Templated messages × scripted actions, 8 conditions incl. hard negatives (cheap talk without action, common shocks, shared pricing rule, legit cooperation). Its Δ is a function of how we designed the templates (colluders' stated price direction is decoupled from their action), so it only validates the pipeline and the shuffle ablation.

Results

The scripted-market mechanism check (pipeline + shuffle-ablation validation) is in Appendix B (REPORT_APPENDIX.md); dev-split development results are in Appendix A.

LLM market — HEADLINE: locked test split (runs 0030–0124, n = 95; 50 y=1, 30 `none`, 15 `legit`)

Computed ONCE by `./finalize_test.sh` (stamp `logs/final/RUN_ONCE.stamp`: started 23:59, HEADLINE_DONE 00:03 UTC) with the configuration frozen on dev; the headline scorer table, paired-contrast rows and Appendix C flag-rate tables are copied from the generated `results/analysis/report_tables_test.md` (source: `results/analysis/final_llm_v3_gpt-6.1-sol_test.json` and siblings); replication and exploratory results cite their own JSON sources. Hard set: the keyword/LLM screen flags 0/125 runs for explicit public coordination (`hardset.py`), so every run meets the operational "hard" criterion. 95% class-stratified run-bootstrap CIs; fusion weight w_text = 0.6 fitted on dev.

scorer	run AUROC (detection)	within-market AUROC (localisation)	pooled pair AUROC	pair-ID acc
text	0.47 [0.36, 0.58]	0.65 [0.59, 0.71]	0.60 [0.53, 0.67]	0.35 [0.26, 0.46]
action	0.75 [0.65, 0.85]	0.79 [0.72, 0.87]	0.78 [0.72, 0.84]	0.42 [0.28, 0.56]
action_stats	0.86 [0.77, 0.94]	0.89 [0.84, 0.94]	0.89 [0.84, 0.94]	0.18 [0.00, 0.42]
combined	0.74 [0.64, 0.83]	0.80 [0.71, 0.87]	0.78 [0.72, 0.84]	0.52 [0.21, 0.82]
combined_stats	0.80 [0.70, 0.89]	0.93 [0.89, 0.96]	0.89 [0.85, 0.93]	0.73 [0.60, 0.84]
structured	0.84 [0.75, 0.91]	0.92 [0.89, 0.96]	0.89 [0.85, 0.94]	0.70 [0.57, 0.82]
fusion	0.72 [0.62, 0.83]	0.82 [0.74, 0.88]	0.80 [0.74, 0.85]	0.43 [0.30, 0.57]
premium	0.95 [0.90, 0.98]	0.96 [0.91, 0.99]	0.96 [0.92, 0.99]	0.89 [0.79, 0.97]
premium_r2plus	0.90 [0.84, 0.95]	0.93 [0.88, 0.98]	0.92 [0.88, 0.96]	0.84 [0.73, 0.93]





Figure 2. Test detection (all 95 runs) and localisation (50 positive runs) AUROCs with 95% run-bootstrap CIs.



Test ROC curves (`uv run python fig_roc.py`; descriptive, thresholds read from the locked json). Dots = dev-chosen operating points with the number of `legit` runs flagged. The frozen operating points differ widely (FPR here is over all 45 negatives, not legit only) and the curves cross; at very low FPR (≈ 0.04) action_stats' curve sits above the premium's (TPR ≈ 0.82 vs ≈ 0.66), so the premium's AUROC lead comes from the moderate-FPR region. Read off the curve, no CI.

Key paired contrasts (same runs; Δ_hybrid[v] = v − max(text, action); rows selected from the generated file, which lists all 25 contrast families specified before the locked analysis (after interim exposure, see Held-out discipline); no multiplicity correction):

contrast	run AUROC	within-market AUROC	pooled pair AUROC
delta_hybrid[combined]	-0.013 [-0.091, +0.064]	+0.002 [-0.052, +0.050]	+0.004 [-0.039, +0.046]
delta_hybrid[action_stats]	+0.106 [+0.038, +0.180]	+0.100 [+0.036, +0.164]	+0.116 [+0.067, +0.164]
delta_hybrid[structured]	+0.083 [+0.001, +0.169]	+0.130 [+0.068, +0.194]	+0.116 [+0.066, +0.165]
delta_hybrid[fusion]	-0.028 [-0.073, +0.018]	+0.022 [+0.000, +0.052]	+0.017 [-0.007, +0.043]
action_stats-action	+0.106 [+0.038, +0.180]	+0.100 [+0.036, +0.164]	+0.116 [+0.067, +0.164]
combined_stats-action_stats	-0.061 [-0.138, +0.014]	+0.036 [+0.008, +0.072]	-0.005 [-0.044, +0.035]
combined-fusion	+0.016 [-0.064, +0.092]	-0.020 [-0.070, +0.022]	-0.013 [-0.053, +0.029]
premium-combined_stats	+0.150 [+0.056, +0.248]	+0.028 [-0.022, +0.080]	+0.069 [+0.015, +0.115]
premium-action_stats	+0.089 [+0.010, +0.182]	+0.064 [+0.006, +0.124]	+0.064 [+0.012, +0.118]
premium_r2plus-action_stats	+0.045 [-0.042, +0.139]	+0.038 [-0.022, +0.104]	+0.030 [-0.024, +0.079]
premium-structured	+0.112 [+0.026, +0.197]	+0.034 [-0.016, +0.078]	+0.065 [+0.013, +0.116]
premium_r2plus-structured	+0.068 [-0.029, +0.161]	+0.008 [-0.046, +0.058]	+0.030 [-0.024, +0.080]


Findings (test):

1. **No resolved gain from adding raw public text to the LLM auditor.** The text-only auditor is consistent with chance for detection (run AUROC 0.47 [0.36, 0.58]) and weak but above chance at localisation (0.65 [0.59, 0.71]). Giving the auditor messages + actions together does not resolve a gain over actions alone (Δ_hybrid[combined] run −0.013 [−0.091, +0.064], within +0.002 [−0.052, +0.050]; the intervals still allow gains of ~0.05–0.06, no equivalence test), and joint reading is not resolved better than late fusion of the two unimodal auditors (combined − fusion within −0.020 [−0.070, +0.022]). The gain is also unresolved on dev. That colluders keep coordination in the private channel is a plausible explanation, not tested.
2. **A computed statistics table helps a lot.** action_stats − action: run +0.106 [+0.038, +0.180], within +0.100 [+0.036, +0.164]. With the table present, adding text gives a small localisation gain (combined_stats − action_stats within +0.036 [+0.008, +0.072]; dev +0.020 [0.000, +0.050]) and no detection gain (run −0.061 [−0.138, +0.014]). This is the only positive say+do signal for the zero-shot LLM auditors (the supervised baseline shows a negligible +0.003 pooled-pair gain): nominal, unadjusted (25 contrast families × 3 metrics are reported, no multiplicity correction), and small; dev's lower bound is 0.000. It **did not repeat on the fresh replication split**: combined_stats − action_stats within −0.007 [−0.040, +0.020] (`replication_llm_v3rep.json`; not a registered contrast).
3. **The untrained premium has the highest run AUROC among the zero-shot LLM views and untrained comparators.** (The supervised text baseline scores higher, 0.98, under within-split CV, a different regime.) Pair premium run AUROC 0.95 [0.90, 0.98] vs best original LLM view 0.86 (action_stats; premium − action_stats +0.089 [+0.010, +0.182], premium − structured +0.112 [+0.026, +0.197]). For localisation the premium also has the highest point estimates (pair-ID 0.89 vs 0.73 combined_stats / 0.70 structured); its within-market advantage over structured (+0.034 [−0.016, +0.078]) and combined_stats (+0.028 [−0.022, +0.080]) is unresolved, over action_stats it nominally excludes zero (+0.064 [+0.006, +0.124]). The premium is a generator-specific price-level comparator (run score = max over pairs); the stats table itself contains a premium row, so the stats-table gain is "better action summary", not cross-modal reasoning. Without round 1 (premium_r2plus) the detection gap vs structured/action_stats is no longer resolved (+0.068 [−0.029, +0.161], +0.045 [−0.042, +0.139]). Disclosure: the premium was proposed after a look at partial data that included test runs (see Held-out discipline), so this is not a blind discovery.
4. **Legitimate cooperation: no LLM advantage at matched recall.** At dev thresholds structured and action flag 0/15 `legit` runs vs the premium's 5/15, but at far lower recall (0.40 / 0.20 vs 0.92). At a common minimum-recall target (post-lock, descriptive) the LLM views show no consistent advantage in clearing legit runs (target 0.9: premium 5/15, action_stats 9/15, structured 11/15). Detail in Appendix C.
5. **No tested rank-average combination gives a resolved improvement over the premium** (`incremental.py`, one fixed untrained label-free rank-average rule; other combination rules or conditional use were not tested): combo − premium run AUROC from −0.147 [−0.226, −0.078] (text) to +0.001 [−0.038, +0.043] (structured); never resolved positive.
6. **Label = condition check.** Among y=1 runs where the pair's late-window premium is ≤ 0.5 (n = 20; low relative premium does not establish that coordination ended), the premium still flags 0.80 [0.58, 0.92] and action_stats 0.65. Opening-round price differences may contribute (premium without round 1: 0.90 vs 0.95, no paired CI), but a low later relative premium does not show that coordination stopped (rivals may follow the pair), so this stratification does not settle whether agreements were sustained.

Flag rates at the dev-chosen thresholds (honest FPR on `none`/`legit`; detection by realised premium) are in Appendix C. At those thresholds the premium flags 0.92 of y=1 runs and 0.07 of test `none` runs.

Trained non-LLM baselines on test (caution): a logistic regression on TF-IDF of the public messages, trained by 5-fold CV *within* the test split, reaches run AUROC 0.98 [0.95, 1.00] and pair-ID accuracy 1.00, while the zero-shot LLM text auditor has run AUROC consistent with chance. Shuffling messages within label+condition does not hurt it (0.97). So the public text *does* carry a strong condition-linked signal that no public message states explicitly (0/125 hard-set flags) and the zero-shot LLM does not use. Post-headline inspection (descriptive, Appendix C) suggests the cue is mostly what colluders *stop* saying (e.g. "keeping" in 67/140 colluding firms' messages vs 133/140 rivals and 139/140 `none` firms): an indirect trace that a supervised in-distribution model learns but a zero-shot auditor reading for explicit coordination does not use (interpretation, not tested; transfer untested). The untrained text-convergence score (`textsim.py`) localises at 0.74 [0.66, 0.81] vs the LLM text auditor 0.65 (Δ +0.088 [−0.010, +0.176], not resolved).

Other test results (details in Appendix C): sibling information-theoretic detectors are weak (run AUROC 0.45–0.62); a premium-first cascade trades recall for fewer false positives; evidence items name a colluding firm 54–62% of the time (chance 50%). Cross-family: Claude Sonnet 5.5 on the 42 mod-3 runs reproduces the pattern (text lowest, adding text to action unresolved, adding stats helps; Appendix C). Message-shuffle ablation and exploration strata: see Exploration below.



Descriptive test: late-window (rounds 9–12) pair-minus-rivals premium +1.02 (none -0.02, legit +0.08), positive in 44/50 private runs. The numerical sources for this figure and the dev figure are preserved in `results/analysis/mechanism_sources.json`; reproduce them with `python3 -S check_mechanism_sources.py`, or check them without writes using `python3 -S check_mechanism_sources.py --check`. This post-hoc source record reconstructs the original per-round means and pointwise normal bands (mean ± 1.96 sample SE across runs), plus the original caption summaries. The bands are not simultaneous intervals, and these condition summaries do not establish agreement-driven price effects.

Replication on a fresh split (`llm_v3rep`, pre-registered, run once 02:07 UTC)

Because the premium was chosen after a look at partial data including test runs, we generated 30 new runs with the unchanged generator (seed 9000; 15 `private`, 10 `none`, 5 `legit`), using the existing llm_v3 scorers, thresholds and fusion weight. The registration commit followed the start of generation, and analysis safeguards were added afterwards but before any replication metric was computed. Analysis (`uv run python replication.py` → `results/analysis/replication_llm_v3rep.json`; frozen llm_v3 dev thresholds and fusion weight; best LLM view = action_stats, fixed from the llm_v3 test json; run-once lock `logs/final/REPLICATION_ONCE.lock`) and four predictions were pre-registered

in `data/SPLITS.md` (commit 71eae06; generation had started ~2 min earlier and that commit includes partial raw output of runs 0000–0001, but no labels, audits or scores existed; see the SPLITS.md disclosure). Before the run the manager saw the label counts and three labeller log lines with per-run pair premiums (runs 0027–0029); no metric was computed. All 15 private runs are judged y = 1 (13 explicit, 2 info_exchange), so label = condition again. Run-bootstrap 95% CIs (2000 class-stratified); n = 30.

scorer	run AUROC	within-market AUROC	flag rate at frozen dev threshold: private y=1 / none / legit
text	0.67 [0.47, 0.86]	0.69 [0.55, 0.82]	0.07 / 0.20 / 0.00
action	0.76 [0.57, 0.91]	0.81 [0.67, 0.93]	0.33 / 0.10 / 0.00
combined	0.62 [0.40, 0.80]	0.80 [0.66, 0.91]	0.52 [0.21, 0.82]
action_stats	0.80 [0.61, 0.94]	0.99 [0.96, 1.00]	0.18 [0.00, 0.42]
combined_stats	0.66 [0.47, 0.85]	0.98 [0.95, 1.00]	0.73 / 0.60 / 0.20
structured	0.66 [0.45, 0.84]	0.91 [0.82, 0.98]	0.40 / 0.40 / 0.00
fusion	0.78 [0.60, 0.93]	0.84 [0.71, 0.93]	0.47 / 0.10 / 0.00
premium	0.92 [0.79, 1.00]	0.99 [0.96, 1.00]	0.93 / 0.40 / 0.00
premium_r2plus	0.90 [0.75, 1.00]	0.95 [0.89, 1.00]	1.00 / 0.20 / 0.20

All four registered decision rules were satisfied, two only narrowly, and n = 30 gives wide CIs. Two rules concern CI inclusion; satisfying them does not establish equivalence or a substantive replication of a null effect.

- P1 premium run AUROC ≥ 0.85: **0.92** [0.79, 1.00] — held (point estimate; the CI dips below 0.85).
- P2 text run AUROC CI includes 0.5: 0.67 [0.47, 0.86] — held, but the point estimate is higher than on test (0.47).
- P3 premium − best view (action_stats) ≥ 0, point: **+0.12** [−0.004, +0.29] — held; CI just includes 0 (within-market: +0.00 [−0.04, +0.04]).
- P4 combined − action run AUROC CI includes 0: **−0.14** [−0.30, +0.02] — held narrowly. The exploratory Δ_hybrid[combined] CI is [−0.33, −0.02], but it subtracts max(text, action) within each bootstrap resample, so it is a different contrast. Neither contrast resolves a text gain.
- Registered action_stats − action: run +0.04 [−0.10, +0.19] (not resolved, vs +0.11 on test), within-market +0.17 [+0.05, +0.32] (resolved, as on test).

Reading. The fresh sample preserves the premium's highest run-AUROC point estimate, but its advantage over the fixed best LLM view is unresolved. No run-AUROC gain from adding text is resolved; P2 and P4 establish CI inclusion, not equivalence. Exploratory: combined − fusion run −0.17 [−0.32, −0.04] and Δ_hybrid[combined] −0.14 [−0.33, −0.02] exclude zero, so on fresh data text nominally hurt. action_stats and combined_stats reach within-market AUROCs of 0.99 and 0.98 on the 15 positive runs; their run-AUROC point estimates are lower than on test. At the frozen dev thresholds several scorers flag 40–60% of the 10 fresh `none` runs (test `none`: 3–17%; premium 0.40 vs 0.07), suggesting that the frozen operating points may be unstable even under the same generator.

With only 10 fresh `none` runs, uncertainty is substantial: Wilson 95% CIs are [0.17, 0.69] for 4/10, [0.24, 0.76] for 5/10, and [0.31, 0.83] for 6/10. Exploratory contrasts (not pre-registered) are all in the json.

Exploration strata (moved)

v1 exploration strata (firm framing without agreement, announced price monitor, placebo channel, markup baseline, stats-column ablation, auditor-hint and round-1 analyses) and Appendices A–D (dev split, scripted mechanism check, extra test detail, strata detail) are in REPORT_APPENDIX.md, text and numbers unchanged.

Validity safeguards

Labels from private chat only (judge blind to prices); same auditor model across views, fallback calls dropped; combined is a strict superset of both single views; shuffle donors matched on label *and* condition; the hard-set rule excludes runs flagged by the explicit-public-coordination screen; cross-family auditor (Claude Sonnet 5.5) on the 42-run mod-3 subset, all six views (done; text ≈ chance and no text gain for both auditors); adversarial methodology review by gpt-6.1-sol (`logs/review_methodology.md`, 12 issues; fixes applied: label leakage, view superset, public partnership info, parse strictness, learner parity, resume ids, donor matching).

Post-hoc input check (iteration 22). `uv run python check_audit_inputs.py` reconstructs all 2,368 cached auditor prompts: 2,058 match their recorded hash prefix, 310 older rows only their length (not authenticating content); receipt `data/audit_input_receipt.json`, not pre-registration evidence. Detail: REPORT_APPENDIX.md § Input check detail.

Evidence-check coverage and transition-source checks (post-hoc, iterations 24–25; `python3 -S check_evidence_sources.py`, EVIDENCE.html). Auditor evidence items are well-formed (firm/round anchors), but only 4 contain quote-marked phrases and 57 parse as price transitions (all source-consistent); these are coverage counts, not explanation accuracy. **The proposed LLM explanation role remains unvalidated.** Full text: REPORT_APPENDIX.md § v1 evidence checks.

Held-out discipline

`data/SPLITS.md`: dev = llm_v3_0000–0029, locked test = 0030–0124, evaluated once with the frozen `final_analysis.py` (22:15 UTC; fusion weight and FPR thresholds from dev). Tuning attempts on the six original views' task text: 0; views/comparators were added adaptively before the test run, and four disclosed exposures (iteration-3 interim, premium choice, shuffle smoke test, early TF-IDF fit) make the test locked but not fully blind. Full text: REPORT_APPENDIX.md § Held-out discipline detail.

Limitations

(Updated 2026-10-24 14:30 UTC for Phase 2; the v1 list, text unchanged, is in REPORT_APPENDIX.md § v1 limitations.)

- **No independent ground truth.** v1 label = condition; P2.4 behaviour labels define *followed/executed* from pair prices (price views partly scored on their own input); agreement labels come from one judge family (sol, as the auditor; Claude Sonnet agrees 115/115 E74, 25/30 E84d).

- **The action signal is partly a prompt effect** (P2.5): an unread pricing notepad gives about two thirds of the channel premium, wording changes it, and legitimate cost/quality edges are flagged (P2.10). Round-1 prices alone give 0.90 on test.
- **Evasion by intent is untested.** Monitor-aware sellers stopped agreeing rather than evading (P2.9, 0/10 + 0/10); no red-teamed or instructed colluder was run, and the coded-public-signal arm was **dropped** (time). Cf. SALT models that execute silently (P2.12) and Q1.4 bid rotation: coordination with no words at all is real elsewhere.
- **Pair-relative screens are blind to market-wide high prices** (P2.7; sol, mimo, gpt-5.6-sol, Qwen, Q1.4's gpt-5.6-luna with no channel); absolute screens need model- and prompt-matched references; replacing a firm does not reset the level either (P2.15).
- **Headline Δ_hybrid is one seller family.** The registered say-vs-do contrast (test + two fresh replications) uses gpt-6-luna sellers, T = 12, 4 firms, one market. Other families (P2.6, P2.11) are smaller, compared across families (associated, not isolated), and audited with luna-calibrated thresholds that do not transfer. Strong-arm levers were combined, not ablated. The cross-family auditor re-run on the strong arm (E3) was **dropped** (time and gateway capacity); E70's model factor varies family at the market level.
- **External data is a different construct** (P2.12): SALT measures an act inside the conversation; it supports "it depends where the behaviour happens", not a transfer of our numbers. D3 trust-breaking was **dropped** (promise-breaking, not collusion).
- **Statistics.** Zero-shot auditors, one prompt per view (0 tuning on the six original views; the hint view E56 is one data-informed revision). Intervals resample saved runs/scores; they do not repeat model calls or correct for multiplicity or adaptive selection (pooled n = 90 is post hoc). Small dev split (30 runs) → noisy thresholds. The sibling Q1.4 may have seen our test runs while developing.

What to do next

1. **Instructed / red-teamed colluders** (coded public signals, gradual drift), to test evasion rather than compliance.
2. **Ground truth that is not prices or the condition:** agreements cheap to state but costly to keep, judged by > 1 judge family.
3. **Model- and prompt-matched references** for absolute screens, since relative premiums fail under market-wide spillover (P2.7, P2.15).
4. **Where text should matter** (act happens in conversation, as in SALT, or conduct is ambiguous): test prospectively whether text adds.
5. **Lever ablation** of the strong arm (memory, framing, horizon, messaging cadence) to find which produces executed collusion.

Appendix E — Reproduce

Completed Phase 2 analyses: `uv run python verify_phase2.py` reproduces 38 JSON outputs from 31 allowlisted commands (incl. E133 a–e; the E133c/d scripts run cache-only, a cache miss raises) in a disposable copy, with model/network/process calls blocked (E117; `phase2_reproduction.json`). Read-only receipt freshness: `python3 -S verify_phase2.py --check`. Sealed evaluations, E113/E115 datasets/caches and untracked SALT raw data are excluded; saved scientific results stay unchanged. E95's original partial coverage (luna action_stats n = 9) uses a post-hoc cache-prefix reconstruction (`data/p2_family3way_scope.json`), not contemporaneous provenance. The v1 artifact check, `python3 verify_artifacts.py` (standard library; no writes or metric recomputation), remains stale until the Sun

16:30 refresh. For a separate read-only reconstruction of cached auditor inputs, run `uv run python check_audit_inputs.py` (requires NumPy; recorded-hash and length-only matches reported separately). For a read-only freshness check of the cached evidence source ledger, run `python3 -S check_evidence_sources.py --check` (standard library only; literal source locations, no semantic judge). For a separate read-only check of leading price-transition endpoints, run `python3 -S check_price_transitions.py --check` (standard library only; selective grammar, no semantic judge). For a read-only reconstruction of the existing mechanism figure's numerical sources and captions, run `python3 -S check_mechanism_sources.py --check` (standard library only; descriptive public-price means and normal bands). The iteration-19 manifest/completion receipt preserves the handoff; it is not pre-registration evidence. See README.md for artifacts and rendering commands. The commands below document how existing results were produced; the completed v1 run-once entry points refuse reruns even in a fresh clone.

```
uv run python llm_market.py --ds llm_v3 --plan private:70,none:35,legit:20 --rounds 12 --framing lab --games-
parallel 2 --seed 3000
uv run python label_llm.py --ds llm_v3
uv run python label_xfam.py                    # E74 cross-family (Claude Sonnet) label re-judge, label-only
uv run python auditors.py --ds llm_v3 --variant orig   # default = all six views
uv run python hardset.py --ds llm_v3
uv run python final_analysis.py --split dev    # development only; the test headline runs ONLY via finalize_test.sh
uv run python evidence.py --split test         # evidence accuracy + prompt cost
uv run python auditors.py --ds llm_v3 --variant shuffle --shuffle-seed 0 --views text,combined,structured   # seeds
0,1,2
uv run python baselines.py --ds llm_v3 --learner lr --split test   # CV inside the split
uv run python textsim.py --split test           # untrained public-text convergence
uv run python report_tables.py --split test     # renders all REPORT tables from results/*.json
uv run python fig_mechanism.py --split all      # descriptive price paths by condition (no metric)
python3 -S check_mechanism_sources.py           # preserve existing figure/caption sources; no figure or detection
rerun
uv run python fig_roc.py                        # test ROC + dev operating points (descriptive)
uv run python fig_summary.py                    # Figure 1 summary (reads existing results JSON only)
uv run python text_lr_inspect.py                # n-gram / firm-level text cue inspection (descriptive)
uv run python incremental.py --split test       # premium + LLM view rank-average (run by finalize_test.sh)
uv run python fp_stratum.py --ds llm_v3fp       # firm-framing exploration stratum
uv run python fp_prices.py                      # firm-framing vs lab none mean prices (descriptive)
uv run python monitor_stratum.py --ds llm_v3mon # announced-monitor stratum (frozen thresholds)
uv run python deterrence.py                     # agreement / message / markup comparison llm_v3 vs llm_v3mon
uv run python markup_baseline.py                # E70 post-hoc: comparison-free markup vs premium (test, rep,
placebo)
uv run python matched_recall.py                 # legit/none flags at matched recall (post-lock, descriptive)
uv run python round1_effect.py --ds llm_v3      # round-1 (pre-message) prices by role (descriptive)
uv run python early_detection.py --ds llm_v3 && uv run python fig_early.py   # premium AUROC vs rounds observed
uv run python evidence_rounds.py --ds llm_v3 --split test   # do auditors cite round 1? (descriptive)
uv run python auditors.py --ds llm_v3 --views action_stats_hint && uv run python auditors.py --ds llm_v3rep --views
action_stats_hint
uv run python hint_view.py                      # premium-hint auditor exploration (E56, post-lock)
uv run python auditors.py --ds llm_v3 --views action_stats_nolevel && uv run python auditors.py --ds llm_v3rep --
views action_stats_nolevel
uv run python nolevel_view.py                   # level-column ablation of the stats table (E71, post-lock)
uv run python llm_market.py --ds llm_v3plc --match-ds llm_v3rep --rounds 12 --framing lab   # placebo channel (E58)
uv run python label_llm.py --ds llm_v3plc && uv run python auditors.py --ds llm_v3plc && uv run python placebo.py
uv run python replication.py                    # historical run-once command; now guarded by committed completion
receipt
./finalize_test.sh                              # historical locked-test command; now guarded by committed
completion receipt
uv run python auditors.py --ds llm_v3 --auditor claude-sonnet-5-5 --subset mod3   # cross-family subset
uv run python cross_family.py --ds llm_v3 --other claude-sonnet-5-5               # cross-family comparison
uv run python sim.py --dataset scripted_v2 --n-per-cond 40 --rounds 30 --seed 1 --levels 12,14 --strength 0.15,0.5
uv run python baselines.py --ds scripted_v2 --learner lr
```