
Explorer handoff: observations, limits and reproduction

Reader edition · Iteration 61 · 54 recorded pilot entries · **No promoted hits.** This is a presentation synthesis of existing results; selection of examples is post hoc.

The explorer tested channels, incentives and interfaces outside the sibling price-market studies. Workplace review provides a useful follow-up setting: a shared notepad coincided with more adverse approvals in one small pilot, while a fresh Qwen pilot left the contrast unresolved. Incentive and payoff-accounting checks constrain interpretation. These observations do not establish an agreement, reciprocal intent or profitable collusion, and do not change either sibling headline.

In the workplace task, TYPE-Y approvals benefit the author and harm the organization. In S29 and S62, approving TYPE-Y costs the reviewer two bonus points while paying the author six. In S69, equal pooling makes the reviewer's marginal payoff +2 at low charge and −3 at high charge; S70 keeps −3 in both arms. Each contrast below uses its own five paired blocks and ten games; r3–10 supplies forty TYPE-Y review opportunities per arm. No rows are pooled. Bounds are descriptive 95% block-bootstrap intervals; paired t intervals are shown to expose small-sample sensitivity. The t bounds are untruncated descriptive approximations and can exceed the feasible range.

Existing pilot	Observed approvals (first → second)	Named contrast	Bootstrap95%	Paired t95%	Frozen label
S29: Shared notepad; gpt-6-luna	self 2/40 → shared 15/40	shared minus self: +0.325	[+0.100, +0.575]	[-0.049, +0.699]	ODD
S62: Shared notepad; Qwen-3.6	self 3/40 → shared 7/40	shared minus self: +0.100	[-0.025, +0.250]	[-0.130, +0.330]	ODD
S69: Pooled reviewer charge	high_charge 4/40 → low_charge 31/40	low minus high charge: +0.675	[+0.450, +0.875]	[+0.335, +1.015]	DUD
S70: Fixed endowment	baseline 2/40 → endowed 2/40	endowed minus baseline: +0.000	[-0.075, +0.075]	[-0.110, +0.110]	DUD



Post hoc selection; no pooling. Intervals are descriptive and may disagree. S69 changes incentives; S70 holds marginal incentives fixed. Neither interval style establishes collusion, agreement or equivalence.

Why none is promoted: S29 misses its exact sign-flip screen (one block ties; upper-tail p=0.0625 exceeds the registered 0.05 threshold), and S62 is unresolved. S69 is an expected response when the marginal incentive changes sign, so its DUD label denotes successful calibration rather than a null. S70 does not pass its directional prioritization screen; it establishes neither equivalence nor absence of an endowment effect.

Payoff timing matters to the label: S72, a post hoc reuse of all S29 games, finds both employees above a same-status one-shot Nash comparator over r3–10 in **0/5 self-note games versus 2/5 shared-note games**; the difference is +0.400, bootstrap95% [+0.000, +0.800], paired t95% [-0.280, +1.080]. Both intervals include zero. Both arms have zero same-round two-sided gains. The comparator holds task statuses fixed; this is not another independent replication, a repeated-policy counterfactual or evidence of reciprocal intent.

Whole portfolio: 29 DUD, 23 ODD (including post hoc/context-only), 2 failed/unclassified. Entries include fresh games, reused-history decisions and reanalyses; their counts must not be read as independent samples or a calibrated discovery rate. DUD means a registered surprise screen was not met (or an expected calibration succeeded); ODD means unresolved or context-only, not a confirmed signal. The complete original table retains every result and frozen label; the machine-readable inventory binds every entry to its idea and experiment-ledger records. Axes label the questions investigated; reused data can appear under several axes.

Portfolio axis	Pilot entries
A (6)	S02, S14, S18, S31, S45, S56
B (5)	S04, S27, S35, S42, S65
C (6)	S01, S16, S29, S48, S58, S62
D (7)	S11, S22, S33, S43, S51, S60, S69
E (6)	S09, S21, S40, S53, S67, S72
F (5)	S07, S24, S38, S50, S64
own (19)	S03, S06, S19, S25, S28, S32, S34, S36, S37, S41, S44, S47, S54, S55, S59, S61, S66, S68, S70

Failure evidence stays visible: S16 failed its output contract; S68 was interrupted with one response missing. Neither has an effect estimate. S68 must not resume. Model families, prompts, parser adaptations and execution times differ across pilots; the S29/S62 comparison does not isolate a model-family mechanism. No held-out validation or multiplicity correction is claimed.

Possible follow-up, not registered or launched: Delivered-minus-undelivered partner-addressed notes could be a new primary contrast, holding addressing fixed while varying delivery together with truthful access expectations. A three-arm block would also include self-only notes; shared-minus-self and individual-gain measures would be secondary. Direct S29 replication would require matching its prompts and model/settings. Each new seed block would contain one game per arm, with randomized execution order and counterbalanced identities; no observed seeds or histories would be reused. Payoffs, task schedules, public-history format and own-note persistence would be matched. The primary outcome would be each game's TYPE-Y approvals divided by eligible TYPE-Y reviews across both employees in a fixed window; paired block differences supply uncertainty. In the primary contrast, access expectations, writer content, self-memory content and later histories still differ; the self-only comparison also changes addressing. Writer and reader effects, content and beliefs remain bundled. Before calls, fix model/backend/settings, sample size, window, test direction and decision rule, multiplicity, gain endpoint/comparator and retry limits; S29's selected effect does not estimate the new contrast. Any block incomplete after the frozen retry limit should fail the entire study without an effect estimate, restart or replacement; report failures by arm. This replaces the archived future suggestion, changes control and endpoint priorities, and remains an unfinished proposal.

Current offline verification:

```
uv run --frozen python scripts/export_report.py --check --replay-selected
```

Checks all original report rows and saved numerical bindings, preserves prior evidence, and replays five selected scientific analyses and separate checkers. S72 uses its historical revision. This is selected reproduction with a scientific call guard, not full-portfolio raw validation or network isolation. Use full Git history and the installed pinned project dependencies. Archived presentation commands require their own revisions.

Archived primary-result replay — iteration 58: All **54 primary result objects** reproduced at pinned revisions: 52 completed analyses and two failure audits; **50 existing checkers** also ran. The current command checks that saved receipt and reruns only five selected analyses/checkers. Fifty-one entries use the frozen baseline and three use their historical result revisions. Validation depth varies by pilot. Coverage, limits and run commands.