

Architecture design

WhySoSerious

May 13, 2016

Contents

| | | |
|----------|--------------------------------------|----------|
| 1 | Introduction | 3 |
| 1.1 | Design goals | 3 |
| 1.1.1 | Performance | 3 |
| 1.1.2 | Availability | 3 |
| 1.1.3 | Code quality | 3 |
| 1.1.4 | Reliability | 3 |
| 2 | Software architecture views | 5 |
| 2.1 | Subsystem decomposition | 5 |
| 2.2 | Hardware/software mapping | 6 |
| 2.3 | Persistent data management | 6 |
| 2.4 | Concurrency | 6 |
| 3 | Glossary | 7 |

1 Introduction

This document provides a high-level description of the final product and the systems it uses. The final product is a combination of the virtual human and the EIS connector. The virtual human will operate autonomously in an environment within the Tygron Engine and is developed in the GOAL Agent Programming Language. GOAL uses a knowledge model with percepts and beliefs. A GOAL agent can perceive things in the environment and those can be stored as percepts. It can also make use of percepts and earlier beliefs to infer indirect information about the environment and store them as beliefs.

The virtual human has the role of DUWO, DUWO is a housing corporation for students that aims to provide many rental houses and rooms for students at a relatively affordable price. The Tygron-EIS connector connects the virtual human with the Tygron system and is developed in Java.

In the first section the design goals of the project are defined. In the second section the software architecture views of the project are discussed. Among those views are subsystem decomposition, hardware/software mapping, persistent data management and concurrency.

1.1 Design goals

The design goals can be split in four different aspects. These are performance, availability, code quality and reliability. In the following sections the four different aspects are elaborated.

1.1.1 Performance

The virtual human should not be overwhelmed with all the information it gets from the environment. When this does happen it is possible that the virtual human is busy for too long determining what kind of action it should perform. The virtual human is then acting on old information which can be imprecise. This behavior is unacceptable.

1.1.2 Availability

It is important to deliver a working system every week so Tygron can see what the plans are for the next sprint and what has been implemented last sprint. If Tygron does not like a new feature it can be removed from the plan, instead of spending a lot of useful time extending this feature.

1.1.3 Code quality

All code within a method or module should be understandable in about one minute, if this is not the case there should be comments that explain the code so it is understandable in one minute. To ensure all code follows the same code conventions, checkstyle¹ is used. This is only possible for the Tygron-EIS connector since the virtual human is developed in GOAL and not Java.

The virtual humans code should be divided into coherent modules with descriptive names. From the names of those modules and their comments it should be clear what their use is.

1.1.4 Reliability

It is very important to continuously test the code. Travis CI is used for continuous integration, results from Travis CI of the Tygron-EIS connector can be found here. Travis CI is also used for the virtual

¹<http://checkstyle.sourceforge.net/>

human, results can be found here.

Test driven development should be used to ensure that requirements are understood before developing a new feature. Testing methods that are used are unit tests, integration tests and regression tests. This helps finding bugs and unwanted behavior.

2 Software architecture views

The software architecture views explain how the different parts of the system are interconnected. The system is divided into subsystems in the subsystem decomposition and the hardware/software mapping shows how the subsystems connect with each other.

2.1 Subsystem decomposition

An user accessing the Tygron engine does so with client software on his or her computer. This client communicates with the Tygron servers where all of the processing is done. The virtual human will communicate with the simulation via the Tygron-EIS connector². This connector gives the agent percepts which it will process into beliefs. Based on these, the virtual human will return actions to the EIS connector sending them through the Tygron API directly into the Tygron servers.

- Servers

The servers are managed by Tygron and this is where the simulation takes place, the clients use the data that the Tygron server provides to visualize the simulation.

- Tygron API

The API is part of the server software, and allows a user to incorporate functionality from another application within their own application, e.g. to send instructions and/or display data³. The Tygron-EIS connector uses this API to connect the virtual human to the server.

- Tygron-EIS connector

This is a piece of software that handles the connection between the Tygron API and the GOAL language.

- GOAL agent

The GOAL agent is a program written in GOAL that can simulate an entity with intelligence. In this project it simulates a human stakeholder within the Tygron game.

²<https://github.com/levilime/contextvh>

³http://support.tygron.com/wiki/REST_API

2.2 Hardware/software mapping

The Tygron API runs on Tygron’s servers, while the Tygron-EIS connector and the virtual human are both on the user’s computer. In figure 1 an illustration of the connection between all parts of the process are shown. The Tygron-EIS connector communicates directly with the Tygron API.




Figure 1: A graph of the interaction between the server and the agent.

2.3 Persistent data management

As the software will be a real-time virtual human, which will operate in short sessions and have no memory of any previous session, there will be no persistent data within the beliefs of the agent. All persistent data is the game environment state which will be kept at the Tygron server at all times, and the source code, that is kept on GitHub.

2.4 Concurrency

The virtual humans will have to be able to communicate with each other. This means that we will have to work together with the other teams in our context to develop a language which all of the virtual humans can use and understand. Virtual humans should also remember their actions so they won’t get stuck in a loop. They should also be able to run at the same time, from different computers, and be up to date about what other virtual humans say.

3 Glossary

- API

API means application programming interface. Programs use an API to communicate with external software, usually servers.

- GOAL

A programming language created at the TU Delft that enables effective programming of logical agents.

- GitHub

GitHub is a website that enables storage and concurrent development of code for programming teams.

- Tygron

Tygron is the company that developed the Tygron Engine⁴, which is used in this project.

- Tygron Engine

A program run on the Tygron server that enables multi-user simulated city planning with customizable roles.

- Virtual human

Virtual human is another term for the GOAL agent that is being developed for this project.

- Unit test

A unit test tests a single component to verify its behaviour.

- Integration test

An integration test tests whether multiple components are able to cooperate as expected.

- Regression test

A regression test tests whether new bugs have been introduced due to updated code.

⁴<http://www.tygron.com>