


AZANIR/cypressAllure Errors and comments report

Issues

1. Tests

- 1) Wrong validation text in the 'login with wrong email format credentials read data from fixture' IT block in **Login.test.ts**

```
it('login with wrong email format credentials read data from fixture', function () {  
  loginPage.login(this.data.invalid_credentials.wrong_email_format.emailId, this.data.invalid_credent  
  loginPage.validateLoginError('Invalid email addressssss.')  
})  
})
```



- 2) Senseless file **myAccount.test.ts** that doesn't match to project without any test and senseless import

```
TS myAccount.test.ts X  
cypress > e2e > tests > TS myAccount.test.ts > ...  
1 import { loginPage } from "../pages/loginPage";  
2  
3 describe('My Account Functionality', () => {  
4   beforeEach(() => {  
5     cy.visit('https://google.com');  
6     //loginPage.launchApplication()  
7   })  
8   it('Sample Test', () => {  
9     console.log("This is a sample test")  
10  })  
11 })
```

- 3) All test values should be in spec files and not in page object files

```
class MyAccountPage {  
  get signoutLink() { return cy.get('.logout') }  
  get pageHeading() { return cy.get('.page-heading') }  
  
  public validateSuccessfulLogin() {  
    this.pageHeading.should('have.text', 'My account')  
  }  
}
```



- 4) Wrong settings to **npm run report** command



Comments

1. README file

- 1) Unnecessary symbol '#' in heading

cypress-e2e-allure# Cypress-e2e-Allure Automation-Framework with allure reports

This Framework contains sample code for # Cypress-e2e-Allure Automation-Framework

- 2) Unclear entry "Change "Username" and "Password"" in Steps to Run


Steps to run

- Clone the repository using "git clone "
- Change "Username" and "Password"
- npm install
- npm run cy:run

- 3) Should be added information about installing Node.JS and IDE, in Steps to Run

- 4) No information about "how to make report"

- 5) Allure Report screenshot doesn't mach actual



2. Repository

1) Docs folder should be removed from master branch and added to “gh-page” branch

🔗 master ▾	🔗 1 branch	🏷 0 tags	Go to file	Add file ▾	Code ▾
AZANIR Deploying to master from master c5de30f ✓ bb313ea on 16 Jul 🕒 56 commits					
📁 .github/workflows	final update yml	3 months ago			
📁 config	up	3 months ago			
📁 cypress	update test	3 months ago			
📁 docs	Deploying to master from master c5de30f	3 months ago			
📄 .gitignore	up	3 months ago			
📄 README.md	update readme	3 months ago			
📄 package-lock.json	up	3 months ago			
📄 package.json	up	3 months ago			
📄 tsconfig.json	update test and add allure	3 months ago			

2) Change target branch in **cyAllureRun.yml** file to gh-page

```
uses: JamesIves/github-pages-deploy-action@3.1.0
if: always()
with:
  ACCESS_TOKEN: ${{ secrets.ACCESS_TOKEN }}
  BRANCH: master # The branch the action should deploy to.
  FOLDER: allure-report # The folder the action should deploy.
  TARGET_FOLDER: docs
```