

# Software Test Document

WildTrack | Synthetic benchmark fixture | STD-21\_missing-execution-evidence

**Synthetic benchmark fixture.** Content below is controlled test material, not evidence that real software testing occurred.

## Table of Contents

1. Introduction ..... 2

1.1. System Overview ..... 2

1.2. Test Approach ..... 2

1.3. Definitions and Acronyms ..... 2

2. Test Plan ..... 3

2.1 Features to be Tested ..... 3

2.2 Features not to be Tested ..... 3

3.3 Testing Tools and Environment ..... 3

3. Test Cases ..... 4

Appendix (Test Logs) ..... 5

## 1. Introduction

WildTrack is a capstone submission workflow that lets configured students submit link-based deliverables, lets advisers review responses and Document Check findings, and lets Admin users manage academic workflow configuration.

### 1.1. System Overview

WildTrack is a capstone submission workflow that lets configured students submit link-based deliverables, lets advisers review responses and Document Check findings, and lets Admin users manage academic workflow configuration.

### 1.2. Test Approach

The synthetic test approach covers valid and invalid submissions, missing required values, access failures, stale edits, authorization boundaries, and representative UI flows. Expected outcomes are defined before the synthetic run and actual observations belong in the test log.

### 1.3. Definitions and Acronyms

Admin: academic workflow administrator. Adviser: staff reviewer for assigned teams. Document Check: deterministic file-access, readability, and template-comparison checks. AI Review: grounded advisory content screening.

## 2. Test Plan

The following feature scope and environment are frozen for this synthetic benchmark fixture.

## 2.1 Features to be Tested

Student Refactored SRS form submission and edit flow; required field validation; response ownership; Document Check visibility; adviser review access; Admin form configuration; stale-revision rejection.

## 2.2 Features not to be Tested

Production grading decisions, payment features, unrelated external systems, and complete Google Drive revision authorship are outside this synthetic STD fixture.

## 3.3 Testing Tools and Environment

Local Spring Boot backend, H2 test database, Vitest, Playwright, JUnit, controlled PDF fixtures, and browser screenshots are used in the synthetic benchmark environment.

## 3. Test Cases

Controlled Test Case 1

### 3.1.1 Purpose

Verify that a configured student cannot save a Refactored SRS response while the required PDF link is blank, and that a valid link plus required validation step persists to the intended response.

### 3.1.2 Inputs

Configured student identity, published Refactored SRS form, blank or valid Google Drive PDF link, and Validation step choice.

### 3.1.3 Expected Outputs & Pass/Fail Criteria

Blank required PDF link is rejected without creating an incorrect response. A valid link with Initial submission is saved to the intended student/workspace/deliverable response. Pass only when all listed assertions hold.

### 3.1.4 Test Procedure

Open the form as the configured synthetic student. Attempt the blank required-link submission. Enter the controlled link and Initial submission value. Save once. Re-open the same response and compare persisted values with the frozen expected values.

## Appendix (Test Logs)

The synthetic test log below separates expected outcomes from controlled fixture observations.

### A.1 Log for Test 1

NOT SUPPLIED IN THIS FIXTURE. Planned test identifiers exist, but no execution log is present.

### A.2 Test Results

NOT SUPPLIED IN THIS FIXTURE. No actual observed result, screenshot, log, recording, or system-output evidence is present.

### **A.3 Incident Report**

NOT SUPPLIED IN THIS FIXTURE. Because execution evidence is absent, this fixture cannot demonstrate whether an expected-versus-actual mismatch occurred.