


WildTrack MVP Validation Framework and Model

Status: proposed GQM-based evaluation design. This artifact is not adviser-approved and contains no fabricated participant or benchmark results.

Evaluation model

WildTrack uses Goal/Question/Metric (GQM) to keep each validation objective tied to its own primary evidence source.



Role-feedback questionnaire data is supporting evidence only. It does not replace the technical/transaction evidence that scores the three primary objectives.

Primary GQM source: Victor R. Basili, *Software Modeling and Measurement: The Goal/Question/Metric Paradigm*, University of Maryland Technical Report CS-TR-2956 / UMIACS-TR-92-96, 1992.

Objective mapping

Objective	Operational question	Primary construct	Primary evidence	Primary metric
1. Document Check accuracy	Do applicable deterministic assertions match the frozen expected results across controlled STD/PDF fixtures?	deterministic checker correctness	frozen fixture manifest + Document Check run logs	assertion accuracy, execution coverage, FP/FN and precision/recall where defined
2. AI Review grounded-content screening	Does AI Review identify frozen content issues without inventing requirements, and are substantive claims traceable to the submitted PDF or configured authority?	grounded content-screening correctness	frozen fresh-run pilot + claim-provenance adjudication	decision agreement, traceability, fresh-run coverage, unsupported-claim count
3. Student submission transaction correctness	Does WildTrack correctly reject the prescribed invalid attempt, save the valid response under the correct student record, and preserve the intended revision?	transaction correctness	controlled Refactored SRS T1/T2 task log + WildTrack readback/system evidence	STU_TXN_accuracy = C_STU_TXN / N_STU_TXN; working target >= 95%

Objective 3 controlled task model

Use the existing imported MVP Validation workspace and the existing **Refactored SRS** form.

T1 - Initial submission

1. Student opens the Refactored SRS form.
2. Student attempts to submit without the required PDF link.
3. WildTrack must block the incomplete attempt without creating/overwriting an incorrect response.
4. Student pastes the Google Drive link to their own existing Refactored SRS PDF.

5. Student selects **Initial submission** for the required `Validation step` field.
6. Student submits.
7. Researcher verifies canonical student/workspace/deliverable association, persisted values and student-visible readback.

T2 - Revised submission

1. Student opens **Edit response** on the same saved response.
2. Student changes only `Validation step` from **Initial submission** to **Revised submission**.
3. Student leaves the PDF link unchanged.
4. Student saves.
5. Researcher verifies response identity preservation, intended changed value, preservation of unchanged values, revision behavior and student-visible readback.

T1/T2 are system/task evidence. They are intentionally not repeated as self-report questions in the Google Form.

Supporting questionnaire model

The Google Form gathers role-specific descriptive feedback only.

Role	Supporting construct	Typical evidence
Student	status/save clarity and current workflow pain points	role-specific ratings + optional comments
Adviser	review information/action clarity and workflow pain points	role-specific ratings + optional comments
Admin/beneficiary	management/review control feedback	September 14 consultation + optional structured follow-up

Sir Ralph Laviste's September 14 consultation is the primary Admin/beneficiary qualitative evidence for this validation context. It must not be converted into a synthetic questionnaire row or counted twice as two Admin participants.

Evidence separation

Objective 1 -> Document Check fixture evidence
 Objective 2 -> AI Review fresh-run fixture evidence
 Objective 3 -> Student T1/T2 task + system/readback evidence
 Questionnaire -> Supporting role feedback only
 Consultation -> Real qualitative Admin/beneficiary evidence

This separation prevents opinion ratings from being misreported as technical accuracy or transaction correctness.

Sample and privacy boundaries

- Planned validation includes at least 30 unique consenting stakeholder participants across the role mix defined in the research packet. This is the owner/course plan, not a direct Sir Ralph quotation.
- Questionnaire email collection is off under the preferred settings. Do not recreate the respondent-entered participant code.
- Objective 3 may require restricted Student Number/internal record keys to verify canonical response ownership. Use `task_observation_id` in cleaned analysis and final reporting.
- No student submits binary files to WildTrack. The controlled task uses Google Drive PDF links.
- Raw participant/task evidence stays access controlled and should not be committed as ordinary repository content.

Approval and completion boundaries

- GQM and the numerical targets remain proposed until the course-required adviser/framework endorsement is actually obtained.
- No participant result, benchmark pass rate or objective success claim exists until real data/runs are completed.
- Live Google Drive delegated history is optional and separate from this model. Its local access plan does not constitute authorization or implementation.
- Final Highlights must report actual denominators, failures, exclusions and limitations rather than only whether a target was met.