BEYOND SERVICE

UI/UX DESIGN AUDIT + MASTER WEBSITE RECONSTRUCTION PROMPT

Reference website
https://www.beyondservice.co.in/

Purpose
A practical specification for analysing the live site and rebuilding a premium, responsive B2B corporate services website.

Design direction for the reconstruction
Near-black · charcoal · warm gray · off-white · muted gold. Preserve the official Beyond Service logo and approved brand assets.

Prepared: 10 October 2026 | Based on the supplied 4-page audit draft and publicly indexed live-site content

Important accuracy note: the uploaded draft labels several measurements and colours as verified, but the PDF itself does not include the underlying CSS evidence or source screenshots needed to independently confirm every value. This document separates publicly visible content, previously documented estimates, and the approved reconstruction direction.

1. Executive summary

Beyond Service presents itself as a Surat-based provider of project management and repair & maintenance services for industrial and corporate clients across India. Publicly indexed homepage content describes 9+ service verticals, 100+ corporate clients, 500+ service providers, and operations across 14+ states. Treat company figures and testimonials as supplied website content and verify them with the business owner before publication.

Observed site information architecture

- **Primary conversion:** request a quote / contact the team.
- **Trust signals:** service coverage, corporate-client count, provider network, geographic reach, quality messaging, client logos/testimonials.
- **Core service routes:** Civil Project & R&M, MEP, ELV, Civil Interior, Cooling Systems, Fire & Safety, Industrial Equipment, Logistic Services, and Project Management.
- **Supporting content:** About, business approach, portfolio/projects, team, reviews, quote form, contact details, location and footer.

Key reconstruction principle

Recreate the live website's information architecture, content hierarchy, page relationships and interactions faithfully, while applying the user's approved visual direction for the rebuild. Do not silently replace original brand assets, copy, service names, or contact information. Where the existing site and approved visual direction differ, document the difference instead of inventing a claim that the live site already uses the approved palette.

Evidence status

- **Publicly indexed:** homepage sections, nine service categories, quote form fields, company contact details and service-page content.
- **Supplied draft only:** the 4-page uploaded audit's exact navy/amber palette, type measurements, 1280px container, header dimensions and animation timing. These should be rechecked in browser DevTools before being called verified.
- **Not independently established from text extraction alone:** exact font files, computed CSS for all breakpoints, animation durations, DOM structure, accessibility state and complete mobile behaviour.

2. Approved reconstruction palette

Use this palette for the requested premium rebuild because it matches the previously approved Beyond Service direction. It is a reconstruction design choice, not a claim that these are the current live site's computed CSS values.

Token	HEX	Usage	Swatch
Near Black	#0A0B0C	Primary dark surfaces / hero / footer	
Charcoal	#17191A	Secondary dark surfaces / cards	
Graphite	#292C2E	Panels, dividers, layered dark surfaces	
Warm Gray	#62676A	Muted text and secondary UI	
Off-white	#F3F4F3	Primary light surface / readable text	
Muted Gold	#B99A63	Primary accent / understated CTA detail	
Light Gold	#D0B37B	Hover accent / fine highlights	

Rules

- No blue shades and no neon effects in the reconstruction.
- Use muted gold sparingly for CTA emphasis, small rules, active states and fine details; avoid large saturated gold panels.
- Keep contrast high: off-white text on dark surfaces and near-black text on light surfaces.
- Do not use colour alone to communicate errors, success, selected states or required fields.
- Store colours as CSS variables/design tokens so the palette can be updated centrally.

Suggested CSS tokens

```
:root {
  --bs-black: #0A0B0C;
  --bs-charcoal: #17191A;
  --bs-graphite: #292C2E;
  --bs-warm-gray: #62676A;
  --bs-off-white: #F3F4F3;
  --bs-gold: #B99A63;
  --bs-gold-light: #D0B37B;
}
```

3. Typography, layout and spacing

The supplied draft suggests Inter / Plus Jakarta Sans / system sans-serif and a 1280px content container, but it does not include sufficient evidence to establish every live-site font declaration. Inspect loaded font files and computed styles first; use the values below as a restrained starting system only if they suit the approved reference.

Role	Suggested starting range	Guideline
Hero H1	44–64px desktop; 30–40px mobile	Bold, compact line-height, controlled max-width; do not overfill the hero.
Section H2	30–40px desktop; 24–30px mobile	Clear editorial hierarchy; consistent section-heading pattern.
Card H3	18–24px	Medium/semibold; keep card title lengths visually balanced.
Body	15–17px desktop; 14–16px mobile	Comfortable reading line-height around 1.5–1.7.
Navigation / CTA	14–16px	Medium/semibold; ensure tap targets are generous.
Eyebrow / metadata	11–13px	Use uppercase sparingly with increased letter spacing.

Layout baseline

- Use a centred responsive container, initially around 1200–1280px max width, but confirm the original width visually.
- Desktop: generous outer margins, consistent grid alignment, and enough whitespace for a premium corporate feel.
- Mobile: 16–20px side padding, single-column content where needed, no horizontal overflow.
- Use consistent spacing tokens such as 4, 8, 12, 16, 24, 32, 48, 64, 80 and 112px; tune against screenshots.
- Cards should use consistent padding and borders; keep shadows subtle rather than making every section look like a dashboard.
- Use image crops and aspect ratios intentionally; avoid stretching logos, people, buildings or equipment.

Motion baseline

- Prefer subtle reveal transitions, restrained stagger, and small hover changes over constant motion.
- Use a consistent 200–450ms range for UI transitions only as a starting recommendation, not as verified source timing.
- Avoid excessive parallax, bouncing, glowing effects, or animations that compete with the corporate content.
- Support prefers-reduced-motion and ensure content remains visible if animation fails.

4. Page and section architecture

Use the following as a build checklist. Confirm the exact section order against the live page and the owner's approved content before implementation.

Area	Required behaviour / content
Global shell	Logo/intro if required; header; navigation; quote CTA; mobile menu; footer; contact shortcuts.
Homepage hero	Corporate value proposition, supporting copy, primary CTA, secondary CTA, real branded imagery/video, trust cues.
Trust / metrics	14+ states, 100+ corporate clients, 500+ providers, 9+ verticals — verify numbers before publishing.
About / business approach	Company positioning, mission/vision, delivery approach, team and network story.
Services overview	Nine distinct service cards with consistent image treatment, concise descriptions and working detail links.
Portfolio / projects	Project cards, location/category metadata, case-study links if real case studies are available.
Industries / capabilities	Only include industries and claims supported by the company; avoid fabricated certifications.
Testimonials / clients	Use approved testimonials and logos only; do not invent client endorsements.
Video / overview	Use supplied branded video if available; include poster, playback controls and mobile fallback.
Careers / join us	Only implement if the owner wants this route and provides accurate content.
FAQ	Accessible accordion with keyboard support and clear focus state.
Quote / contact	Name, phone, email, service, message; client-side validation and server-side validation.
Location / footer	Current official contact details, useful navigation, legal links and social links if confirmed.

Nine service categories found in indexed website content

- Civil Project & R&M; Works
- MEP Services
- ELV Services
- Civil Interior Services
- Cooling System Services
- Fire & Safety Services
- Industrial Equipment Services
- Logistic Services
- Project Management

5. Interaction, responsive and accessibility requirements

Header and navigation

- Desktop navigation must remain readable, with clear active/hover/focus states and working service links.
- If the header becomes sticky, verify its actual scroll-state appearance and prevent content from being hidden beneath it.
- Mobile menu must open/close predictably, trap focus only when appropriate, close on Escape, and restore focus to the menu button.
- Keep quote CTA visible without crowding the logo or navigation.

Cards, buttons and forms

- Whole service card should not create nested interactive links; use a clear link target and keyboard focus.
- Hover state should have an equivalent focus-visible state and must not be the only way to discover information.
- Forms require visible labels, required-field indicators, useful validation messages and a success/error state.
- Do not show a fake success message unless the form is actually submitted to a working endpoint.
- Protect public forms with server-side validation, spam controls and secure handling of contact details.

Responsive QA

- Test at 1440×900, 1366×768, 1024×768, 768×1024, 390×844 and 360×800.
- Check text wrapping, header overflow, image focal points, card ordering, button stacking and footer columns.
- No horizontal scrolling at 320px and above unless a specific component intentionally requires it.
- Check keyboard navigation, contrast, alt text, reduced motion and form error announcements.

Performance and SEO

- Use responsive images and modern formats where practical; lazy-load below-the-fold media.
- Do not autoplay sound. Use poster frames and a mobile fallback for large hero video.
- Use semantic headings, descriptive page titles, metadata, canonical URLs and structured data only where accurate.
- Optimize fonts and avoid loading many weights or multiple unrelated typefaces.
- Test Core Web Vitals, broken links, missing assets, console errors and mobile performance before release.

6. Live-site content findings and audit caveats

The public website search results expose the following current content and routes. These are useful for planning the rebuild, but search-indexed text is not a substitute for inspecting the live page at multiple viewport sizes.

- Homepage: https://www.beyondservice.co.in/
- About: https://www.beyondservice.co.in/about
- Services: https://www.beyondservice.co.in/service
- Service detail index: https://www.beyondservice.co.in/service-details
- Example detail pages include /service-details/project-management, /service-details/civil-rm, /service-details/mep, /service-details/elv, /service-details/civil-interior, /service-details/fire-safety, /service-details/cooling-systems and /service-details/industrial-equipment.

Publicly indexed homepage content includes a hero statement about being a trusted facility management partner; metrics for states, clients, providers and verticals; service cards; business approach; portfolio; team; testimonials; quote form; and contact information.

The supplied audit draft lists a navy/amber palette (#0B192C and #FF9D00) as verified, but the supplied PDF does not provide source CSS extracts or full browser evidence. Because the user's approved reconstruction direction is near-black/charcoal/off-white/muted-gold, the rebuild prompt below treats the palette as an approved design direction and asks the implementer to compare it with the live site rather than misrepresenting it as a verified original value.

Contact details appearing in indexed site content

Phone: +91 79847 87910 and +91 97260 07759
Email: connect@beyondservice.co.in
Location: 6th Floor, 619, Vesu Main Road, near S D Jain School, Vesu, Surat, Gujarat 395007.

Verify every contact detail with the owner before release. Do not invent extra addresses, staff identities, customer endorsements, certifications, project case studies or performance claims.

7. Master prompt for Gemini / Claude / coding agent

Copy the prompt below into the AI tool that will inspect and build the website. It is designed to force analysis before coding, preserve the existing project, and prevent the tool from inventing details.

MASTER WEBSITE RECONSTRUCTION PROMPT

ROLE
Act as a senior UI/UX designer, frontend architect, motion designer, accessibility specialist and QA engineer. Reconstruct the Beyond Service website using the live website as the reference and the approved design direction below. Do not produce a generic facility-management template.

REFERENCE
Official website: https://www.beyondservice.co.in/
Inspect the homepage, About page, services listing, all nine service detail pages, quote/contact form, footer and any other accessible routes. Review desktop, tablet and mobile. Capture genuine screenshots or document what cannot be inspected.

FIRST: AUDIT BEFORE CODING
1. Browse the reference site section by section and map its information architecture.
2. Record each section's order, content width, alignment, image crop, spacing, heading hierarchy, CTA style, card layout, responsive behaviour and interactions.
3. Inspect computed CSS and loaded font files when browser tools permit. Report exact values only when verified; otherwise label them estimates.
4. Distinguish three categories in your notes: VERIFIED FROM SITE, ESTIMATED FROM VISUAL INSPECTION, and RECOMMENDED FOR REBUILD.
5. Do not claim you inspected a mobile layout, animation or stylesheet if you did not.

VISUAL DIRECTION FOR THIS REBUILD
Premium B2B corporate; cinematic but restrained; architectural and industrial photography; confident typography; generous whitespace; refined transitions; strong hierarchy; consistent alignment. Use the approved palette: #0A0B0C, #17191A, #292C2E, #62676A, #F3F4F3, #B99A63 and #D0B37B. No blue shades, no neon, no excessive glow, no generic gradients. Preserve the official Beyond Service logo and approved assets. If live-site colours differ, record that fact separately and apply this approved palette only to the reconstruction.

PROJECT CONSTRAINTS
Use the existing project and inspect its files before making changes. Do not replace the scaffold, delete existing working code, overwrite assets, or change build tools without a clear reason. The target stack is Next.js + TypeScript + Tailwind CSS for the planned implementation; if the existing project is currently React/Vite, explain the migration trade-off before converting it. Prefer reusable components and a shared design-token system.

7. Master prompt — implementation instructions

INFORMATION ARCHITECTURE
Build the homepage with the sections found on the real reference: header/navigation, hero, trust metrics, about/business approach, all nine services, industries/capabilities where supported, projects/portfolio, testimonials/clients where approved, video/overview if assets exist, FAQ if present, quote/contact, location and footer. Match the live site's actual order after inspection. Create individual service detail routes for all nine service categories and use consistent templates without making every page visually identical.

NINE SERVICE CATEGORIES
1. Civil Project & R&M Works
2. MEP Services
3. ELV Services
4. Civil Interior Services
5. Cooling System Services
6. Fire & Safety Services
7. Industrial Equipment Services
8. Logistic Services
9. Project Management

Use the site's real descriptions and details; do not fabricate certifications, customer names, testimonials, metrics or case studies.

TYPOGRAPHY AND SPACING
Inspect the actual fonts first. Preserve the original typeface if verifiable and licensed. If unavailable, choose one consistent professional sans-serif family and document the substitution. Define tokens for H1–H6, body, small copy, navigation, labels and buttons. Use responsive sizes with clamp() where appropriate, readable line lengths, stable line heights and consistent spacing. Avoid using three or four unrelated font families.

HEADER AND HERO
Preserve the official logo. Implement desktop navigation, service dropdown if present, clear quote CTA, and a polished mobile menu. Match the real hero's content alignment and media composition. Use supplied video/image assets when available, including the existing BS intro asset if it is part of the approved flow. Keep intro animation brief, ensure a skip/reduced-motion path, and do not delay access to the page unnecessarily. Never substitute unrelated stock media for branded assets without approval.

MOTION
Use Framer Motion or the project's existing animation library only if already installed or approved. Add subtle entrance reveals, modest stagger, restrained image transitions, clear hover/focus feedback and accessible FAQ interactions. Avoid animation on every element. Respect prefers-reduced-motion and ensure no content remains invisible when JavaScript or animation fails. Use timings based on observation where measurable; otherwise label them implementation choices.

FUNCTIONALITY
All links and buttons must work. Quote form must have labels, validation, loading, success and failure states, spam protection, and a real server endpoint or clearly documented integration placeholder. Never simulate a successful submission. Use secure environment variables for email/API credentials. Make navigation, accordions, sliders and mobile controls keyboard accessible.

RESPONSIVE / ACCESSIBILITY / SEO
Test 1440px, 1366px, 1024px, 768px, 390px and 360px widths. Prevent horizontal overflow. Check focus-visible, contrast, semantic landmarks, alt text, reduced motion, form error announcements, metadata, sitemap, robots, canonical URLs and structured data only when accurate.

7. Master prompt — delivery and QA

IMPLEMENTATION PROCESS

1. Inspect repository structure and identify existing framework, dependencies, routes, assets and current errors.
2. Produce a short audit and implementation plan before editing.
3. Build shared design tokens and reusable UI components.
4. Implement the header and hero first; compare them against the reference at matching viewport dimensions.
5. Implement all homepage sections in verified order.
6. Implement all nine service pages and ensure every card routes correctly.
7. Connect quote/contact functionality and preserve official contact information.
8. Run the development server, inspect the browser, fix console errors and compare screenshots.
9. Test responsiveness, accessibility, links, forms, SEO and performance.
10. Summarize files changed, routes completed, assets needed, known gaps and exact commands to run.

QUALITY BAR

The result must feel like one cohesive premium corporate website. Use a strict spacing and typography system. Avoid inconsistent font sizes, arbitrary card styles, excessive rounded corners, generic gradients, placeholder content, broken images, fake metrics, dead links, console warnings and unfinished sections. Do not stop after the hero or provide only snippets: implement the agreed scope in the actual project.

FINAL RESPONSE REQUIRED

Provide a concise completion report with: pages/components completed; routes tested; form status; responsive widths checked; any verified vs estimated design values; assets still needed; issues remaining; and how to run/build the project. Do not claim deployment or testing that was not actually performed.

END OF MASTER PROMPT

8. Implementation QA checklist

Use this as the sign-off checklist before presenting the rebuild for approval.

Area	Check
Reference fidelity	[ ] Header and hero compared against original screenshots at matching viewport sizes.
Brand assets	[ ] Official logo preserved; approved videos/images reused; no accidental asset replacement.
Palette	[ ] Approved near-black/charcoal/warm-gray/off-white/gold tokens used consistently; no blue/neon.
Typography	[ ] One coherent type system; no arbitrary font mixing; weights and line heights consistent.
Content	[ ] All nine services included; company metrics and claims verified; no invented testimonials.
Routes	[ ] Navigation, service cards, detail pages, quote links and footer links work.
Forms	[ ] Validation, loading, success/failure states and real endpoint/integration documented.
Responsive	[ ] 1440, 1366, 1024, 768, 390 and 360 widths tested.
Accessibility	[ ] Keyboard, focus, labels, contrast, alt text and reduced-motion checked.
Motion	[ ] Subtle, consistent, non-blocking animations; no hidden content on animation failure.
Performance	[ ] Media optimized; below-fold lazy loading; no major console errors.
SEO	[ ] Metadata, headings, sitemap, canonical URLs and structured data checked.
Delivery	[ ] Build passes; known gaps documented; screenshots and final status shared.

Sources and limitations

Primary reference: https://www.beyondservice.co.in/ (publicly indexed homepage content, accessed 10 October 2026). Related routes: /about, /service, /service-details, /service-details/project-management, /service-details/civil-rm, /service-details/mep, /service-details/elv, /service-details/civil-interior, /service-details/fire-safety, /service-details/cooling-systems, /service-details/industrial-equipment. This report does not assert that every CSS value or interaction has been independently inspected in a live browser. Confirm exact values through DevTools and visual screenshots before describing them as verified.