

How to Deploy to Deployio

One-page guide · [deployio.tech](#) · Final-year / developer reference

WHAT DEPLOYIO DOES

Connects to Git (GitHub, GitLab, Azure DevOps), discovers **Dockerfiles**, analyzes each service, builds a container, and hosts it at `https://<subdomain>.deployio.tech`.

Important: `docker-compose.yml` is *not* run for hosting. Deploy **one service per project** — each with its own Dockerfile.

REPOSITORY LAYOUTS

Single service — Dockerfile at repo root; build context = `.`

```
my-app/
├── Dockerfile
├── package.json
└── src/
```

Multi-service — one Dockerfile per folder; one Deployio project each.

```
my-platform/
├── frontend/Dockerfile
├── backend/Dockerfile
└── docker-compose.yml (local only)
```

Build context: directory containing the chosen Dockerfile — not always repo root. COPY paths must live inside that folder.

Pattern	Example
Root	Dockerfile
Service dir	backend/Dockerfile
Variant	Dockerfile.prod

DOCKERFILE REQUIREMENTS

- Required:** FROM + CMD or ENTRYPOINT
- Recommended:** ENV PORT, EXPOSE, listen on `0.0.0.0`, /health or HEALTHCHECK
- Env hints:** `.env.example` beside the Dockerfile

7-STEP WIZARD

1
Git provider

2
Repository

3
Branch

4
Dockerfile

5
Analysis

6
Configure

7
Review

Then: Dashboard → project → **Deploy** → pick subdomain → watch build logs.

MULTI-SERVICE CHECKLIST

- Dockerfile per service (frontend, API, worker)
- Project A: select frontend/Dockerfile → deploy
- Project B: same repo, backend/Dockerfile → wire URLs & secrets

TROUBLESHOOTING

Problem	Fix
No Dockerfiles	Add valid Dockerfile; push to Git
COPY failed	Files must be inside Dockerfile directory
Unreachable	Bind <code>0.0.0.0</code> ; match PORT
Compose-only	Add per-service Dockerfiles

LLM PROMPT (COPY-PASTE)

Prepare this repo for Deployio: one container per Dockerfile; compose not used for deploy; context = Dockerfile folder; FROM+CMD required; 0.0.0.0 + PORT + /health. Task: [your app]. Deliver: folder tree, each Dockerfile, `.env.example` per service, Deployio project list and cross-service env vars.