
Table of Contents

ECE 498 - Matlab	1
Question 1: Solve Diff Eqs Analytically	1
Question 2: Solve Diff Eqs Numerically	2

ECE 498 - Matlab

Author: Derek Haas

```
clear;  
clc;  
close all;
```

Question 1: Solve Diff Eqs Analytically

```
f1 = dsolve('Dy = (x^2 / y)', 'x')  
f2 = dsolve('Dy + y^2 * sin(x) = 0', 'x')  
f3 = dsolve('x * Dy = sqrt(1 - y^2)', 'x')
```

Warning: Support of character vectors and strings will be removed in a future release. Use sym objects to define differential equations instead.

```
f1 =  
  
      (2^(1/2)*3^(1/2)*(x^3 + C1)^(1/2))/3  
      -(2^(1/2)*3^(1/2)*(x^3 + C1)^(1/2))/3
```

Warning: Support of character vectors and strings will be removed in a future release. Use sym objects to define differential equations instead.

```
f2 =  
  
      -1/(C1 + cos(x))  
      0
```

Warning: Support of character vectors and strings will be removed in a future release. Use sym objects to define differential equations instead.

```
f3 =  
  
      sin(C1 + log(x))  
      1  
      -1
```

Question 2: Solve Diff Eqs Numerically

```
% First Diff Eq
f = @(x,y) (-x * y) / sqrt(2 - y^2);
[x, y] = ode45(f, [0 5], 1);





figure(1);
plot(x, y);
grid on;
title('Differential Equation: Numerical Solution');
xlabel('x');
ylabel('y');

% Second Diff Eq
y0=[1 -1 1];
xspan=[0 pi/2];
[x,y]= ode23('diff_eq', xspan, y0);

% Make the 3 subplots
% This is for Y1
figure(2);
subplot(3,1,1);
plot(x,y(:,1));
title('Y1');
grid on;

% This is for Y2
subplot(3,1,2);
plot(x,y(:,2));
title('Y2');
grid on;

% This for Y3
subplot(3,1,3);
plot(x,y(:,3));
title('Y3');
grid on;
```



Published with MATLAB® R2020a