(Working Title) Appendix: Task Switching Replication Cognitive Control under varying Posture

Authors

Texas A&M University - Commerce

November 5, 2021

Abstract

Appendix of all figures, tables and materials generated by the project. Not all figures and tables may be used in final document, so can refer to this document for details of data analysis, visualizations, summary tables and other products of this project.

Appendix

Tables

Figures

Table 1: Summary of experiment participants results

date	part	cond	trials	accuracy	std	rt	std
2021-11-04 14:46:00	8000	2	384	0.8151	0.3887	0.7431	0.2794
2021-11-04 15:31:00	8001	10	384	0.9375	0.2424	0.6804	0.2140
2021-11-04 15:59:00	8002	3	384	0.9479	0.2225	0.5421	0.2037
2021-11-05 10:33:00	8003	11	384	0.9141	0.2806	0.6800	0.2211

Table 2: Means and standard deviations of accuracy and reaction times (in ms) as a function of posture and experiment trial types.

| posture	congruantTrialType	switchTrialType	accuracy	std	rt	std
sitting	congruant	noswitch	0.9351	0.2470	0.5896	0.2239
		switch	0.9045	0.2946	0.7385	0.2720
	incongruant	noswitch	0.9447	0.2291	0.6140	0.2389
		switch	0.8595	0.3485	0.6825	0.2367
standing	congruant	noswitch	0.9577	0.2019	0.5841	0.2099
		switch	0.8410	0.3666	0.7157	0.2272
	incongruant	noswitch	0.8769	0.3294	0.6687	0.2565
		switch	0.9101	0.2869	0.6892	0.2205

Figure 1: Accuracy from Experiment (replication of task switching). The results show proportion of correct responses (or accuracy) broken down by experiment conditions (congruent vs. incongruent trials, switch vs. no switch trials, in the standing or sitting posture). Error bars represent 95% confidence interval.

Figure 2: Reaction time from Experiment (replication of task switching). The results show average reaction times broken down by experiment conditions (congruent vs. incongruent, switch vs. no switch trials, in the standing or sitting posture). Error bars represent 95% confidence interval.