## ECE-302 PROJECT 3

Derek Lee Professor Keene

 $March\ 28,\ 2021$ 

## **Exponential Distribution**

$$f(x) = \lambda e^{-\lambda x} \tag{1}$$

$$f(x) = \lambda e^{-\lambda x}$$

$$L(\lambda) = \prod_{i=1}^{n} \lambda e^{-\lambda x_i} = \lambda^n \prod_{i=1}^{n} e^{-\lambda x_i} = \lambda^n e^{-\lambda \sum_{i=1}^{n} x_i}$$
(2)

$$LL(\lambda) = n \ln \lambda - \lambda \sum_{i=1}^{n} x_i = n \ln \lambda - \lambda n \bar{x} = n(\ln \lambda - \lambda \bar{x})$$
 (3)

$$LL'(\lambda) = \frac{n}{\lambda} - n\bar{x} \tag{4}$$

Maximizing log likelihood:

$$\frac{n}{\lambda} - n\bar{x} = 0 \tag{5}$$

$$\frac{n}{\lambda} - n\bar{x} = 0 \tag{5}$$

$$\frac{n}{\lambda} = n\bar{x} \tag{6}$$

$$\lambda = \frac{1}{\bar{x}} \tag{7}$$

## Rayleigh Distribution

$$f(x) = \frac{x}{\sigma^2} e^{-\frac{x^2}{2\sigma^2}} \tag{8}$$

$$L(\sigma) = \prod_{i=1}^{n} \frac{x_i}{\sigma^2} e^{-\frac{x_i^2}{2\sigma^2}} = \frac{1}{\sigma^{2n}} \prod_{i=1}^{n} x_i e^{-\frac{x_i^2}{2\sigma^2}} = \frac{1}{\sigma^{2n}} e^{-\sum_{i=1}^{n} \frac{x_i^2}{2\sigma^2}} \prod_{i=1}^{n} x_i$$
(9)

$$LL(\sigma) = -2n \ln \sigma - \sum_{i=1}^{n} \frac{x_i^2}{2\sigma^2} + \sum_{i=1}^{n} \ln x_i$$
 (10)

$$LL'(\sigma) = -\frac{2n}{\sigma} + \sum_{i=1}^{n} \frac{x_i^2}{\sigma^3} = -\frac{2n}{\sigma} + \frac{1}{\sigma^3} \sum_{i=1}^{n} x_i^2$$
 (11)

Maximizing log likelihood:

$$-\frac{2n}{\sigma} + \frac{1}{\sigma^3} \sum_{i=1}^n x_i^2 = 0 \tag{12}$$

$$\frac{1}{\sigma^3} \sum_{i=1}^n x_i^2 = \frac{2n}{\sigma} \tag{13}$$

$$\frac{1}{\sigma^2} \sum_{i=1}^n x_i^2 = 2n \tag{14}$$

$$\sigma^2 = \frac{1}{2n} \sum_{i=1}^n x_i^2 \tag{15}$$

$$\sigma = \sqrt{\frac{1}{2n} \sum_{i=1}^{n} x_i^2} \tag{16}$$