

Learning a Codebase

Derek Somerville

November 27, 2025

Contents

1 Repository	4
1.1 Glossary - Summary	4
1.2 Repository Summary Table	5
1.3 Sample scatter touched against commit -	6
1.4 Total commits by developer - Developer Commits	7
1.5 Histogram components touched by developer - For components with total	9
2 Repository: 14	18
2.1 Time series components touched - 14 For packages touched for each period	18
2.2 Time series sustained components touched by developer - 14 For developer commits and components touched.	24
2.3 Time series sustained components touched by developer - 14 For developer day and components touched.	27
3 Repository: 21	29
3.1 Time series components touched - 21 For packages touched for each period	29
3.2 Time series sustained components touched by developer - 21 For developer commits and components touched.	35
3.3 Time series sustained components touched by developer - 21 For developer day and components touched.	38
4 Repository: 3	39
4.1 Time series components touched - 3 For packages touched for each period	39
5 Repository: 5	45
5.1 Time series components touched - 5 For packages touched for each period	45
6 Repository: 7	51
6.1 Time series components touched - 7 For packages touched for each period	51
7 Repository: 10	57
7.1 Time series components touched - 10 For packages touched for each period	57
8 Repository: 15	63
8.1 Time series components touched - 15 For packages touched for each period	63
9 Repository: 18	69
9.1 Time series components touched - 18 For packages touched for each period	69
10 Repository: 20	75
10.1 Time series components touched - 20 For packages touched for each period	75
11 Repository: 26	81
11.1 Time series components touched - 26 For packages touched for each period	81
12 Repository: 28	87
12.1 Time series components touched - 28 For packages touched for each period	87
13 Repository: 33	93
13.1 Time series components touched - 33 For packages touched for each period	93
14 Repository: 36	99
14.1 Time series components touched - 36 For packages touched for each period	99

15 Repository:	37		105
15.1 Time series components touched -	37	For packages touched for each period	105
16 Repository:	39		111
16.1 Time series components touched -	39	For packages touched for each period	111

1 Repository

1.1 Glossary - Summary

- The founder developer starts in the first six months of a project.
- Late joiner developers begin after six months.
- Transient developers have ten (10) or fewer commits.
- Moderate developers have more than ten (10) commits but fewer than 50 commits or commits for less than 250 days.
- Sustained developers make 50 or more commits and commit for 250 days or more.

1.2 Repository Summary Table

Table 1: Summary of fifteen open-source repositories identified from GitHub that have at least 1000 pull requests and at least three sustained late joiner developers. Sustained later joiner developers joining the project after six months and contributed at least 50 commits over a period of 250 days or more. Developers with fewer than three commits are excluded. Please note that five developers each worked on two repositories.

ID	Repo Name	Transient Founder	Moderate Founder	Sustained Founder	Transient Joiner	Moderate Joiner	Sustained Joiner	Commit	Start	End
3	activiti	4	7	6	47	20	5	2329	2010-Jun-18	On going
5	airbyte-platform	3	2	1	45	32	6	1712	2020-Aug-04	2023-Sep-27
7	ambari	0	3	0	34	32	15	4125	2011-Sep-22	2023-Nov-18
10	automq	2	0	0	40	10	3	616	2011-Sep-07	2017-Apr-21
14	buck	8	5	6	119	85	21	6316	2013-Mar-21	2021-May-17
15	camel	0	4	1	257	63	13	5441	2007-Mar-19	On going
18	checkstyle	0	0	1	57	42	9	2803	2001-Jun-22	On going
20	cxf	6	6	3	27	17	3	1687	2008-Apr-29	On going
21	intellij-community	0	3	7	113	93	84	28741	2004-Nov-11	2018-Apr-18
26	guava	0	1	0	47	8	3	955	2009-Sep-15	2024-Jan-23
28	jenkins	1	1	1	144	39	4	3594	2006-Nov-05	On going
33	openmrs-core	0	1	0	123	26	3	1466	2006-May-03	On going
36	presto	0	1	3	162	71	18	4867	2012-Aug-09	On going
37	quarkus	1	3	5	126	25	8	2682	2018-Jun-22	On going
39	selenium	3	3	0	55	17	8	1718	2004-Nov-03	On going
Total		28	40	34	1396	580	203	69052		

1.3 Sample scatter touched against commit -







Figure 1: Scatter plots of the log total number of components touched (y-axis) against the number of commits (x-axis) made by samples of developers capped at 203 from six (6) categories: Transient Founder (Blue, 28), Moderate Founder (Purple, 40), Sustained Founder (Green, 34), Transient Later Joiner (Orange, 203), Moderate Later Joiner (Cyan, 203), Sustained Later Joiner (Red, 203).

1.4 Total commits by developer - Developer Commits







(a) Transient founder (n=19).




(b) Transient later joiner (n=1030).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).

Figure 3: Histogram of number of developers (y-axis) against total commits made (x-axis) in six (6) categories. This is from 15 repositories sampled from GitHub, excluding developers with less than three (3) commits.

1.5 Histogram components touched by developer - For components with total




(a) By Day.




(b) By Commit.


Figure 4: Histogram of the number of developers (y-axis) against the average packages touched by day and commit (x-axis) from all 2278 developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).


Figure 5: Histogram of the number of developers (y-axis) against the average packages touched by day (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).

Figure 6: Histogram of the number of developers (y-axis) against the average packages touched by commit (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.




(a) By Day.




(b) By Commit.


Figure 7: Histogram of the number of developers (y-axis) against the average classes touched by day and commit (x-axis) from all 2278 developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).


Figure 8: Histogram of the number of developers (y-axis) against the average classes touched by day (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).

Figure 9: Histogram of the number of developers (y-axis) against the average classes touched by commit (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.




(a) By Day.




(b) By Commit.


Figure 10: Histogram of the number of developers (y-axis) against the average methods touched by day and commit (x-axis) from all 2278 developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).




(e) Sustained founder (n=34).




(f) Sustained later joiner (n=203).


Figure 11: Histogram of the number of developers (y-axis) against the average methods touched by day (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.




(a) Transient founder (n=28).




(b) Transient later joiner (n=1396).




(c) Moderate founder (n=40).



(d) Moderate later joiner (n=580).



(e) Sustained founder (n=34).



(f) Sustained later joiner (n=203).

Figure 12: Histogram of the number of developers (y-axis) against the average methods touched by commit (x-axis) from six (6) categories of developers from 15 repositories sampled from GitHub.

2 Repository: 14

2.1 Time series components touched - 14 For packages touched for each period

A time series of packages touched on average each month.







Figure 13: Repository: 14. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=154).




(a) Transient founder developers (n=8)




(b) Transient later joiner developers (n=119)




(c) Moderate founder developers (n=5)



(d) Moderate later joiner developers (n=85)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=21)

Figure 14: Repository: 14. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 15: Repository: 14. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=154$).




(a) Transient founder developers (n=8)




(b) Transient later joiner developers (n=119)




(c) Moderate founder developers (n=5)



(d) Moderate later joiner developers (n=85)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=21)

Figure 16: Repository: 14. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 17: Repository: 14. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=154).




(a) Transient founder developers (n=8)




(b) Transient later joiner developers (n=119)




(c) Moderate founder developers (n=5)



(d) Moderate later joiner developers (n=85)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=21)

Figure 18: Repository: 14. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.


2.2 Time series sustained components touched by developer - 14 For developer commits and components touched.

Table 2: Table of first 6 sustained founder developers in the Scatter Developer graphs.


Developer ID	Colour
2930	Maroon
2932	Sienna
2934	LightCoral
2935	DarkCyan
2946	DarkOrange
2959	MediumPurple

Table 3: Table of first 21 sustained later joiner developers in the Scatter Developer graphs.


Developer ID	Colour
1774	Maroon
2986	Sienna
3000	LightCoral
3020	DarkCyan
3037	DarkOrange
3050	MediumPurple
3071	LightSkyBlue
3072	HotPink
3141	ForestGreen
3143	FireBrick
3163	DodgerBlue
3172	Tomato
3178	SeaGreen
3216	SlateGray
3217	PeachPuff
3272	Orchid
3339	Chocolate
3354	SteelBlue
3456	RosyBrown
3473	Azure
3485	Tan




(a) Packages for sustained founder




(b) Packages for sustained later joiner




(c) Classes for sustained founder



(d) Classes for sustained later joiner




(e) Methods for sustained founder




(f) Methods for sustained later joiner

Figure 19: Repo: 14. First six (6) sustained founder and first twenty-one (21) sustained later joiner developers. The number of components touched (y-axis) against the number of commits (x-axis). Sustained founder developers with colours are shown in Table 2. Sustained later joiner developers with colours are shown in Table 3.


2.3 Time series sustained components touched by developer - 14 For developer day and components touched.




(a) Packages for sustained founder




(b) Packages for sustained later joiner




(c) Classes for sustained founder



(d) Classes for sustained later joiner



(e) Methods for sustained founder



(f) Methods for sustained later joiner

Figure 20: Repo: 14. First six (6) sustained founder and first twenty-one (21) sustained later joiner developers. The number of components touched (y-axis) against the number of day (x-axis). Sustained founder developers with colours are shown in Table 2. Sustained later joiner developers with colours are shown in Table 3.

3 Repository: 21

3.1 Time series components touched - 21 For packages touched for each period

A time series of packages touched on average each month.







Figure 21: Repository: 21. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=204).




(a) Transient later joiner developers (n=113)




(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=93)



(d) Sustained founder developers (n=7)



(e) Sustained later joiner developers (n=84)

Figure 22: Repository: 21. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 23: Repository: 21. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=204).




(a) Transient later joiner developers (n=113)




(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=93)



(d) Sustained founder developers (n=7)



(e) Sustained later joiner developers (n=84)

Figure 24: Repository: 21. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 25: Repository: 21. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers ($n=204$).




(a) Transient later joiner developers (n=113)




(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=93)



(d) Sustained founder developers (n=7)



(e) Sustained later joiner developers (n=84)

Figure 26: Repository: 21. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.


3.2 Time series sustained components touched by developer - 21 For developer commits and components touched.

Table 4: Table of first 7 sustained founder developers in the Scatter Developer graphs.


Developer ID	Colour
6245	Maroon
6246	Sienna
6247	LightCoral
6249	DarkCyan
6250	DarkOrange
6251	MediumPurple
6257	LightSkyBlue

Table 5: Table of first 50 sustained later joiner developers in the Scatter Developer graphs.


Developer ID	Colour
199	Maroon
6252	Sienna
6253	LightCoral
6259	DarkCyan
6260	DarkOrange
6262	MediumPurple
6263	LightSkyBlue
6264	HotPink
6267	ForestGreen
6271	FireBrick
6272	DodgerBlue
6276	Tomato
6278	SeaGreen
6280	SlateGray
6282	PeachPuff
6284	Orchid
6288	Chocolate
6295	SteelBlue
6297	RosyBrown
6298	Azure
6302	Tan
6306	Plum
6309	Crimson
6312	Khaki
6313	Lavender
6314	Indigo
6315	Turquoise
6326	Beige
6329	Silver
6333	Gold
6338	Coral
6342	Lime
6343	Maroon
6349	Navy
6352	Teal
6355	Olive
6363	Violet
6368	Gray
6369	Pink
6370	Brown
6373	Black
6374	Yellow
6375	Magenta
6379	Cyan
6391	Salmon
6410	Orange
6411	Red
6417	Green
6418	Blue
6420	Purple




(a) Packages for sustained founder




(b) Packages for sustained later joiner




(c) Classes for sustained founder



(d) Classes for sustained later joiner




(e) Methods for sustained founder




(f) Methods for sustained later joiner

Figure 27: Repo: 21. First seven (7) sustained founder and first fifty (50) sustained later joiner developers. The number of components touched (y-axis) against the number of commits (x-axis). Sustained founder developers with colours are shown in Table 4. Sustained later joiner developers with colours are shown in Table 5.


3.3 Time series sustained components touched by developer - 21 For developer day and components touched.




(a) Packages for sustained founder




(b) Packages for sustained later joiner




(c) Classes for sustained founder



(d) Classes for sustained later joiner



(e) Methods for sustained founder



(f) Methods for sustained later joiner

Figure 28: Repo: 21. First seven (7) sustained founder and first fifty (50) sustained later joiner developers. The number of components touched (y-axis) against the number of day (x-axis). Sustained founder developers with colours are shown in Table 4. Sustained later joiner developers with colours are shown in Table 5.

4 Repository: 3

4.1 Time series components touched - 3 For packages touched for each period

A time series of packages touched on average each month.







Figure 29: Repository: 3. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=62).




(a) Transient founder developers (n=4)




(b) Transient later joiner developers (n=47)




(c) Moderate founder developers (n=7)



(d) Moderate later joiner developers (n=20)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=5)

Figure 30: Repository: 3. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 31: Repository: 3. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=62).




(a) Transient founder developers (n=4)




(b) Transient later joiner developers (n=47)




(c) Moderate founder developers (n=7)



(d) Moderate later joiner developers (n=20)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=5)

Figure 32: Repository: 3. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 33: Repository: 3. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=62).




(a) Transient founder developers (n=4)




(b) Transient later joiner developers (n=47)




(c) Moderate founder developers (n=7)



(d) Moderate later joiner developers (n=20)



(e) Sustained founder developers (n=6)



(f) Sustained later joiner developers (n=5)

Figure 34: Repository: 3. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

5 Repository: 5

5.1 Time series components touched - 5 For packages touched for each period

A time series of packages touched on average each month.







Figure 35: Repository: 5. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=55).




(a) Transient founder developers (n=3)




(b) Transient later joiner developers (n=45)




(c) Moderate founder developers (n=2)



(d) Moderate later joiner developers (n=32)



(e) Sustained founder developers (n=1)



(f) Sustained later joiner developers (n=6)

Figure 36: Repository: 5. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.




Figure 37: Repository: 5. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=55$).




Figure 38: Repository: 5. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 39: Repository: 5. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=55).




(a) Transient founder developers (n=3)




(b) Transient later joiner developers (n=45)




(c) Moderate founder developers (n=2)



(d) Moderate later joiner developers (n=32)



(e) Sustained founder developers (n=1)



(f) Sustained later joiner developers (n=6)

Figure 40: Repository: 5. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

6 Repository: 7

6.1 Time series components touched - 7 For packages touched for each period

A time series of packages touched on average each month.







Figure 41: Repository: 7. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=49).




(a) Transient later joiner developers (n=34)



(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=32)



(d) Sustained later joiner developers (n=15)

Figure 42: Repository: 7. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 43: Repository: 7. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=49).




(a) Transient later joiner developers (n=34)



(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=32)



(d) Sustained later joiner developers (n=15)

Figure 44: Repository: 7. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 45: Repository: 7. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=49).




(a) Transient later joiner developers (n=34)



(b) Moderate founder developers (n=3)



(c) Moderate later joiner developers (n=32)



(d) Sustained later joiner developers (n=15)

Figure 46: Repository: 7. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

7 Repository: 10

7.1 Time series components touched - 10 For packages touched for each period

A time series of packages touched on average each month.







Figure 47: Repository: 10. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=45).




(a) Transient founder developers (n=2)



(b) Transient later joiner developers (n=40)



(c) Moderate later joiner developers (n=10)



(d) Sustained later joiner developers (n=3)

Figure 48: Repository: 10. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 49: Repository: 10. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=45).




(a) Transient founder developers (n=2)



(b) Transient later joiner developers (n=40)



(c) Moderate later joiner developers (n=10)



(d) Sustained later joiner developers (n=3)

Figure 50: Repository: 10. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 51: Repository: 10. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=45).




(a) Transient founder developers (n=2)



(b) Transient later joiner developers (n=40)



(c) Moderate later joiner developers (n=10)



(d) Sustained later joiner developers (n=3)

Figure 52: Repository: 10. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

8 Repository: 15

8.1 Time series components touched - 15 For packages touched for each period

A time series of packages touched on average each month.







Figure 53: Repository: 15. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=271).




(a) Transient later joiner developers (n=257)




(b) Moderate founder developers (n=4)



(c) Moderate later joiner developers (n=63)



(d) Sustained founder developers (n=1)



(e) Sustained later joiner developers (n=13)

Figure 54: Repository: 15. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 55: Repository: 15. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=271$).




(a) Transient later joiner developers (n=257)




(b) Moderate founder developers (n=4)



(c) Moderate later joiner developers (n=63)



(d) Sustained founder developers (n=1)



(e) Sustained later joiner developers (n=13)

Figure 56: Repository: 15. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 57: Repository: 15. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=271).




(a) Transient later joiner developers (n=257)




(b) Moderate founder developers (n=4)



(c) Moderate later joiner developers (n=63)



(d) Sustained founder developers (n=1)



(e) Sustained later joiner developers (n=13)

Figure 58: Repository: 15. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

9 Repository: 18

9.1 Time series components touched - 18 For packages touched for each period

A time series of packages touched on average each month.







Figure 59: Repository: 18. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=67).




(a) Transient later joiner developers (n=57)



(b) Moderate later joiner developers (n=42)



(c) Sustained founder developers (n=1)



(d) Sustained later joiner developers (n=9)

Figure 60: Repository: 18. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 61: Repository: 18. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=67).




(a) Transient later joiner developers (n=57)



(b) Moderate later joiner developers (n=42)



(c) Sustained founder developers (n=1)



(d) Sustained later joiner developers (n=9)

Figure 62: Repository: 18. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 63: Repository: 18. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=67).




(a) Transient later joiner developers (n=57)



(b) Moderate later joiner developers (n=42)



(c) Sustained founder developers (n=1)



(d) Sustained later joiner developers (n=9)

Figure 64: Repository: 18. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

10 Repository: 20

10.1 Time series components touched - 20 For packages touched for each period

A time series of packages touched on average each month.







Figure 65: Repository: 20. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=39).




(a) Transient founder developers (n=6)




(b) Transient later joiner developers (n=27)




(c) Moderate founder developers (n=6)



(d) Moderate later joiner developers (n=17)



(e) Sustained founder developers (n=3)



(f) Sustained later joiner developers (n=3)

Figure 66: Repository: 20. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 67: Repository: 20. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=39$).




(a) Transient founder developers (n=6)




(b) Transient later joiner developers (n=27)




(c) Moderate founder developers (n=6)



(d) Moderate later joiner developers (n=17)



(e) Sustained founder developers (n=3)



(f) Sustained later joiner developers (n=3)

Figure 68: Repository: 20. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 69: Repository: 20. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=39).




(a) Transient founder developers (n=6)




(b) Transient later joiner developers (n=27)




(c) Moderate founder developers (n=6)



(d) Moderate later joiner developers (n=17)



(e) Sustained founder developers (n=3)



(f) Sustained later joiner developers (n=3)

Figure 70: Repository: 20. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

11 Repository: 26

11.1 Time series components touched - 26 For packages touched for each period

A time series of packages touched on average each month.







Figure 71: Repository: 26. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=50).




(a) Transient later joiner developers (n=47)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=8)



(d) Sustained later joiner developers (n=3)

Figure 72: Repository: 26. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 73: Repository: 26. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=50$).




(a) Transient later joiner developers (n=47)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=8)



(d) Sustained later joiner developers (n=3)

Figure 74: Repository: 26. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 75: Repository: 26. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=50).




(a) Transient later joiner developers (n=47)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=8)



(d) Sustained later joiner developers (n=3)

Figure 76: Repository: 26. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

12 Repository: 28

12.1 Time series components touched - 28 For packages touched for each period

A time series of packages touched on average each month.







Figure 77: Repository: 28. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=150).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=144)




(c) Moderate founder developers (n=1)



(d) Moderate later joiner developers (n=39)



(e) Sustained founder developers (n=1)



(f) Sustained later joiner developers (n=4)

Figure 78: Repository: 28. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 79: Repository: 28. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=150$).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=144)




(c) Moderate founder developers (n=1)



(d) Moderate later joiner developers (n=39)



(e) Sustained founder developers (n=1)



(f) Sustained later joiner developers (n=4)

Figure 80: Repository: 28. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 81: Repository: 28. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=150).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=144)




(c) Moderate founder developers (n=1)



(d) Moderate later joiner developers (n=39)



(e) Sustained founder developers (n=1)



(f) Sustained later joiner developers (n=4)

Figure 82: Repository: 28. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

13 Repository: 33

13.1 Time series components touched - 33 For packages touched for each period

A time series of packages touched on average each month.







Figure 83: Repository: 33. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=126).




(a) Transient later joiner developers (n=123)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=26)



(d) Sustained later joiner developers (n=3)

Figure 84: Repository: 33. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 85: Repository: 33. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=126$).




(a) Transient later joiner developers (n=123)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=26)



(d) Sustained later joiner developers (n=3)

Figure 86: Repository: 33. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 87: Repository: 33. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers ($n=126$).




(a) Transient later joiner developers (n=123)



(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=26)



(d) Sustained later joiner developers (n=3)

Figure 88: Repository: 33. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

14 Repository: 36

14.1 Time series components touched - 36 For packages touched for each period

A time series of packages touched on average each month.







Figure 89: Repository: 36. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=183).




(a) Transient later joiner developers (n=162)




(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=71)



(d) Sustained founder developers (n=3)



(e) Sustained later joiner developers (n=18)

Figure 90: Repository: 36. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 91: Repository: 36. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers (n=183).




(a) Transient later joiner developers (n=162)




(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=71)



(d) Sustained founder developers (n=3)



(e) Sustained later joiner developers (n=18)

Figure 92: Repository: 36. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 93: Repository: 36. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=183).




(a) Transient later joiner developers (n=162)




(b) Moderate founder developers (n=1)



(c) Moderate later joiner developers (n=71)



(d) Sustained founder developers (n=3)



(e) Sustained later joiner developers (n=18)

Figure 94: Repository: 36. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

15 Repository: 37

15.1 Time series components touched - 37 For packages touched for each period

A time series of packages touched on average each month.







Figure 95: Repository: 37. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=140).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=126)




(c) Moderate founder developers (n=3)



(d) Moderate later joiner developers (n=25)



(e) Sustained founder developers (n=5)



(f) Sustained later joiner developers (n=8)

Figure 96: Repository: 37. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 97: Repository: 37. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=140$).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=126)




(c) Moderate founder developers (n=3)



(d) Moderate later joiner developers (n=25)



(e) Sustained founder developers (n=5)



(f) Sustained later joiner developers (n=8)

Figure 98: Repository: 37. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 99: Repository: 37. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=140).




(a) Transient founder developers (n=1)




(b) Transient later joiner developers (n=126)




(c) Moderate founder developers (n=3)



(d) Moderate later joiner developers (n=25)



(e) Sustained founder developers (n=5)



(f) Sustained later joiner developers (n=8)

Figure 100: Repository: 37. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.

16 Repository: 39

16.1 Time series components touched - 39 For packages touched for each period

A time series of packages touched on average each month.




Figure 101: Repository: 39. A time series of the average (mean) total packages touched (y-axis) against the number of weeks (x-axis) for all developers (n=66).




Figure 102: Repository: 39. A time series the average (mean) total packages touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.







Figure 103: Repository: 39. A time series of the average (mean) total classes touched (y-axis) against the number of weeks (x-axis) for all developers ($n=66$).




(a) Transient founder developers (n=3)




(b) Transient later joiner developers (n=55)



(c) Moderate founder developers (n=3)



(d) Moderate later joiner developers (n=17)



(e) Sustained later joiner developers (n=8)

Figure 104: Repository: 39. A time series the average (mean) total classes touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.




Figure 105: Repository: 39. A time series of the average (mean) total methods touched (y-axis) against the number of weeks (x-axis) for all developers (n=66).




Figure 106: Repository: 39. A time series the average (mean) total methods touched (y-axis) against the number of week (x-axis) for six (6) categories of developer.