```
SQL File 1*
                                                            - 1 0 Q
                 Q ( ) S
                                       Limit to 1000 rows
         -- 2. Insert Sample Data
  1
         -- a. The "authors" table
  2
         INSERT INTO authors (author name) VALUES
  3 •
         ('J.R.R. Tolkien'),
         ('George Orwell');
  5
  6
         -- b. The "genres" table
  7
         INSERT INTO genres (genre_name) VALUES
  8 •
  9
         ('Fantasy'),
         ('Dystopian');
 10
 11
         -- c. The "books" table
 12
 13 •
         INSERT INTO books (title, publication year, author_id, genre_id) VALUES
         ('The Lord of the Rings', 1954, 1, 1),
 14
         ('Animal Farm', 1945, 2, 2);
 15
 16
         -- d. The "users" table
 17
         INSERT INTO users (username, email) VALUES
 18 •
         ('princess_of_wales', 'princess@test.com'),
 19
         ('mick_jagger', 'mick.jagger@test.com');
 20
                                          Edit: 🚰 📆 📙 Export/Import: 🙀 🦝 Wrap
Result Grid
              Filter Rows:
   user_id
           username
                           email
          princess_of_wales
                          princess@test.com
   1
   2
          mick_jagger
                          mick.jagger@test.com
  NULL
          NULL
                          NULL
```

users 22 × borrowed_books 23

Apply

authors 19

genres 20