



Portfolio Website Hosting on AWS EC2

- Static website deployed on AWS EC2.
- Technologies: HTML, CSS, AWS EC2, Linux
- Repository: (<https://github.com/Derick-Roshan/Portfolio-website.git>)

This is Portfolio website created with HTML & CSS, uploaded on github.



Creation of instance on aws.



Connecting the Amazon-linux server.

[illegible]

We need to install HTTPD and GIT before cloning the website project from github.

```

Installing      : perl-error-1.0.1@30-2.amzn2023.0.1.noarch
Installing      : perl-git-2.50.1-1.amzn2023.0.1.noarch
Installing      : git-2.50.1-1.amzn2023.0.1.x86_64
Running scriptlet: git-2.50.1-1.amzn2023.0.1.x86_64
Verifying       : git-2.50.1-1.amzn2023.0.1.x86_64
Verifying       : git-core-2.50.1-1.amzn2023.0.1.x86_64
Verifying       : git-core-doc-2.50.1-1.amzn2023.0.1.noarch
Verifying       : perl-error-1.0.1@30-2.amzn2023.0.1.noarch
Verifying       : perl-file-find-1.37-477.amzn2023.0.9.noarch
Verifying       : perl-git-2.50.1-1.amzn2023.0.1.noarch
Verifying       : perl-termreadkey-2.38-9.amzn2023.0.3.x86_64
Verifying       : perl-lib-0.65-477.amzn2023.0.9.x86_64

Installed:
git-2.50.1-1.amzn2023.0.1.x86_64
git-core-doc-2.50.1-1.amzn2023.0.1.noarch
perl-file-find-1.37-477.amzn2023.0.9.noarch
perl-termreadkey-2.38-9.amzn2023.0.3.x86_64

git-core-2.50.1-1.amzn2023.0.1.x86_64
perl-error-1.0.1@30-2.amzn2023.0.1.noarch
perl-git-2.50.1-1.amzn2023.0.1.noarch
perl-lib-0.65-477.amzn2023.0.9.x86_64

Complete!
[root@ip-172-31-30-149 ec2-user]# git clone https://github.com/Derick-Roshan/Portfolio-website.git

```

We have to keep the particular project in the var/www/html path

```
[root@ip-172-31-30-149 ec2-user]# cd ../..
[root@ip-172-31-30-149 /]# ls
bin  boot  dev  etc  home  lib  lib64  local  media  mnt  opt  proc  root  run  sbin  srv  sys  tmp  usr  var
[root@ip-172-31-30-149 /]# cd var/www/html
[root@ip-172-31-30-149 html]# git clone https://github.com/Derick-Roshan/Portfolio-website.git
Cloning into 'Portfolio-website'...
remote: Enumerating objects: 70, done.
remote: Counting objects: 100% (70/70), done.
remote: Compressing objects: 100% (70/70), done.
remote: Total 70 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (70/70), 22.27 MiB | 16.88 MiB/s, done.
Resolving deltas: 100% (5/5), done.
[root@ip-172-31-30-149 html]# systemctl start httpd
[root@ip-172-31-30-149 html]#
```

Copy past the ip address to see the Output

Instance summary for i-02484232d0cf73b13

Updated 18 minutes ago

Instance ID
i-02484232d0cf73b13

IPv6 address
-

Hostname type
IP name: ip-172-31-30-149.ap-southeast-2.compute.internal

Answer private resource DNS name
IPv4 (A)

Auto-assigned IP address
32.236.42.98 [Public IP]

Public IPv4 address
32.236.42.98 | [open address](#)

Instance state
Running

Private IP DNS name (IPv4 only)
ip-172-31-30-149.ap-southeast-2.compute.internal

Instance type
t3.micro

VPC ID
vpc-0f05e892e366f2a3f

Connect **Instance state**

Private IPv4 addresses
172.31.30.149

Public DNS
ec2-32-236-42-98.ap-southeast-2.compute.amazonaws.com | [open address](#)

Elastic IP addresses
-

AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer

Here you go!

