


## Static Website Hosting on Amazon S3


- Hosted a static portfolio website using Amazon S3 Static Website Hosting.
- Configured bucket permissions and enabled public access for website hosting.
- Uploaded HTML, CSS, and image assets to the S3 bucket.
- Accessed the website using the S3 static website endpoint.
- Technologies: HTML, CSS, Amazon S3, AWS
- Repository: <https://github.com/Derick-Roshan/Portfolio-website>

### Creating S3 Bucket



The screenshot shows the Amazon S3 landing page. On the left, under the 'Storage' header, it says 'Amazon S3 Store and retrieve any amount of data from anywhere'. Below this, it states 'Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.' On the right, there are two white boxes. The top one is titled 'Create a bucket' and explains that every object in S3 is stored in a bucket and that you need to create a bucket before uploading files. It has an orange 'Create bucket' button. The bottom one is titled 'Pricing' and states that there are no minimum fees and prices are based on the location of the bucket.

The Bucket name should be unique because is Global.



The screenshot shows the 'Create bucket' form in the AWS console. At the top, it says 'Create bucket' with an 'Info' link and a note that 'Buckets are containers for data stored in S3.' The form is divided into sections. The 'General configuration' section includes 'AWS Region' set to 'Asia Pacific (Sydney) ap-southeast-2'. Under 'Bucket namespace', 'Global namespace' is selected with a radio button, and a note says 'By default, S3 creates general purpose buckets in the global namespace.' The 'Account Regional namespace (recommended)' option is unselected, with a note that 'General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.' The 'Bucket name' field is filled with 'websitehosting232002' and has an 'Info' link. A note below the field states: 'Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more.' There is a 'Copy settings from existing bucket - optional' section with a note that 'Only the bucket settings in the following configuration are copied.' and a 'Choose bucket' button. At the bottom, it shows the 'Format: s3://bucket/prefix'.

We need to enable the ACL enable to make bucket public.

**Object Ownership** [Info](#)  
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

**Object Ownership**

☐ **ACLs disabled (recommended)**  
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☒ **ACLs enabled**  
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

⚠ We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

**Object Ownership**

☒ **Bucket owner preferred**  
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

☐ **Object writer**

I unchecked the “Block all public access” and need to accept the acknowledgment.

**Block Public Access settings for this bucket**  
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correct public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#) [↗](#)

☐ **Block all public access**  
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ **Block public access to buckets and objects granted through new access control lists (ACLs)**  
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ **Block public access to buckets and objects granted through any access control lists (ACLs)**  
S3 will ignore all ACLs that grant public access to buckets and objects.

☐ **Block public access to buckets and objects granted through new public bucket or access point policies**  
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**  
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠ **Turning off block all public access might result in this bucket and the objects within becoming public**  
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

And click on “Create bucket”


► **Advanced settings**

ⓘ After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.


Cancel **Create bucket**

After creating the bucket we need to upload the HTML & CSS all the website files. That files are known as “Objects” in S3.


We can do this by drag and drop.



And click on upload.



You can see files have been uploaded.



Click on “Properties” and search for “Static web hosting” click on edit and enable it.

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting

Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting

Disabled

Edit static website hosting

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

Disable

Enable

Hosting type

Host a static website

Use the bucket endpoint as the web address. [Learn more](#)

Redirect requests for an object

Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document

Specify the home or default page of the website.

index.html

Error document - optional

Go inside the “index.html”

|                                     |                              |        |                                     |         |          |
|-------------------------------------|------------------------------|--------|-------------------------------------|---------|----------|
| <input type="checkbox"/>            | <a href="#">contact.html</a> | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 487.0 B | Standard |
| <input type="checkbox"/>            | <a href="#">fonts/</a>       | Folder | -                                   | -       | -        |
| <input type="checkbox"/>            | <a href="#">gallery.html</a> | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 3.1 KB  | Standard |
| <input type="checkbox"/>            | <a href="#">img/</a>         | Folder | -                                   | -       | -        |
| <input checked="" type="checkbox"/> | <a href="#">index.html</a>   | html   | June 27, 2026, 22:08:03 (UTC+05:30) | 3.3 KB  | Standard |
| <input type="checkbox"/>            | <a href="#">PNG/</a>         | Folder | -                                   | -       | -        |
| <input type="checkbox"/>            | <a href="#">README.md</a>    | md     | June 27, 2026, 22:08:03 (UTC+05:30) | 50.0 B  | Standard |
| <input type="checkbox"/>            | <a href="#">style.css</a>    | css    | June 27, 2026, 22:08:04 (UTC+05:30) | 8.8 KB  | Standard |
| <input type="checkbox"/>            | <a href="#">style2.css</a>   | css    | June 27, 2026, 22:08:04 (UTC+05:30) | 3.1 KB  | Standard |
| <input type="checkbox"/>            | <a href="#">video/</a>       | Folder | -                                   | -       | -        |

Go to “Permissions” and click on Edit.

Amazon S3

>

Buckets

>

websitehosting232002

>

index.html

index.html

info

Copy S3 URI

Download

Open

Object actions

Properties

Permissions

Versions


Access control list (ACL)

Edit


Grant basic read/write permissions to AWS accounts. [Learn more](#)

| Grantee                                                                                                                                                                 | Object | Object ACL  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
| <div><div>Object owner (your AWS account)</div><div>Canonical ID: <a href="#">338fc9eb4980a101eb30e28ec5711b9a7af99e5f32970317a8badffc26a1fb0f7</a></div></div>         | Read   | Read, Write |
| <div><div>Everyone (public access)</div><div>Group: <a href="#">http://acs.amazonaws.com/groups/global/AllUsers</a></div></div>                                         | -      | -           |
| <div><div>Authenticated users group (anyone with an AWS account)</div><div>Group: <a href="#">http://acs.amazonaws.com/groups/global/AuthenticatedUsers</a></div></div> | -      | -           |


Enable the read for Everyone (public access), and grant the access.



Copy the URL and past it in a new tab!



You can see that CSS files are not integrated, to do that.



Go inside the Bucket and select all.

websitehosting232002 info

Objects (14/14)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

| <input checked="" type="checkbox"/> | Name          | Type   | Last modified                       | Size    | Storage class |
|-------------------------------------|---------------|--------|-------------------------------------|---------|---------------|
| <input checked="" type="checkbox"/> | About me.html | html   | June 27, 2026, 22:08:01 (UTC+05:30) | 1.3 KB  | Standard      |
| <input checked="" type="checkbox"/> | banner/       | Folder | -                                   | -       | -             |
| <input checked="" type="checkbox"/> | case1.html    | html   | June 27, 2026, 22:08:01 (UTC+05:30) | 3.0 KB  | Standard      |
| <input checked="" type="checkbox"/> | cases.html    | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 3.5 KB  | Standard      |
| <input checked="" type="checkbox"/> | contact.html  | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 487.0 B | Standard      |
| <input checked="" type="checkbox"/> | fonts/        | Folder | -                                   | -       | -             |
| <input checked="" type="checkbox"/> | gallery.html  | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 3.1 KB  | Standard      |

Click on “Actions” and click on “Make public using ACL”

systems - new | Access Points

Download Open Delete Actions Create folder Upload

Objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

| <input checked="" type="checkbox"/> | Name          | Type   | Last modified                       | Size    | Storage class |
|-------------------------------------|---------------|--------|-------------------------------------|---------|---------------|
| <input checked="" type="checkbox"/> | About me.html | html   | June 27, 2026, 22:08:01 (UTC+05:30) | 1.3 KB  | Standard      |
| <input checked="" type="checkbox"/> | banner/       | Folder | -                                   | -       | -             |
| <input checked="" type="checkbox"/> | case1.html    | html   | June 27, 2026, 22:08:01 (UTC+05:30) | 3.0 KB  | Standard      |
| <input checked="" type="checkbox"/> | cases.html    | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 3.5 KB  | Standard      |
| <input checked="" type="checkbox"/> | contact.html  | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 487.0 B | Standard      |
| <input checked="" type="checkbox"/> | fonts/        | Folder | -                                   | -       | -             |
| <input checked="" type="checkbox"/> | gallery.html  | html   | June 27, 2026, 22:08:02 (UTC+05:30) | 3.1 KB  | Standard      |

Download as

Share with a presigned URL

Calculate total size

Copy

Move

Initiate restore

Query with S3 Select

**Edit actions**

Rename object

Edit storage class

Edit server-side encryption

Edit tags

**Make public using ACL**

Click on “Make public”

|                            |        |                                     |        |
|----------------------------|--------|-------------------------------------|--------|
| <a href="#">index.html</a> | html   | June 27, 2026, 22:08:03 (UTC+05:30) | 3.3 KB |
| <a href="#">PNG/</a>       | Folder | -                                   | -      |
| <a href="#">README.md</a>  | md     | June 27, 2026, 22:08:03 (UTC+05:30) | 50.0 B |
| <a href="#">style.css</a>  | css    | June 27, 2026, 22:08:04 (UTC+05:30) | 8.8 KB |
| <a href="#">style2.css</a> | css    | June 27, 2026, 22:08:04 (UTC+05:30) | 3.1 KB |
| <a href="#">video/</a>     | Folder | -                                   | -      |

Cancel Make public

Here you go!

