

On-Call Duty

Hospital On-Call Duty Scheduling System

Administrator User Manual

Document	End-user guide for hospital administrators
Audience	Administrators (staff who plan and publish duty rosters)
Version	1.0
Date	August 2026

Applies to The deployed On-Call Duty web application

Contents

- 1** Introduction
Purpose, roles, and how to read this manual
- 2** Signing In
Login, first-time password, sessions, sign-out
- 3** The Administrator Dashboard
Coverage, fairness, and workload at a glance
- 4** Managing Users
Accounts, doctor profiles, and the monthly duty cap
- 5** Managing Availability
Vacations, sick leave, and exclusions
- 6** Building a Schedule
Preview → Generate → Edit → Publish
- 7** Reports
The monthly report, CSV export, and printing
- 8** Your Profile
Changing your password
- 9** Domain Rules & the Scheduling Engine
How assignments are produced and balanced
- 10** Troubleshooting & FAQ
Common situations and how to resolve them
- 11** Quick Reference & Glossary
Navigation map, field reference, key terms

1. Introduction

What On-Call Duty is, who this manual is for, and the conventions used throughout.

1.1 What On-Call Duty does

On-Call Duty is a scheduling system that builds fair, conflict-free monthly on-call rosters for a hospital's doctors. As an administrator you maintain the list of doctors and their availability and then generate, fine-tune, and publish a duty schedule for any month. The system automatically respects each doctor's monthly duty limit, prevents back-to-back duties, avoids assigning a doctor who is unavailable, and balances weekend workload across the team.

1.2 Who uses the system

There are two roles. This manual covers the **administrator** role in full.

Role	What they do
Administrator	Plans and publishes duty schedules. Manages users, doctors, availability, schedules, and reports. This is the audience of this manual.
Doctor	Views their own published duties and personal dashboard, and records their own unavailability (vacation, sick, etc.). Doctors cannot edit schedules.

1.3 The administrator's navigation

When you sign in as an administrator, the top navigation bar gives you everything you need:



Doctors see a smaller menu (Home, My availability, Profile). If a doctor ever sees administrator-only pages, that is a mistake — administrator access is granted only on the *Users* page.

1.4 Conventions used in this manual

- `New schedule` — text styled like a button shows the exact label you click in the application.
- Bold** highlights an important term or the name of a field.
- Coloured boxes are callouts: **Info** **Tip** **Caution** **Important**

2. Signing In

How to reach the application, sign in, handle the first-login password, and sign out.

2.1 The sign-in screen

Open the application's web address in a modern browser. You will see the staff sign-in screen.


The image shows a web application's sign-in screen. The background is a light blue gradient. In the center, there is a white rectangular form with a subtle shadow. At the top of the form is a blue square icon with a white plus sign. Below the icon, the text "On-Call Duty" is displayed in bold, followed by "HOSPITAL SCHEDULING" in a smaller, all-caps font. Underneath that, the text "Sign in" is shown in bold, and "On-Call Duty staff login" is shown in a smaller font. The form contains two input fields: "Email" and "Password", each with a light gray border and a small blue eye icon on the right side. Below the input fields is a blue button with the text "Sign in" in white.

Figure 2.1 — The sign-in screen. Enter your email and password, then choose **Sign in**.

Enter the **Email** and **Password** given to you by whoever set up your account, then select Sign in.

Info

Both fields are required. The password must be at least 6 characters. If you submit an invalid email or an incorrect password, a red message appears under the form.




Figure 2.2 — A failed sign-in shows a clear error. Check the email and password and try again.

2.2 First sign-in: change the initial password

New administrator accounts are created with an **initial password equal to the email address**. The system's seeded default administrator is `admin@oncall.local` with password `changeme123`. On first sign-in, go to **Profile** and set a private password of your own (see Chapter 9).

Important — security

Never leave an account on its initial/default password. Anyone who knows an email can guess the initial password. Change it before doing anything else, and disable any account that should not exist.

2.3 Sessions and signing out

After signing in you stay signed in as you move between pages, and your session is restored automatically if you reload the browser. To end your session, choose **Logout** at the top right. Always sign out on a shared computer.

Tip

If your account is disabled by another administrator, or if you change your own password, your other active sessions are signed out automatically.

3. The Administrator Dashboard

The **Home** page is your starting point: a quick health check of any month's schedule.

3.1 Choosing a month

At the top of the dashboard, enter a **Year**, pick a **Month** from the drop-down, and choose **Apply**. The cards and table below update for that month.

3.2 When no schedule exists yet

If a month has not been generated, the dashboard shows a clear empty state and a shortcut to create one.




Figure 3.1 — A month with no schedule. Choose **Go to Schedules** to generate one (see Chapter 7).

3.3 Reading a populated dashboard

Once a schedule exists, the dashboard summarises its quality in three parts.




Figure 3.2 — The dashboard for a generated month: coverage, fairness, and per-doctor workload.

Card	What it tells you
Coverage	How many of the month's days are filled (e.g. 30 / 30 days filled) and lists any <i>gap days</i> — dates still unassigned. “No gap days” means the month is fully covered.
Fairness	The <i>duty spread</i> (the difference between the busiest and quietest doctor). A spread of 0–1 is labelled Well balanced ; anything larger is labelled Imbalanced — review workload . The weekend spread is shown too.
Workload table	Per doctor: number of duties (with a small bar), weekend count, and their monthly Cap . Inactive doctors are flagged.

Tip


Use the dashboard as a pre-publish sanity check. Aim for “No gap days” and “Well balanced” before publishing a schedule.

4. Managing Users

The **Users** page manages every login account — administrators and doctors alike — including each doctor's monthly duty cap.

4.1 The users list

Each row is one account, showing **Name**, **Email**, **Username**, **Role** (administrator or doctor), **Status** (active or disabled; disabled rows are highlighted), and **Actions**. Doctor rows also show their **Max monthly duties** — their personal cap (1–7); administrator rows show — in that column.



On-Call Duty HOSPITAL SCHEDULING						
Home Users Availability Schedules Reports Activity Profile						
SA System Administrator ADMINISTRATOR [Logout]						
Users New user						
NAME	EMAIL	USERNAME	ROLE	MAX MONTHLY DUTIES	STATUS	ACTIONS
System Administrator	admin@oncall.local	admin	administrator	—	active	Edit Disable Delete
Nikos Papadopoulos	dr1@oncall.local	dr1	doctor	7	active	Edit Disable Delete
Eleni Dimitriou	dr2@oncall.local	dr2	doctor	7	active	Edit Disable Delete
Giorgos Konstantinou	dr3@oncall.local	dr3	doctor	7	active	Edit Disable Delete
Maria Georgiou	dr4@oncall.local	dr4	doctor	7	active	Edit Disable Delete
Yannis Ioannou	dr5@oncall.local	dr5	doctor	7	active	Edit Disable Delete
Sofia Vlachou	dr6@oncall.local	dr6	doctor	6	active	Edit Disable Delete
Dimitris Antoniou	dr7@oncall.local	dr7	doctor	6	active	Edit Disable Delete
Katerina Pavlidou	dr8@oncall.local	dr8	doctor	6	active	Edit Disable Delete

Figure 4.1 — The Users page lists every account: administrators and doctors, with each doctor's **Max monthly duties** cap.

4.2 Creating an account

1. Choose New user.
2. Fill in **Email**, **First name** and **Last name**.
3. Pick the **Role**: *administrator* (default) or *doctor*. For a doctor, also set **Max monthly duties** (between 1 and 7; the default is 7) — the maximum number of on-call duties this doctor can be assigned in any month.
4. Choose Save. The account is created with an initial password equal to its email.

New user

Email
maria.georgiou@oncall.local

Username
drmaria

First name
Maria

Last name
Georgiou

Role
doctor

Max monthly duties (1-7)
5

Initial password equals the email. The user should change it on first login.

Save

Close

Figure 4.2 — Creating a doctor. Choosing the **doctor** role reveals the **Max monthly duties** field — the key setting the scheduling engine honours.

Info

Creating a doctor creates their login account (role *doctor*) and profile in one step — the doctor can sign in straight away and record their own availability.

4.3 Editing, disabling, and deleting an account

- **Edit** — change name/email and, for doctors, the **Max monthly duties** cap; changes apply the next time a schedule is generated. The **Role** is chosen when the account is created and cannot be changed afterwards.
- **Disable** / **Enable** — switch the account on or off. A disabled user cannot sign in, and a disabled doctor is skipped by the scheduling engine. This is reversible and preferred over deleting.
- **Delete** — permanently removes the account (you are asked to confirm).

The image shows a web application interface with a modal form titled "Edit user" centered on the screen. The background is a blurred view of a user management table with columns for name, email, role, and status. The modal form contains the following fields:

- Email:** A text input field containing "dr1@oncall.local".
- Username:** A text input field containing "dr1".
- First name:** A text input field containing "Nikos".
- Last name:** A text input field containing "Papadopoulos".
- Role:** A dropdown menu with "doctor" selected.
- Max monthly duties (1-7):** A text input field containing "7".

At the bottom right of the modal, there are two buttons: a blue "Save" button and a white "Close" button with a grey border.

Figure 4.3 — Editing a doctor. Adjust the cap, name, or email; the role is fixed after creation.

Important

You cannot delete a doctor who still has duties in a **draft** schedule — the system refuses and tells you to disable them instead. Their past duties in published schedules are kept. Disable is reversible; delete is not.

5. Managing Availability

The **Availability** page records when a doctor is *not* available (vacation, sick leave, conferences, etc.). The scheduling engine never assigns a doctor on a day they are unavailable.

5.1 The availability list

You can filter by **Doctor** and by a **From / To** date range, then choose [Apply](#). The table shows each exclusion's **Type**, **Start**, **End** and optional **Note**.

Availability [New exclusion](#)

Doctor: All From: mm/dd/yyyy To: mm/dd/yyyy [Apply](#)

DOCTOR	TYPE	START	END	NOTE	ACTIONS
Thlemaxos Kalamatas	sick	2026-09-15	2026-09-15		Edit Delete
Kostas Fytsilhs	vacation	2026-09-07	2026-09-11	Summer break	Edit Delete

Figure 5.1 — All doctors' exclusions in one place. Use the filters to focus on one doctor or one period.

5.2 Adding an exclusion

1. Choose [New exclusion](#).
2. Select the **Doctor**.
3. Choose a **Type**: *Vacation*, *Sick*, *Conference*, or *Other*.
4. Set the **Start date** and **End date** (inclusive, whole days; the end must be on or after the start).
5. (Optional) add a **Note** (up to 500 characters), then [Save](#).


A screenshot of a web application interface showing a 'New exclusion' modal form. The form is white with a light gray border and is centered on a blurred background of the application's main interface. The form contains the following fields: 'Doctor' (a dropdown menu with 'Select a doctor' as the placeholder), 'Type' (a dropdown menu with 'vacation' as the selected value), 'Start date' (a text input with 'mm/dd/yyyy' and a calendar icon), 'End date' (a text input with 'mm/dd/yyyy' and a calendar icon), and 'Note (optional)' (a text input). At the bottom right of the form are two buttons: a blue 'Save' button and a light gray 'Close' button.

Figure 5.2 — Recording an exclusion. Dates are inclusive: a one-day absence uses the same start and end date.

Caution — overlaps

Two exclusions for the same doctor cannot overlap in time. The system rejects an overlapping record. If you need to extend an absence, edit the existing record instead of adding a second one.

Tip

Doctors can record their own exclusions from their *My availability* page. Use this admin page to record exclusions on a doctor's behalf or to correct mistakes.

6. Building a Schedule

This is the core administrative workflow: **Preview** → **resolve any conflicts** → **Generate** → **edit** → **Publish**.

6.1 The schedules list

The **Schedules** page lists every generated month with its **Status** (**Draft** or **Published**), creation date, and a **view** action. Use the **Year** filter to narrow the list.




Figure 6.1 — Existing schedules. Only one schedule can exist per month.

6.2 Step 1 — Preview a month

Before committing anything, preview a month to see whether it can be filled.

1. Choose **New schedule** .
2. Enter the **Year** and pick the **Month**.
3. Choose **Preview** . The engine runs without saving and reports the result.




Figure 6.2 — A clean preview: “N day(s) ready to assign. No conflicts.” You can now generate.

6.3 Step 2 — Resolve conflicts if any

If some days cannot be filled, the preview shows a red conflict panel listing each unfillable date and why.

Generate stays disabled until conflicts are cleared.




Figure 6.3 — A preview with an unfillable day. The message tells you what to adjust: availability or doctor capacity.

To resolve a conflict, address the cause and preview again:

- **Not enough capacity** — a day needs a doctor but too few are eligible. Increase a doctor's *Max monthly duties* (Users page), add/enable a doctor, or reduce overlapping vacations.
- **Everyone unavailable** — adjust the exclusion(s) blocking that date (Availability page).
- **Back-to-back constraint** — no doctor is free because each would follow their own previous duty. Add capacity (above) to loosen the chain.

Tip

Each conflict message reads “of N active doctor(s): X unavailable, Y at cap, Z back-to-back”, so you know exactly what to fix.

6.4 Step 3 — Generate

Once the preview reports no conflicts, choose **Generate**. The schedule is created in **Draft** status and you are taken to its detail page. Generating is blocked if a schedule for that month already exists.

6.5 Step 4 — Review and edit the draft (Schedule Detail)

The detail page shows the full month: each date, the assigned doctor (or *Unassigned*), **Flags** (Weekend, Gap day), and the **Reason** the engine chose that doctor (hover the date for the explanation). While the schedule is a draft you can fine-tune it:

+ On-Call Duty HOSPITAL SCHEDULING Home Users Doctors Availability Schedules Holidays Reports Profile MA Manual Author ADMINISTRATOR Logout					
September 2026 Draft		Publish Delete schedule			
DATE	DOCTOR	FLAGS	REASON	ACTIONS	
Tue 01	Kostas Fytsilhs	Holiday	score 25 (workload +21, weekend +0, holiday +4); tie-break: lower id	Edit	Remove
Wed 02	Mhtsakos Hlithios		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Thu 03	Omar Hassan		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Fri 04	Tom Reyes		score 21 (workload +21, weekend +0, holiday +0)	Edit	Remove
Sat 05	Carol Ng	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: fewer duties	Edit	Remove
Sun 06	Kostas Fytsilhs	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: lower id	Edit	Remove
Mon 07	Mhtsakos Hlithios		score 18 (workload +18, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Tue 08	Omar Hassan		score 18 (workload +18, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Wed 09	Tom Reyes		score 18 (workload +18, weekend +0, holiday +0)	Edit	Remove
Thu 10	Thlemaxos Kalamatas		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Fri 11	Ingrid Lind		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Sat 12	Mhtsakos Hlithios	Weekend	score 23 (workload +15, weekend +8, holiday +0); tie-break: lower id	Edit	Remove
Sun 13	Omar Hassan	Weekend	score 23 (workload +15, weekend +8, holiday +0); tie-break: lower id	Edit	Remove
Mon 14	Carol Ng		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Tue 15	Tom Reyes		manual override by admin #24	Edit	Remove
Wed 16	Kostas Fytsilhs		score 15 (workload +15, weekend +0, holiday +0)	Edit	Remove
Thu 17	Thlemaxos Kalamatas	Holiday	score 16 (workload +12, weekend +0, holiday +4); tie-break: fewer duties	Edit	Remove
Fri 18	Ingrid Lind		score 12 (workload +12, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Sat 19	Tom Reyes	Weekend	score 20 (workload +12, weekend +8, holiday +0)	Edit	Remove
Sun 20	Thlemaxos Kalamatas	Weekend	score 17 (workload +9, weekend +8, holiday +0); tie-break: lower id	Edit	Remove
Mon 21	Carol Ng		score 12 (workload +12, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Tue 22	Kostas Fytsilhs		score 12 (workload +12, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Wed 23	Mhtsakos Hlithios		score 12 (workload +12, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Thu 24	Omar Hassan		score 12 (workload +12, weekend +0, holiday +0)	Edit	Remove
Fri 25	Ingrid Lind		score 9 (workload +9, weekend +0, holiday +0); tie-break: fewer duties	Edit	Remove
Sat 26	Carol Ng	Weekend	score 13 (workload +9, weekend +4, holiday +0); tie-break: fewer duties	Edit	Remove
Sun 27	Ingrid Lind	Weekend	score 14 (workload +6, weekend +8, holiday +0)	Edit	Remove
Mon 28	Kostas Fytsilhs		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Tue 29	Mhtsakos Hlithios		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit	Remove
Wed 30	Omar Hassan		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit	Remove

Figure 6.4 — A draft schedule, fully editable. Each day shows the doctor, flags, and the engine's reason; draft rows offer **Edit** and **Remove**.

- **Edit** on a filled day — **reassign** that duty to another eligible doctor.
- **Remove** — clear a duty; the day becomes *Unassigned* and a **+ Add** button appears.
- **+ Add** on an empty day — assign a doctor manually.

September 2026
Draft

Publish
Delete schedule

DATE	DOCTOR	FLAGS	REASON	ACTIONS
Tue 01	Kostas Fytzilhs	Holiday	score 25 (workload +21, weekend +0, holiday +4); tie-break: lower id	Edit Remove
Wed 02	Mhtsakos Hlithios		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Edit Remove
Thu 03	Omar Hassan		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Edit Remove
Fri 04	Tom Reyes		score 21 (workload +21, weekend +0, holiday +0)	Edit Remove
Sat 05	Carol Ng	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: fewer duties	Edit Remove
Sun 06	Kostas Fytzilhs	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: lower id	Edit Remove
Mon 07	Mhtsakos Hlithios		score 18 (workload +18, weekend +0, holiday +0); tie-break: lower id	Edit Remove

Add duty — 2026-09-15

Doctor

Select a doctor

Save
Close

Wed 23	Mhtsakos Hlithios		score 12 (workload +12, weekend +0, holiday +0); tie-break: lower id	Edit Remove
Thu 24	Omar Hassan		score 12 (workload +12, weekend +0, holiday +0)	Edit Remove
Fri 25	Ingrid Lind		score 9 (workload +9, weekend +0, holiday +0); tie-break: fewer duties	Edit Remove
Sat 26	Carol Ng	Weekend	score 13 (workload +9, weekend +4, holiday +0); tie-break: fewer duties	Edit Remove
Sun 27	Ingrid Lind	Weekend	score 14 (workload +6, weekend +8, holiday +0)	Edit Remove
Mon 28	Kostas Fytzilhs		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit Remove
Tue 29	Mhtsakos Hlithios		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit Remove
Wed 30	Omar Hassan		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Edit Remove

Figure 6.5 — Manually adding a duty. The same hard rules still apply: the doctor must be active, available, under their monthly cap, and not on a back-to-back day.

Info

Every manual change is re-validated against the same hard rules as automatic generation. If a change would violate a rule (for example a back-to-back duty), it is refused with an explanation.

6.6 Step 5 — Publish (lock) the schedule

When the draft looks right, choose **Publish** and confirm. The status changes to **Published** and **all editing is locked** — duties can no longer be added, reassigned, or removed, and the schedule cannot be deleted.

On-Call Duty
HOSPITAL SCHEDULING

[Home](#)[Users](#)[Doctors](#)[Availability](#)[Schedules](#)[Holidays](#)[Reports](#)[Profile](#)

MA

Manual AuthorADMINISTRATOR

Logout

September 2026Published

Revert to draftDelete schedule

Schedule is published and locked. Revert to draft to edit duties.

DATE	DOCTOR	FLAGS	REASON	ACTIONS
Tue 01	Kostas Fytzilhs	Holiday	score 25 (workload +21, weekend +0, holiday +4); tie-break: lower id	Locked
Wed 02	Mhtsakos Hlithios		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Locked
Thu 03	Omar Hassan		score 21 (workload +21, weekend +0, holiday +0); tie-break: lower id	Locked
Fri 04	Tom Reyes		score 21 (workload +21, weekend +0, holiday +0)	Locked
Sat 05	Carol Ng	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: fewer duties	Locked
Sun 06	Kostas Fytzilhs	Weekend	score 26 (workload +18, weekend +8, holiday +0); tie-break: lower id	Locked
Mon 07	Mhtsakos Hlithios		score 18 (workload +18, weekend +0, holiday +0); tie-break: lower id	Locked
Tue 08	Omar Hassan		score 18 (workload +18, weekend +0, holiday +0); tie-break: lower id	Locked
Wed 09	Tom Reyes		score 18 (workload +18, weekend +0, holiday +0)	Locked
Thu 10	Thlemaxos Kalamatas		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Locked
Fri 11	Ingrid Lind		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Locked
Sat 12	Mhtsakos Hlithios	Weekend	score 23 (workload +15, weekend +8, holiday +0); tie-break: lower id	Locked
Sun 13	Omar Hassan	Weekend	score 23 (workload +15, weekend +8, holiday +0); tie-break: lower id	Locked
Mon 14	Carol Ng		score 15 (workload +15, weekend +0, holiday +0); tie-break: fewer duties	Locked
Tue 15	Tom Reyes		manual override by admin #24	Locked
Wed 16	Kostas Fytzilhs		score 15 (workload +15, weekend +0, holiday +0)	Locked
Thu 17	Thlemaxos Kalamatas	Holiday	score 16 (workload +12, weekend +0, holiday +4); tie-break: fewer duties	Locked
Fri 18	Ingrid Lind		score 12 (workload +12, weekend +0, holiday +0); tie-break: fewer duties	Locked
Sat 19	Tom Reyes	Weekend	score 20 (workload +12, weekend +8, holiday +0)	Locked
Sun 20	Thlemaxos Kalamatas	Weekend	score 17 (workload +9, weekend +8, holiday +0); tie-break: lower id	Locked
Mon 21	Carol Ng		score 12 (workload +12, weekend +0, holiday +0); tie-break: fewer duties	Locked
Tue 22	Kostas Fytzilhs		score 12 (workload +12, weekend +0, holiday +0); tie-break: lower id	Locked
Wed 23	Mhtsakos Hlithios		score 12 (workload +12, weekend +0, holiday +0); tie-break: lower id	Locked
Thu 24	Omar Hassan		score 12 (workload +12, weekend +0, holiday +0)	Locked
Fri 25	Ingrid Lind		score 9 (workload +9, weekend +0, holiday +0); tie-break: fewer duties	Locked
Sat 26	Carol Ng	Weekend	score 13 (workload +9, weekend +4, holiday +0); tie-break: fewer duties	Locked
Sun 27	Ingrid Lind	Weekend	score 14 (workload +6, weekend +8, holiday +0)	Locked
Mon 28	Kostas Fytzilhs		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Locked
Tue 29	Mhtsakos Hlithios		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Locked
Wed 30	Omar Hassan		score 9 (workload +9, weekend +0, holiday +0); tie-break: lower id	Locked

Figure 6.6 — A published schedule. Rows read **Locked**. Publishing is what makes the roster visible to doctors on their dashboards.

Tip — need to change a published schedule?

Choose [Revert to draft](#) to unlock it, make your changes, then publish again.

7. Reports

The **Reports** page produces a consolidated, printable monthly report — coverage, fairness, the full roster, and per-doctor workload.

7.1 Viewing a monthly report

Enter the **Year**, pick the **Month**, and choose . The report is read-only; it cannot be edited here.




Figure 7.1 — The monthly report: title block with status and generation time, coverage and fairness cards, the duty roster, and the workload table.

Section	Contents
Title block	“On-Call Duty”, the month, the Published/Draft badge, and the generation timestamp.
Coverage	Days filled vs. total, and the list of gap days (if any).

Fairness	Duty spread with a <i>Well balanced</i> / <i>Imbalanced</i> badge, plus the weekend spread.
Duty roster	Day-by-day table: date, doctor (or <i>Unassigned</i>), flags, and the assignment reason.
Workload	Per doctor: duties (with a proportional bar), weekend count, and cap. Inactive doctors are greyed.

7.2 Exporting to CSV

Choose [Export CSV](#) to download the month's duty roster as a spreadsheet file named `oncall-YYYY-MM.csv`. It opens directly in Excel, Google Sheets, or any CSV-aware tool, with columns **Date**, **Weekday**, **Doctor**, **Weekend**, **Reason**. The button is disabled when there is no schedule for the selected month.

7.3 Printing or saving as PDF


Choose [Print / Save as PDF](#) to open your browser's print dialog. From there you can print a paper copy or choose *Save as PDF* as a destination to produce a clean, formatted PDF of the report. The on-screen controls are hidden automatically when printing.

Tip

For the neatest printed report, set the paper orientation to **Portrait** and margins to **Default** in the print dialog.

8. Your Profile

The **Profile** page is where you change your own password.



The screenshot shows the 'On-Call Duty HOSPITAL SCHEDULING' web application. The top navigation bar includes links for Home, Users, Doctors, Availability, Schedules, Holidays, Reports, and Profile (which is the active page). On the right, there are user role buttons for 'MA Manual Author' and 'ADMINISTRATOR', and a 'Logout' button. The main content area features a 'Manual Author' section with the instruction: 'Change your password. You will be signed out of other sessions.' Below this are two input fields: 'Current password' and 'New password'. At the bottom of this section is a blue button labeled 'Update password'.

Figure 8.1 — Changing your password. Enter your current password, choose a new one, and save.

1. Enter your **Current password**.
2. Enter a **New password** (at least 6 characters, and different from the current one).
3. Choose `Update password`.

Info

Changing your password signs you out of all your other active sessions. You stay signed in on the current browser.

9. Domain Rules & the Scheduling Engine

This chapter explains the rules the system enforces and how the engine produces a fair roster. You do not need to configure any of this — it helps you understand *why* a schedule looks the way it does.

9.1 Shifts and on-call timing

Regular weekday shift	07:00–15:00.
On-call duty	07:00 on the duty day until 15:00 the <i>next</i> day (overnight, handing over at 15:00).
On any day	On-call duties can fall on any day, including weekends.

9.2 Hard rules (always enforced)

These can never be broken, by automatic generation or by a manual edit:

Rule	Meaning
Monthly duty cap	A doctor cannot exceed their <i>Max monthly duties</i> (1–7, set on the Users page) in a given month.
No back-to-back	A doctor cannot be on duty the day immediately after a day they were already on duty. This is checked across month boundaries, so the last day of one month protects the first day of the next.
Availability	A doctor is never assigned on a date covered by one of their exclusions (vacation, sick, conference, other).
Active only	Disabled doctors are skipped entirely.

9.3 How the engine balances work

Among the doctors who satisfy the hard rules for a given day, the engine picks the one with the best **score**, so that work is spread fairly:

- **Workload** — favours doctors with the most remaining headroom under their cap (heaviest weight).
- **Weekend balance** — on weekend days, favours doctors who have had fewer weekend duties so far.

Ties are broken deterministically: fewest total duties first, then fewest weekend duties, then lower doctor id. The result is stable — generating the same month with the same inputs always yields the same roster.

9.4 Explainable assignments

Every duty stores a human-readable **Reason**, visible on the schedule detail page (hover a date) and in the report. It looks like `score 18 (workload +12, weekend +6)` and notes any tie-break used. Manual changes are recorded as `manual override by admin`.

9.5 Conflict detection

When a day cannot be filled (no eligible doctor), the preview lists it as a conflict with the exact breakdown (unavailable / at cap / back-to-back). You resolve conflicts as described in §6.3 before generating.

10. Troubleshooting & FAQ

10.1 “Resolve N unfillable day(s) first” when generating

One or more days have no eligible doctor. Open the preview to see which days and why, then: raise a doctor's monthly cap, enable/add a doctor, or shorten a vacation. Preview again until there are no conflicts, then generate.

10.2 “Doctor has duties in a draft schedule”

A doctor with duties in a draft schedule cannot be deleted — finish or discard the draft first, or choose **Disable** instead: they will be skipped by future schedules and cannot sign in, and you can re-enable them later. Their duties in already published schedules are kept.

10.3 “Schedule is published; revert to draft...”

You tried to edit, reassign, remove, or delete a duty on a published schedule. Choose **Revert to draft** at the top of the detail page to unlock editing, make your change, then publish again.

10.4 A disabled account cannot sign in

Disabled users are refused at sign-in. Re-enable the account on the Users page if access should be restored.

10.5 I changed a doctor's cap — why didn't the existing schedule change?

Edits to doctors and availability only affect schedules you generate *after* the change. An existing schedule keeps its assignments. To reflect changes, revert it to draft and adjust manually, or delete and regenerate it.

10.6 The dashboard / report shows an old month

Both pages default to the *current* month. Enter the **Year** and **Month** you want and choose **Apply**.

10.7 CSV opens with all columns merged into one

Some spreadsheet tools need the comma delimiter stated explicitly. Use the “Import” or “Text to columns” feature and choose *Comma* as the delimiter.

10.8 The fairness badge says “Imbalanced”

The busiest and quietest doctors differ by more than one duty. This can happen when caps, availability, or the number of days force an uneven spread. Review the workload table and consider adjusting caps or availability, then regenerate.

11. Quick Reference & Glossary

11.1 Where to do each task

I want to...	Go to
See how a month is shaping up	Home (dashboard)
Create or manage user accounts (administrators and doctors)	Users
Add a doctor / set their monthly cap	Users
Record a vacation, sick leave, etc.	Availability
Generate, edit, and publish a month	Schedules → (month) → detail
Export or print a monthly report	Reports
Change my password	Profile

11.2 Field reference

Field	Rules
Password (any)	At least 6 characters. New password must differ from the current one.
Email (any)	Must be a valid email address; unique per account.
Max monthly duties	Whole number from 1 to 7 (default 7).
Exclusion dates	Format YYYY-MM-DD; end date on or after start date; inclusive whole days.
Exclusion type	One of Vacation, Sick, Conference, Other.
Schedule year / month	Year 1970–2100; month January–December. One schedule per month.

11.3 Glossary

Term	Meaning
Draft	A schedule you can still edit. Not yet visible to doctors as final.
Published	A locked schedule. Visible to doctors; editing is disabled until reverted.
Duty	A single doctor assigned to a single day (07:00 → next day 15:00).
Gap day	A day in the month with no doctor assigned.

Cap	A doctor's maximum duties per month (Max monthly duties, 1–7).
Exclusion	A date range a doctor is unavailable (vacation, sick, conference, other).
Duty spread	Busiest minus quietest doctor's duty count; 0–1 is "Well balanced".
Reason	The engine's stored explanation for an assignment.
Conflict	A day the engine cannot fill under the hard rules.

On-Call Duty — Administrator User Manual · Version 1.0 · August 2026. This manual describes the application's administrator features as of the published version. Screenshots use sample data for illustration.