

Acceptance tests

ACME-CERVECERO 1.0

Development team	
Identifier	G05
Members	Ripoll Torrejón, Pablo; Pérez Barrera, Juan Luis; García Limones, Raúl; Sánchez Mateos, Francisco Javier; Aguza Barragán, José Manuel
Testing team	
Identifier	G02
Members	García Lanzas, Jesús Manuel; Casado Blanco, José Luis; Morón Vilán, Juan; Del Rosario Olmo Trinidad, Alba; Martínez Rojas, Antonio
Indexing data	
Test designers	Ripoll Torrejón, Pablo; Pérez Barrera, Juan Luis; García Limones, Raúl; Sánchez Mateos, Francisco Javier; Aguza Barragán, José Manuel
Testers	García Lanzas, Jesús Manuel; Casado Blanco, José Luis; Morón Vilán, Juan; Del Rosario Olmo Trinidad, Alba; Martínez Rojas, Antonio
Notes	

Table of contents

Use case D001 A sponsor can manage their fairs	4
Use case D002 An administrator can configure the system	8
Use case D003 A customer can manage the album of a fair	15
Use case D004 A sponsor can manage their applications	20
Use case D005 An artisan can manage their applications and create the related stand	22
Use case D006 A taster can register a curricula.....	26
Use case D007 A taster can manage Personal Record.....	27
Use case D008 A taster can manage their Educations Records.....	33
Use case D009 A taster can manage their Professional Records.....	39
Use case D010 A taster can manage their Endorser Records.....	45
Use case D011 A taster can manage their Miscellaneous Records	50
Use case D012 An administrator can manage system categories	54
Use case D013 An actor who is not authenticated could browse beer catalogue	58
Use case D014 An actor authenticated as a customer or sponsor can manage their credit card.....	61
Use case D015 An actor authenticated as an administrator could manage system actors	65
Use case D016 An artisan can manage his beers.....	68
Use case D017 A taster can manage his tastings.....	76
Use case D018 A sponsor can manage his sponsorships	80
Use case D019 A customer can manage his finder	85
Use case D020 An artisan can manage his finder	88
Use case D021 An administrator can look the dashboard.....	91
Use case D022 Actor can manage boxes	93
Use case D023 Actor can manage messages	96
Use case D024 Customers can make orders.....	99
Use case D025 Customers can write notes.....	102
Use case D026 Admins can execute procedures	104
Use case D027 A sponsor can create rankings.....	106
Use case D028 A sponsor can create a contract.....	109
Use case D029 A taster can manage his or her contracts.....	111
Use case D030 A customer can buy a ticket for a fair	113
Use case D031 Register as an administrator	117

Use case D032 Register as a taster	119
Use case D033 Register as an artisan.....	122
Use case D034 Register as a customer	125
Use case D035 Register as a sponsor.....	128
Use case D036 An administrator edits his profile.....	131
Use case D037 A taster edits his profile.....	134
Use case D038 An artisan edits his profile.....	136
Use case D039 A customer edits his profile.....	138
Use case D040 A sponsor edits his profile	141
Use case D041 An authenticated user can download his or her personal info	144
Additional tests	145

Use case D001 A sponsor can manage their fairs

Description

When a sponsor is logged in, they should be able to manage (list, show, delete and edit) their fairs.

Access

Main Menu > Login > Login(sponsor1/sponsor1) > Sponsor (Hover)>My fair.

Tests

Test #1	
Description	The first thing that will appear is the list of your fairs.
Expected	A list like the following will be displayed:  <p>My Fairs 6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last] Published in Title Start time End time Show Related stands Related ranking Related album 20/01/01 10:09 The fair 21/09/01 10:09 20/01/02 10:09 Show Related stands Related ranking Related album 22/07/11 10:09 London Wine Fair 20/01/12 10:00 21/01/01 10:00 Show Related stands Related ranking Related album 21/10/04 10:19 Feria de Sevilla 21/10/04 00:00 22/07/04 00:00 Show Related stands Related ranking Related album 21/10/12 10:19 The one 21/10/12 00:00 22/07/12 00:00 Show Related stands Related ranking Related album 21/10/09 10:19 Feria de cerveza 21/10/09 10:00 22/07/09 20:00 Show Related stands Related ranking Related album Create</p>
Outcome All under normality	
Notes	

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a sponsorship, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
<p>Create Fair</p> <p>Title : <input type="text"/> Must not be blank</p> <p>Description : <input type="text"/> Must not be blank</p> <p>Place of celebration : <input type="text"/> Must not be blank</p> <p>Start time : <input type="text"/> Cannot be null</p> <p>End time : <input type="text"/> Cannot be null</p> <p>Ticket price : <input type="text"/> 0.0</p> <p>Maximum number of stands : <input type="text"/> Too small (min = 1)</p> <p><input type="checkbox"/> Is final? If you save it in final mode everyone will can see, and you will not be able to edit or delete it.</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> <p>Cannot commit this operation</p>	
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid data
Expected	It will load the form again next to binding errors:
<p>Start time : <input type="text"/> 04/10/2021 00:00</p> <p>End time : <input type="text"/> 04/10/2020 00:00 You must put a date past the start date</p> <p>Ticket price : <input type="text"/> -1.0 Too small (min = 0)</p> <p>Maximum number of stands : <input type="text"/> -3 Too small (min = 1)</p>	
Outcome	All under normality
Notes	

Test #5

Description	Hitting the create button redirects to the form to create a fair, Fill in the form with:
-------------	---

Create Fair

Title :

Description :

hola

Place of celebration :

Start time :

End time :

Ticket price :

Maximum number of stands :

Is final?

If you save it in final mode everyone will can see, and you will not be able to edit or delete it.

Expected	A warning message will appear and by pressing ok, you will be redirected to the list of fairs with the new one we have created.
----------	---

Outcome	FOUND A BUG We can see it effectively created in the list, but when we click on 'Show', we appreciate that the maximum number of stands is set to 100 (despite we set it to 3).
---------	---

My Fairs

7 items found, displaying 6 to 7. [First/Prev] 1, 2 [Next/Last]															
<table border="1"><thead><tr><th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th>Actions</th></tr></thead><tbody><tr><td>21/10/05 10:19</td><td>Fena</td><td>21/10/05 00:00</td><td>22/07/05 00:00</td><td>Edit</td></tr><tr><td>19/06/02 13:11</td><td>hola</td><td>21/10/04 00:00</td><td>23/10/04 00:00</td><td>Show Related stands Related album</td></tr></tbody></table> <p>Create</p>	Published in	Title	Start time	End time	Actions	21/10/05 10:19	Fena	21/10/05 00:00	22/07/05 00:00	Edit	19/06/02 13:11	hola	21/10/04 00:00	23/10/04 00:00	Show Related stands Related album
Published in	Title	Start time	End time	Actions											
21/10/05 10:19	Fena	21/10/05 00:00	22/07/05 00:00	Edit											
19/06/02 13:11	hola	21/10/04 00:00	23/10/04 00:00	Show Related stands Related album											

Show Fair

Published in :

Title :

Description :

hola

Place of celebration :

Start time :

End time :

Ticket price: 1.0€ (0.21€)

Maximum number of stands :

[Related fairs](#)

Notes

Test #6	
Description	Hitting the show link redirects to the form to show a fair,
Expected	You will be redirected to the show:
	<p>Show Fair</p>  <p>Atención Estudiantes Universitarios y Jóvenes Líderes</p> <p>Published in : 04/10/2021 10:19</p> <p>Title : Feria de Sevilla</p> <p>Description :</p> <p>La feria de Sevilla</p> <p>Place of celebration : Real de la feria</p> <p>Start time : 04/10/2021 00:00</p> <p>End time : 04/07/2022 00:00</p> <p>Ticket price : 0.0</p> <p>Maximum number of stands : 200</p> <p>Related fairs</p> <p>Cancel</p>
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit a fair,
Expected	You will be redirected to the edit:
	<p>Edit Fair</p> <p>Created in : 11/07/2022 10:09</p> <p>Title : London Wine Fair</p> <p>Description :</p> <p>This is the best fair of London</p> <p>Place of celebration : London Wine enclosure</p> <p>Start time : 12/01/2020 10:00</p> <p>End time : 01/01/2021 10:00</p> <p>Ticket price : 14.0</p> <p>Maximum number of stands : 50</p> <p><input type="checkbox"/> Is final?</p> <p>If you save it in final mode everyone will can see, and you will not be able to edit or delete it.</p> <p>Save Delete Cancel</p>

Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a fair, you can edit and save or delete
Expected	If you delete the fair, the can't appear in the list. If you edit the fair with valid data (see the test#5) the fair must change, but if you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D002 An administrator can configure the system

Description

When an administrator is logged in, they should be able to configurate the system

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover)>System configuration.

Tests

Test #1	
Description	The first thing that will appear is the current system configuration, you can see this.
Expected	The current configuration is displayed:

Configuration

Finder cache time: (hour)

Number of result return by the finder:

Spam words:
...
...

Positive word in english: [good, fantastic, excellent, great, amazing, terrific, beautiful]

Negative word in english: [not, bad, horrible, average, disaster]

Positive word in spanish: [bueno, fantastico, excelente, genial, sorprendente, estupendo, bonito]

Negative word in spanish: [no, malo, horrible, regular, desastre]

Credit cards makes: [VISA, MCARD, DINNERS, AMEX, FLY]

Name system:

URL of banner:

Welcome message in english:
...
...

Welcome message in spanish:
...
...

Country code:

VAT: %

Priorities:
...
...

Containers in Spanish:
...
...

Containers in English:
...
...

Outcome	All under normality
Notes	

Test #2

Description

You can press the edit button and edit the configuration with a correctly data.
one example of correctlies data are:

Configuration

Finder cache time: (hour)

Number of result return by the finder:

Spam words:

Positive word in english:

Negative word in english:

Positive word in spanish:

Negative word in spanish:

Credit cards makes:

Name system:

URL of banner:

Welcome message in english:

Welcome message in spanish:

Country code:

VAT: %

Priorities:

Containers in Spanish:

Containers in English:

Separate the words with ,

Expected	The configuration will be updated and them redirect to the show with the changes.
Outcome	All under normality
Notes	

Test #3	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the welcome page.
Outcome	All under normality
Notes	

Test #4

Description You can press the edit button and edit the configuration with an incorrectly data

Expected

You will be redirected to the same view showing the specific binding:

All in blank:

Configuration

Finder cache time: (hour) Failed to convert property value of type java

Number of result return by the finder: Failed to convert property value

Spam words: Must not be blank

Positive word in english: Must not be blank

Negative word in english: Must not be blank

Positive word in spanish: Must not be blank

Negative word in spanish: Must not be blank

Credit cards makes: Must not be blank

Name system: Must not be blank

URL of banner: Must not be blank

Welcome message in english: Must not be blank

Welcome message in spanish: Must not be blank

Country code: Failed to convert property value of type java.lang!

VAT: % Invalid amount

Priorities: Must not be blank

Containers in Spanish: Must not be blank

Containers in English: Must not be blank

Separate the words with ,

Specific error:

Configuration

Finder cache time: (hour) **Too small (min = 1)**

Number of result return by the finder: **Too small (min = 1)**

URL of banner: **Invalid URL**

Country code: **Too small (min = 1)**

VAT: % **Too small (min = 0)**

Outcome All under normality

Notes

Use case D003 A customer can manage the album of a fair

Description

When a customer is logged in, they should be able to manage (show and add a photo) the album

Access

Main Menu > Login > Login (customer1/ customer1) > Fairs (in the header)

Tests

Test #1																																				
Description	The first thing that will appear is the list of all final fairs.																																			
Expected	<p>All fairs</p> <p>4 items found, displaying all items. 1</p> <table border="1"><thead><tr><th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th>Show</th><th>Related stands</th><th>Related album</th></tr></thead><tbody><tr><td>20/01/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/01/02 10:09</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/10/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/07/04 00:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/10/11 10:19</td><td>Feria de Andalucía</td><td>21/10/11 20:00</td><td>22/07/14 00:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr></tbody></table>	Published in	Title	Start time	End time	Show	Related stands	Related album	20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related album	21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Related album
Published in	Title	Start time	End time	Show	Related stands	Related album																														
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Related album																														
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Related album																														
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related album																														
21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Related album																														
Outcome	All under normality																																			
Notes																																				

Test #2	
Description	In the view of the test#1 click on the link related album (of the first fair), you will be redirected to the show view
Expected	<p>Album</p> <p>Pictures of album:</p>   <p>Add photo</p>
Outcome	All under normality
Notes	

Test #3	
Description	In the view of the test#2 click on the link add photo, you will be redirected to the following form and fill in the form with invalid data, All in blank and invalid's URL
Expected	Redirect to the same form with the binding error. -All in blank biding:  The screenshot shows a form titled 'Add photo'. It has a single input field labeled 'Link of the photo :'. A red validation message 'Must not be blank' is displayed next to the field. Below the input field is a link: 'For a better performance of the album use this website to shorten your link'. At the bottom are two buttons: 'Save' and 'Cancel'. -Specific binging:  This screenshot is similar to the previous one, but the input field contains the text 'holà'. A red validation message 'Invalid URL' is shown next to the field. The rest of the interface is identical, with the link for shortening URLs and the 'Save'/'Cancel' buttons.
Outcome	All under normality
Notes	

Test #4	
Description	In the view of the test#3 click on the button cancel
Expected	Redirect to the view of the test#1
Outcome	All under normality
Notes	

Test #6	
Description	In the view of the test#3 click on the save button with valid url:
Expected	Redirect to the view of test#1 and if you click on the link related album (first fair), the photo must be appear:
	 
	Add photo
Outcome	<p>FOUND A BUG</p> <p>We can see it effectively created a new photo, but the new photo does not correspond to the url we introduced (http://www.prueba.com):</p> <p>Add photo</p> <p>Link of the photo :</p> <p><input type="text" value="http://www.prueba.com"/></p> <p>For a better performance of the album use this website to shorten your link</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>

Album

Pictures of album:



[Add photo](#)

Notes

Use case D004 A sponsor can manage their applications

Description

When a sponsor is logged in, they should be able to manage (accept, reject, show) their applications.

Access

Main Menu > Login > Login(sponsor1/sponsor1) > Sponsor (Hover)>My Applications

Tests

Test #1																																					
Description	The first thing that will appear is the list of your applications.																																				
Expected	A list like the following will be displayed: My applications 7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last] <table border="1"><thead><tr><th>Status of the application</th><th>Fair</th><th>Related artisan</th><th>Moment</th><th></th><th></th></tr></thead><tbody><tr><td>REJECTED</td><td>The fair</td><td>Juan(artisan)</td><td>19/01/01 10:09</td><td>Show</td><td></td></tr><tr><td>PENDING</td><td>The fair</td><td>Juan(artisan)</td><td>19/01/03 10:09</td><td>Accept Reject</td><td>Show</td></tr><tr><td>REJECTED</td><td>London Wine Fair</td><td>Juan(artisan)</td><td>19/05/01 10:09</td><td>Show</td><td></td></tr><tr><td>ACCEPTED</td><td>London Wine Fair</td><td>Juan(artisan)</td><td>19/01/03 10:09</td><td>Show stand</td><td>Show</td></tr><tr><td>PENDING</td><td>Feria de Sevilla</td><td>Juan(artisan)</td><td>19/09/03 10:09</td><td>Accept Reject</td><td></td></tr></tbody></table>	Status of the application	Fair	Related artisan	Moment			REJECTED	The fair	Juan(artisan)	19/01/01 10:09	Show		PENDING	The fair	Juan(artisan)	19/01/03 10:09	Accept Reject	Show	REJECTED	London Wine Fair	Juan(artisan)	19/05/01 10:09	Show		ACCEPTED	London Wine Fair	Juan(artisan)	19/01/03 10:09	Show stand	Show	PENDING	Feria de Sevilla	Juan(artisan)	19/09/03 10:09	Accept Reject	
Status of the application	Fair	Related artisan	Moment																																		
REJECTED	The fair	Juan(artisan)	19/01/01 10:09	Show																																	
PENDING	The fair	Juan(artisan)	19/01/03 10:09	Accept Reject	Show																																
REJECTED	London Wine Fair	Juan(artisan)	19/05/01 10:09	Show																																	
ACCEPTED	London Wine Fair	Juan(artisan)	19/01/03 10:09	Show stand	Show																																
PENDING	Feria de Sevilla	Juan(artisan)	19/09/03 10:09	Accept Reject																																	
Outcome	All under normality																																				
Notes																																					

Test #2	
Description	Hitting the accept link in the list of test#1.
Expected	Redirects to the same list, but the application must be accepted.
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the reject link in the list of test#1 and you will be redirected to the following form, filled in with correct and incorrect data Correct data:  A screenshot of a web page titled "Reject an application". It contains a label "Rejected reason :" followed by a text input field containing the placeholder "Rejected reason :". Below the input field is a blue "Reject" button. Incorrect data: do not fill the form
Expected	Correct data: Redirects to the same list, but the application must be rejected. Incorrect data:  A screenshot of a web page titled "Reject an application". It contains a label "Rejected reason :" followed by an empty text input field. To the right of the input field, the text "You must put a rejected reason" is displayed in red. Below the input field is a blue "Reject" button.
Outcome	All under normality
Notes	

Use case D005 An artisan can manage their applications and create the related stand

Description


When artisan is logged in, they should be able to manage (list, show and send) their applications, and the related stand

Access

Main Menu > Login > Login (artisan1/ artisan1)> Artisan (Hover)>My Applications.


Tests


Test #1																															
Description	The first thing that will appear is the list of your application.																														
Expected	A list like the following will be displayed:  <p>My applications</p> <p>7 items found, displaying 1 to 5. [First] [Prev] 1, 2 [Next] [Last]</p> <table border="1"><thead><tr><th>Status of the application</th><th>Fair</th><th>Related sponsor</th><th>Moment</th><th></th></tr></thead><tbody><tr><td>REJECTED</td><td>The fair</td><td>Ricardo(sponsor1)</td><td>19/01/01 10:09</td><td>Show</td></tr><tr><td>PENDING</td><td>The fair</td><td>Ricardo(sponsor1)</td><td>19/01/03 10:09</td><td>Show</td></tr><tr><td>REJECTED</td><td>London Wine Fair</td><td>Ricardo(sponsor1)</td><td>19/05/01 10:09</td><td>Show</td></tr><tr><td>ACCEPTED</td><td>London Wine Fair</td><td>Ricardo(sponsor1)</td><td>19/01/03 10:09</td><td>Create stand Show</td></tr><tr><td>PENDING</td><td>Feria de Sevilla</td><td>Ricardo(sponsor1)</td><td>19/09/03 10:09</td><td>Show</td></tr></tbody></table>	Status of the application	Fair	Related sponsor	Moment		REJECTED	The fair	Ricardo(sponsor1)	19/01/01 10:09	Show	PENDING	The fair	Ricardo(sponsor1)	19/01/03 10:09	Show	REJECTED	London Wine Fair	Ricardo(sponsor1)	19/05/01 10:09	Show	ACCEPTED	London Wine Fair	Ricardo(sponsor1)	19/01/03 10:09	Create stand Show	PENDING	Feria de Sevilla	Ricardo(sponsor1)	19/09/03 10:09	Show
Status of the application	Fair	Related sponsor	Moment																												
REJECTED	The fair	Ricardo(sponsor1)	19/01/01 10:09	Show																											
PENDING	The fair	Ricardo(sponsor1)	19/01/03 10:09	Show																											
REJECTED	London Wine Fair	Ricardo(sponsor1)	19/05/01 10:09	Show																											
ACCEPTED	London Wine Fair	Ricardo(sponsor1)	19/01/03 10:09	Create stand Show																											
PENDING	Feria de Sevilla	Ricardo(sponsor1)	19/09/03 10:09	Show																											
Outcome All under normality																															
Notes																															

Test #2	
Description	Hitting the create stand link redirects to the form to create a stand, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:  <p>Create Stand</p> <p>Published in : 29/05/2019 11:02</p> <p>Ticker : 19/05/29-104BE7</p> <p>Name : <input type="text"/> Must not be blank</p> <p>Slogan :</p> <p>Assigned Position : 1</p> <p>Save Cancel</p>


Outcome	All under normality
Notes	


Test #3	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #4	
Description	In the form of test #3, click on the save button with a valid data
	

Expected	It will load the show of the created stand:																																			
																																				
And in the list of application must be appear the link to show the create stand:																																				
My applications <table border="1"> <tr> <td colspan="5">7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</td> </tr> <tr> <th>Status of the application</th> <th>Fair</th> <th>Related sponsor</th> <th>Moment</th> <th></th> </tr> <tr> <td>REJECTED</td> <td>The fair</td> <td>Ricardo(sponsor)</td> <td>19/01/01 10:09</td> <td>Show</td> </tr> <tr> <td>PENDING</td> <td>The fair</td> <td>Ricardo(sponsor)</td> <td>19/01/03 10:09</td> <td>Show</td> </tr> <tr> <td>REJECTED</td> <td>London Wine Fair</td> <td>Ricardo(sponsor)</td> <td>19/05/01 10:09</td> <td>Show</td> </tr> <tr> <td>ACCEPTED</td> <td>London Wine Fair</td> <td>Ricardo(sponsor)</td> <td>19/01/03 10:09</td> <td>Show stand</td> </tr> <tr> <td>PENDING</td> <td>Feria de Sevilla</td> <td>Ricardo(sponsor)</td> <td>19/09/03 10:09</td> <td>Show</td> </tr> </table>		7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]					Status of the application	Fair	Related sponsor	Moment		REJECTED	The fair	Ricardo(sponsor)	19/01/01 10:09	Show	PENDING	The fair	Ricardo(sponsor)	19/01/03 10:09	Show	REJECTED	London Wine Fair	Ricardo(sponsor)	19/05/01 10:09	Show	ACCEPTED	London Wine Fair	Ricardo(sponsor)	19/01/03 10:09	Show stand	PENDING	Feria de Sevilla	Ricardo(sponsor)	19/09/03 10:09	Show
7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]																																				
Status of the application	Fair	Related sponsor	Moment																																	
REJECTED	The fair	Ricardo(sponsor)	19/01/01 10:09	Show																																
PENDING	The fair	Ricardo(sponsor)	19/01/03 10:09	Show																																
REJECTED	London Wine Fair	Ricardo(sponsor)	19/05/01 10:09	Show																																
ACCEPTED	London Wine Fair	Ricardo(sponsor)	19/01/03 10:09	Show stand																																
PENDING	Feria de Sevilla	Ricardo(sponsor)	19/09/03 10:09	Show																																

Outcome	All under normality
Notes	

Test #5																																									
Description	<p>Go to Main Menu > FAIRS:</p>  <p>4 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Published in</th> <th>Title</th> <th>Start time</th> <th>End time</th> <th>Show</th> <th>Related stands</th> <th>related Sponsor</th> <th>Related album</th> </tr> </thead> <tbody> <tr> <td>20/01/01 10:09</td> <td>The fair</td> <td>21/09/01 10:09</td> <td>20/01/02 10:09</td> <td>Show</td> <td>Related stands</td> <td>related Sponsor</td> <td>Related album</td> </tr> <tr> <td>21/10/04 10:19</td> <td>Feria de Sevilla</td> <td>21/10/04 00:00</td> <td>22/07/04 00:00</td> <td>Show</td> <td>Related stands</td> <td>related Sponsor</td> <td>Related album</td> </tr> <tr> <td>21/10/09 10:19</td> <td>Feria de cerveza</td> <td>21/10/09 10:00</td> <td>22/07/09 20:00</td> <td>Show</td> <td>Related stands</td> <td>related Sponsor</td> <td>Related album</td> </tr> <tr> <td>21/10/11 10:19</td> <td>Feria de Andalucía</td> <td>21/10/11 20:00</td> <td>22/07/14 00:00</td> <td>Show</td> <td>Related stands</td> <td>Send application to participate</td> <td>related Sponsor</td> </tr> </tbody> </table> <p>You cannot send an application to a complete fairs, to a fairs where you already have an application pending or accepted.</p> <p>Click on the link related stand (use the link from the third fair).</p>	Published in	Title	Start time	End time	Show	Related stands	related Sponsor	Related album	20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	related Sponsor	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	related Sponsor	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	related Sponsor	Related album	21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor
Published in	Title	Start time	End time	Show	Related stands	related Sponsor	Related album																																		
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	related Sponsor	Related album																																		
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	related Sponsor	Related album																																		
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	related Sponsor	Related album																																		
21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor																																		
Expected	You will be redirect to the list of the stand for this fair																																								
Outcome	All under normality																																								
Notes																																									

Test #6	
Description	Go to Main Menu > FAIRS:  <p>You cannot send an application to a complete fairs, to a fairs where you already have an application pending or accepted.</p>
Expected	In the list of my applications, must be appear the application in pending status
Outcome	All under normality
Notes	

Test #7	
Description	Go to the test#3 of the use case D004 and reject a pending application
Expected	In the list of my applications, must be appear the application in reject s status
Outcome	All under normality
Notes	

Test #8	
Description	Go to the test#2 of the use case D004 and accept the pending application of the test#6
Expected	In the list of my applications, must be appear the application in pending accepted status and you can create the related stand (the same of test#2)
Outcome	All under normality
Notes	

Use case D006 A taster can register a curricula

Description

When a taster is logged in, they should be able to create a curriculum.

Access

Main Menu > Login > Login(taster4/taster4) >Taster (Hover)> My Curriculums.

Tests

Test #1	
Description	Expected
	The first thing that will appear a button to create a curriculum.
Outcome	All under normality
Notes	

Test #2	
Description	Expected
	Click on the click here to create to create one.
Outcome	All under normality
Notes	

Use case D007 A taster can manage Personal Record

Description

When a taster is logged in, they should be able to manage (list, show, delete and edit) its personal record.

Access

Main Menu > Login > Login(taster4/taster4) > Taster (Hover) > My Curriculums > Personal Record (link).

Tests

Test #1	
Description	The first thing that will appear is the display of your personal record if you have any.
Expected	A list like the following will be displayed: If you have any or when you have saved your personal record you will be redirected to a view like that:  <p>The screenshot shows a 'Curriculum Vitae' page with the following content:</p> <p>Curriculum Vitae</p> <p>Full Name : Pepe</p> <p>Email : pepe@gmail.com</p> <p>Phone Number : 692524207</p> <p>LinkedIn profile: Click here</p> <p>Photo URL: </p> <p>Edit</p> <p>If you don't have any it will appear:</p>

Creating Curriculum Vitae

Full Name:

Photo URL: 

Email:

Phone Number:

LinkedIn profile: 

Url must be split by ::

Outcome	All under normality
Notes	

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the edit button redirects to the form to create or edit a personal record, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
<p>Creating Curriculum Vitae</p> <p>Full Name: <input type="text"/> Must not be blank</p> <p>Photo URL: <input type="text"/> Must not be blank</p> <p>Email: <input type="text"/></p> <p>Phone Number: <input type="text"/></p> <p>Linkdin profile: <input type="text"/> Must not be blank</p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid data
Expected	It will load the form again next to binding errors:

Creating Curriculum Vitae

Full Name:

Photo URL:  **Invalid URL**

Email: **Invalid email**

Phone Number:

Linkdin profile:  **Invalid URL**

Url must be split by ::

Outcome	All under normality
Notes	

Test #5

Description Hitting the edit button redirects to the form to edit a Personal Record,
Fill in the form with:

Editing Curriculum Vitae

Full Name:

Photo URL:

Email:

Phone Number:

LinkedIn profile:

Url must be split by ;;

Expected

Outcome All under normality

Notes

Test #6	
Description	Hitting the edit link redirects to the form to personal record edit,
Expected	You will be redirected to the edit: <h1>Creating Curriculum Vitae</h1> <p>Full Name: <input type="text" value="Pepe"/></p> <p><input type="text" value="http:\\juan.us"/></p> <p>Photo URL: <input type="text"/></p> <p>Email: <input type="text" value="juan@gmail.com"/></p> <p>Phone Number: <input type="text" value="+34 (654) 456789"/></p> <p><input type="text" value="http:\\juan.us"/></p> <p>LinkedIn profile: <input type="text"/></p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
<hr/>	
Outcome	All under normality
Notes	This test has a continuation (6.1)

Test #6.1	
Description	In the edit a fair, you can edit and save
Expected	.If you edit the fair with valid data (see the test#5) the personal record must change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D008 A taster can manage their Educations Records


Description

When a taster is logged in, they should be able to manage (list, show, delete and edit) their educations records.


Access

Main Menu > Login > Login(taster1/taster1) > Taster (Hover)> My Curriculums > Education Record (link).

Tests

Test #1	
Description	The first thing that will appear is the list of your education records.
Expected	A list like the following will be displayed:  <p>The screenshot shows a table with one row. The columns are: Diploma title (Pepe Galindo), Start date (09/12/2010), End date (11/12/2011), Institution name (US), and Comment (Todo perfecto funciona sobre ruedas). There are 'Edit' and 'Show' buttons next to the first column.</p>
Outcome	All under normality
Notes	

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create an education record, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
 <p>The screenshot shows a form titled "Creating Education Record". It contains several input fields with validation messages:</p> <ul style="list-style-type: none"> Diploma title: <input type="text"/> Must not be blank Start date: <input type="text"/> Cannot be null End date : <input type="text"/> Institution name : <input type="text"/> Must not be blank Comment: <input type="text"/> Attachment URL : <input type="text"/> Must not be blank <p>Below the form are two buttons: "Save" and "Cancel".</p>	
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid data
Expected	It will load the form again next to binding errors:
<h2>Creating Education Record</h2> <p>Diploma title: <input type="text" value="Tito"/></p> <p>Start date: <input type="text" value="12/04/2018"/></p> <p>End date : <input type="text" value="dd/MM/yyyy"/></p> <p>Institution name : <input type="text" value="US"/></p> <p><input type="text"/> Comment: <input type="text"/></p> <p>Attachment URL : <input type="text" value="unauri.com"/> Invalid URL</p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #5

Description Hitting the create button redirects to the form to create an education record,
Fill in the form with:

Creating Education Record

Diploma title:

Start date:

End date :

Institution name :

Comment:

Attachment URL :

Url must be split by ::

Expected

Outcome All under normality

Notes

Test #6	
Description	Hitting the show link redirects to the form to show an education record,
Expected	You will be redirected to the show: <h2>Showing Education Record</h2> <p>Diploma title: Pepe Galindo</p> <p>Start date: 09/12/2010</p> <p>End date : 11/12/2011</p> <p>Institution name : US</p> <p>Comment: Todo perfecto funciona sobre ruedas</p> <p>Attachment URL: Click here</p> <p><input type="button" value="Cancel"/></p>
<hr/>	
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit an education record,
Expected	You will be redirected to the edit:
<p style="text-align: center;">Editing Education Record</p> <p>Diploma title: <input type="text" value="Pepe Galindo"/></p> <p>Start date: <input type="text" value="09/12/2010"/></p> <p>End date : <input type="text" value="11/12/2011"/></p> <p>Institution name : <input type="text" value="US"/></p> <p><input type="text" value="Todo perfecto funciona sobre ruedas"/></p> <p>Comment: <input type="text"/></p> <p>Attachment URL :</p> <p><input type="text" value="http://www.us.es/"/></p> <p>Url must be split by ::</p> <p style="text-align: center;"><input type="button" value="Save"/> <input type="button" value="Delete"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit an education record, you can edit and save or delete
Expected	If you delete the education record , the can't appear in the list.If you edit the education record with valid data (see the test#5) the education record must change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D009 A taster can manage their Professional Records

Description

When a taster is logged in, they should be able to manage (list, show, delete and edit) their professional records.

Access

Main Menu > Login > Login(taster1/taster1) > Taster (Hover)> My Curriculums > Professional Record (link).

Tests

Test #1															
Description	The first thing that will appear is the list of your professional records.														
Expected	A list like the following will be displayed: Professional Record One item found. 1 <table border="1"><thead><tr><th></th><th></th><th>Company name</th><th>Start date</th><th>End date</th><th>Played role</th><th>Comment</th></tr></thead><tbody><tr><td>Edit</td><td>Show</td><td>emasesa</td><td>09/12/2010</td><td>11/12/2012</td><td>administrator</td><td>prueba 1</td></tr></tbody></table> Create			Company name	Start date	End date	Played role	Comment	Edit	Show	emasesa	09/12/2010	11/12/2012	administrator	prueba 1
		Company name	Start date	End date	Played role	Comment									
Edit	Show	emasesa	09/12/2010	11/12/2012	administrator	prueba 1									
Outcome	All under normality														
Notes															

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a professional record, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
<p>Creating Professional Record</p> <p>Company name: <input type="text"/> Must not be blank</p> <p>Start date: <input type="text"/> Cannot be null</p> <p>End date: <input type="text"/></p> <p>Played role: <input type="text"/> Must not be blank</p> <p>Comment: <input type="text"/></p> <p>Attachment URL :</p> <p><input type="text"/> Must not be blank</p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid data
Expected	It will load the form again next to binding errors:
<h2>Creating Professional Record</h2> <p>Company name: <input type="text" value="Us"/></p> <p>Start date: <input type="text" value="12/12/2045"/> Must be in the past</p> <p>End date: <input type="text" value="dd/MM/yyyy"/></p> <p>Played role: <input type="text" value="Jefe"/></p> <p><input type="text"/></p> <p>Comment: <input type="text"/></p> <p>Attachment URL :</p> <p><input type="text" value="noesunaurl.com"/> Invalid URL</p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #5

Description Hitting the create button redirects to the form to create a professional record,
Fill in the form with:

Company name:

Start date:

End date:

Played role:

Comment:

Attachment URL :

Url must be split by ::


Expected

Outcome

All under normality

Notes

Test #6	
Description	Hitting the show link redirects to the form to show a professional record,
Expected	You will be redirected to the show: <h2>Showing Professional Record</h2> Company name: <input type="text" value="emasesa"/> Start date: <input type="text" value="09/12/2010"/> End date: <input type="text" value="11/12/2012"/> Played role: <input type="text" value="admmistrator"/> Comment: <input type="text" value="prueba 1"/> Attachment URL: Click here Click here Cancel
<hr/>	
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit a professional record,
Expected	You will be redirected to the edit:
 <p>Editing Professional Record</p> <p>Company name: Accenture</p> <p>Start date: 12/06/2018</p> <p>End date: dd/MM/yyyy</p> <p>Played role: Analista</p> <p>Comment:</p> <p>Attachment URL :</p> <p>http:\\linkedin.us.es</p> <p>Url must be split by ::</p> <p>Save Delete Cancel</p>	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a professional record, you can edit and save or delete
Expected	If you delete the professional record , the can't appear in the list.If you edit the professional record with valid data (see the test#5) the professional record must change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D010 A taster can manage their Endorser Records

Description

When a taster is logged in, they should be able to manage (list, show, delete and edit) their endorser records.

Access

Main Menu > Login > Login(taster1/taster1) > Taster (Hover)> My Curriculums > Endorser Record (link).

Tests

Test #1											
Description	The first thing that will appear is the list of your endorser records.										
Expected	A list like the following will be displayed: Endorser Record  <p>One item found. 1</p> <table border="1"><thead><tr><th></th><th>Full name</th><th>Email</th><th>Phone number</th><th>Comment</th></tr></thead><tbody><tr><td>Edit</td><td>Show Lola Camino Gómez</td><td>octavio@gmail.com</td><td>678893978</td><td>prueba 9</td></tr></tbody></table> Create		Full name	Email	Phone number	Comment	Edit	Show Lola Camino Gómez	octavio@gmail.com	678893978	prueba 9
	Full name	Email	Phone number	Comment							
Edit	Show Lola Camino Gómez	octavio@gmail.com	678893978	prueba 9							
Outcome	All under normality										
Notes											

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create an endorser record, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
	<p>Creating Endorser Record</p> <p>Full name: <input type="text"/> Must not be blank</p> <p>Email: <input type="text"/></p> <p>Phone number: <input type="text"/> Must not be blank</p> <p>Link to LinkedIn Profile : <input type="text"/> Must not be blank</p> <p>Comment: <input type="text"/> Must not be blank</p> <p>Url must be split by :: <input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #5

Description Hitting the create button redirects to the form to create an endorser record,
Fill in the form with:

Creating Endorser Record

Full name:

Email:

Phone number:

Link to LinkedIn Profile :

Comment:


Url must be split by ::

Expected**Outcome**

All under normality

Notes

Test #6	
Description	Hitting the show link redirects to the form to show an endorser record,
Expected	You will be redirected to the show: <h2>Showing Endorser Record</h2> Full name: <input type="text" value="Hola"/> Email: <input type="text"/> Phone number: <input type="text" value="no es un nuer"/> Link to LinkedIn Profile: Click here Comment: <input type="text" value="un buen comment"/> <input type="button" value="Cancel"/>
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit an endorser record,
Expected	You will be redirected to the edit:
	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit an endorser record, you can edit and save or delete
Expected	If you delete the endorser record , the can't appear in the list.If you edit the endorser record with valid data (see the test#5) the endorser record mut change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D011 A taster can manage their Miscellaneous Records

Description

When a taster is logged in, they should be able to manage (list, show, delete and edit) their miscellaneous records.

Access

Main Menu > Login > Login(taster1/taster1) > Taster (Hover)> My Curriculums > Miscellaneous Record (link).

Tests

Test #1	
Description	The first thing that will appear is the list of your miscellaneous records.
Expected	A list like the following will be displayed: Miscellaneous Record  Create
Outcome	All under normality
Notes	

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a miscellaneous record, Then click on the save button without filling in the form
Expected	<p>It will load the form again next to binding errors:</p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <h2>Creating Miscellaneous Record</h2> <p>Title: <input type="text"/> Must not be blank</p> <p>Comment: <input type="text"/></p> <p>Attachment URL :</p> <p><input type="text"/> Must not be blank</p> <p>Url must be split by ::</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> </div>
Outcome	All under normality
Notes	

Test #5

Description Hitting the create button redirects to the form to create a miscellaneous record,
Fill in the form with:

Creating Miscellaneous Record

Title: BUen curriculum

Comment:

Attachment URL :

<http://un.buen.curriculum>

Url must be split by ::

Expected

Outcome All under normality

Notes**Test #6**

Description Hitting the show link redirects to the form to show a professional record,

Expected You will be redirected to the show:

Showing Miscellaneous Record

Title: Un buen titulo

Comment:

Attachment URL:

[Click here](#)

Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit a miscellaneous record,
Expected	You will be redirected to the edit:
	<p style="text-align: center;">Editing Miscellaneous Record</p> <p>Title: BUen curriculum</p> <p>Comment:</p> <p>Attachment URL :</p> <p>http://un.buen.curriculum</p> <p>Url must be split by ;;</p> <p style="text-align: center;">Save Delete Cancel</p>
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a miscellaneous record, you can edit and save or delete
Expected	If you delete the miscellaneous record , the can't appear in the list.If you edit the miscellaneous record with valid data (see the test#5) the miscellaneous record must change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D012 An administrator can manage system categories


Description

When an administrator is logged in, they should be able to manage (list, show, delete and edit) system categories.

Access

Main Menu > Login > Login(admin1/admin1) > Administrator (Hover)> System Categories.

Tests

Test #1																									
Description	The first thing that will appear is the list of system categories.																								
Expected	A list like the following will be displayed: Categories  <table border="1"><thead><tr><th>Name (English)</th><th>Name (Spanish)</th><th>Show</th><th>Edit</th></tr></thead><tbody><tr><td>Stout</td><td>Pilsa</td><td>Show</td><td>Edit</td></tr><tr><td>Pale</td><td>Lager</td><td>Show</td><td>Edit</td></tr><tr><td>Lager</td><td>Porter</td><td>Show</td><td>Edit</td></tr><tr><td>Porter</td><td>Lambic</td><td>Show</td><td>Edit</td></tr><tr><td>Lambic</td><td></td><td>Show</td><td>Edit</td></tr></tbody></table>	Name (English)	Name (Spanish)	Show	Edit	Stout	Pilsa	Show	Edit	Pale	Lager	Show	Edit	Lager	Porter	Show	Edit	Porter	Lambic	Show	Edit	Lambic		Show	Edit
Name (English)	Name (Spanish)	Show	Edit																						
Stout	Pilsa	Show	Edit																						
Pale	Lager	Show	Edit																						
Lager	Porter	Show	Edit																						
Porter	Lambic	Show	Edit																						
Lambic		Show	Edit																						
Outcome	All under normality																								
Notes																									

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a category, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
	<p>Create Category</p> <p>Name (English) : <input type="text"/> Must not be blank</p> <p>Name (Spanish) : <input type="text"/> Must not be blank</p> <p>Description : <input type="text"/> Must not be blank</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #5

Description Hitting the create button redirects to the form to create a category,
Fill in the form with:

Create Category

Name (English) : Portuguese

Name (Spanish) : portuguesa

Description :

Un cerveza tipica del algarve

Expected

Outcome All under normality

Notes**Test #6**

Description Hitting the show link redirects to the form to show a category,

Expected You will be redirected to the show:

Show Category

Name (English) : Stout

Name (Spanish) : Stout


Description :

Type ale, very dark, originating
in the British Isles

Outcome

All under normality

Notes

Test #7	
Description	Hitting the edit link redirects to the form to edit a category,
Expected	You will be redirected to the edit:
	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a category, you can edit and save or delete
Expected	If you delete the category , the can't appear in the list.If you edit the category with valid data (see the test#5) the category mut change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D013 An actor who is not authenticated could browse beer catalogue

Description

When an actor is not authenticated, it should be able to manage (list, show) system beer and navigate to their notes and tastings.


Access

Main Menu > Login > Login(admin1/admin1) > Administrator (Hover)> System Categories.

Tests

Test #1																																	
Description	The first thing that will appear is the list of system beers.																																
Expected	A list like the following will be displayed: List of beers 3 items found, displaying all items. 1 <table border="1"><thead><tr><th>Ticker</th><th>Moment</th><th>Description</th><th>Alcohol Percentage</th><th>Artisan</th><th>Show</th><th>It's Tastings</th><th>It's note</th></tr></thead><tbody><tr><td>18/03/22-ASE123</td><td>19/10/03 09:54</td><td>Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life</td><td>4.7</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td><td>It's note</td></tr><tr><td>18/03/30-KAA531</td><td>20/06/03 12:00</td><td>A beer from the heart of Germany</td><td>11.2</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td><td>It's note</td></tr><tr><td>18/06/22-CEA231</td><td>19/10/06 15:00</td><td>You have to taste it. It will awaken all your senses</td><td>14.0</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td><td>It's note</td></tr></tbody></table>	Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastings	It's note	18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note	18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note	18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note
Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastings	It's note																										
18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note																										
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note																										
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martínez (artisan1)	Show	It's Tastings	It's note																										
Outcome	All under normality																																
Notes																																	

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3							
Description	Hitting the it's tasting link will redirect you to the list of tastings						
Expected	<p>It will be displayed like this:</p> <p>List of tastings</p>  <table border="1"> <thead> <tr> <th>Moment</th> <th>Score</th> <th>Show</th> </tr> </thead> <tbody> <tr> <td>20/02/03 09:54</td> <td>9</td> <td>Show</td> </tr> </tbody> </table>	Moment	Score	Show	20/02/03 09:54	9	Show
Moment	Score	Show					
20/02/03 09:54	9	Show					
Outcome	All under normality						
Notes							

Test #5					
Description	Hitting the it's notes link will redirect you to the list of notes				
Expected	<p>It will be displayed like this:</p> <p>List Notes</p>  <table border="1"> <thead> <tr> <th>Related beer</th> <th>Show</th> </tr> </thead> <tbody> <tr> <td>Floridance Beer</td> <td>Show</td> </tr> </tbody> </table>	Related beer	Show	Floridance Beer	Show
Related beer	Show				
Floridance Beer	Show				
Outcome	All under normality				
Notes					

Test #6	
Description	Hitting the show link redirects to the form to show of a note in the note list,
Expected	You will be redirected to the show:
	<h1>Show Note</h1> <p>Related beer: Floridance Beer</p> <p>Customer comment: What a tasty beer!</p> <p>Artisan comment: Thanks!</p>
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the show link redirects to the form to show of a tasting in its tasting list,
Expected	You will be redirected to the show:
	<p>Show tasting</p> <p>Moment : 03/02/2020 09:54</p> <p>Score : 9</p> <p>Review :</p> <div style="border: 1px solid black; padding: 5px;"> Esta cerveza me encanta, sin duda alguna el artesano ha hecho un trabajo excelente </div>
Outcome	All under normality
Notes	

Use case D014 An actor authenticated as a customer or sponsor can manage their credit card

Description

When actor is logged in, they should be able to manage (list and edit) their credit card.

Access

Main Menu > Login > Login(sponsor1/sponsor1) > Sponsor(Hover)>My credit card.

Tests

Test #1									
Description	The first thing that will appear is the list of your credit card.								
Expected	A list like the following will be displayed: Credit Cards One item found. 1 <table border="1"><thead><tr><th>Name</th><th>Number</th><th>Brand</th><th>Expiration year</th></tr></thead><tbody><tr><td>Tarjeta 1</td><td>4111111111111111</td><td>MASTER</td><td>20</td></tr></tbody></table> Create a new credit card	Name	Number	Brand	Expiration year	Tarjeta 1	4111111111111111	MASTER	20
Name	Number	Brand	Expiration year						
Tarjeta 1	4111111111111111	MASTER	20						
Outcome	All under normality								
Notes									

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a credit card, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
	<p>Create a new credit card</p> <p>Name : <input type="text"/> Must not be blank Holder name: <input type="text"/> Must not be blank Brand: <input type="button" value="VISA"/></p> <p>Number: <input type="text"/> Must not be blank Expiration month: <input type="text"/> Too small (min = 1) Expiration year: <input type="text"/> 0 CVV: <input type="text"/> Too small (min = 100)</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with a credit card off date
Expected	It will load the form again next to binding errors:
	<p>Create a new credit card</p> <p>Name : <input type="text"/> ejemplo Holder name: <input type="text"/> ejemplo1 Brand: <input type="button" value="VISA"/></p> <p>Number: <input type="text"/> 4111111111111111 Expiration month: <input type="text"/> 12 Expiration year: <input type="text"/> 18 CVV: <input type="text"/> 101</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> <p>can not commit the operation</p>
Outcome	All under normality
Notes	

Test #5

Description	Hitting the create button redirects to the form to create a sponsorship, Fill in the form with: Name:ejemplo Holder name: Ejemplo1 Brand: VISA Number: 4111111111111111 Expiration month: 12 Expiration year: 20 CVV: 101
--------------------	---

Name :

Holder name:

Brand:

Number:

Expiration month:

Expiration year:

CVV:

Expected It will redirect you to the list of your profiles with all your profiles, it must appear the one you have recently created.

Credit Cards

2 items found, displaying all items. 1				
Name	Number	Brand	Expiration year	
Tarjeta 5	4197130779177492	VISA	21	Edit
ejemplo	4111111111111111	VISA	20	Edit

Outcome All under normality

Notes

Test #7	
Description	Hitting the edit link redirects to the form to edit a credit card,
Expected	You will be redirected to the edit: Edit a credit card Name : <input type="text" value="Tarjeta 5"/> Holder name: <input type="text" value="Ramón Cajal"/> Brand: <input type="button" value="VISA"/> <input type="button" value="MasterCard"/> Number: <input type="text" value="4197130779177492"/> Expiration month: <input type="text" value="1"/> Expiration year: <input type="text" value="21"/> CVV: <input type="text" value="578"/> <input type="button" value="Save"/> <input type="button" value="Cancel"/>
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a credit card, you can edit and save
Expected	If you edit the credit card with valid data (see the test#5) the mut change, but you enter incorrect data, will appear the same as in test#3 or test#4
Outcome	All under normality
Notes	

Use case D015 An actor authenticated as an administrator could manage system actors


Description

When an administrator is logged in, they should be able to ban an actor when run the process of compute spam

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover)>System Actors.

Tests

Test #1																																					
Description	The first thing that will appear is all the actors of the system, you can see this.																																				
Expected	All actors are displayed: System users 17 items found, displaying 1 to 5. [First/Prev] 1, 2, 3, 4 [Next/Last]  <table border="1"><thead><tr><th>Name</th><th>Surname</th><th>Rol in system</th><th>Is spammer?</th><th>Is banned?</th><th>Manage user</th></tr></thead><tbody><tr><td>Ricardo Camacho Izeckson(sponsor1)</td><td>Camacho Izeckson</td><td>SPONSOR</td><td>false</td><td>false</td><td>You can't ban</td></tr><tr><td>Antonio Antúnez Pérez(sponsor2)</td><td>Antúnez Pérez</td><td>SPONSOR</td><td>false</td><td>false</td><td>You can't ban</td></tr><tr><td>Manolo Jiménez Barba(sponsor3)</td><td>Jiménez Barba</td><td>SPONSOR</td><td>false</td><td>false</td><td>You can't ban</td></tr><tr><td>Juan Loyola García(sponsor4)</td><td>Loyola García</td><td>SPONSOR</td><td>false</td><td>false</td><td>You can't ban</td></tr><tr><td>Manolo Sánchez Antúnez(sponsor5)</td><td>Sánchez Antúnez</td><td>SPONSOR</td><td>false</td><td>false</td><td>You can't ban</td></tr></tbody></table>	Name	Surname	Rol in system	Is spammer?	Is banned?	Manage user	Ricardo Camacho Izeckson(sponsor1)	Camacho Izeckson	SPONSOR	false	false	You can't ban	Antonio Antúnez Pérez(sponsor2)	Antúnez Pérez	SPONSOR	false	false	You can't ban	Manolo Jiménez Barba(sponsor3)	Jiménez Barba	SPONSOR	false	false	You can't ban	Juan Loyola García(sponsor4)	Loyola García	SPONSOR	false	false	You can't ban	Manolo Sánchez Antúnez(sponsor5)	Sánchez Antúnez	SPONSOR	false	false	You can't ban
Name	Surname	Rol in system	Is spammer?	Is banned?	Manage user																																
Ricardo Camacho Izeckson(sponsor1)	Camacho Izeckson	SPONSOR	false	false	You can't ban																																
Antonio Antúnez Pérez(sponsor2)	Antúnez Pérez	SPONSOR	false	false	You can't ban																																
Manolo Jiménez Barba(sponsor3)	Jiménez Barba	SPONSOR	false	false	You can't ban																																
Juan Loyola García(sponsor4)	Loyola García	SPONSOR	false	false	You can't ban																																
Manolo Sánchez Antúnez(sponsor5)	Sánchez Antúnez	SPONSOR	false	false	You can't ban																																
Outcome	All under normality																																				
Notes																																					

Description

You can press the show button and see the actor data:

Show administrator


Personal Data

Name : Manuel
Surname : Benítez Rivera
Email : manbenriv@gmail.com
Phone number : +34 (655) 456389
Address : Calle Gato Pisao núme
VAT : 0.2

Outcome

All under normality

Notes

Test #3																																										
Description	You can press the ban/unban button to ban an actor who is spammer, but before you must run the compute spammer process to be able to ban spammers																																									
Expected	<p>In the view will appear the following things:</p> <p>Compute Spammers:</p>  <p>Ban:</p> <table border="1"> <thead> <tr> <th>Name</th><th>Surname</th><th>Role in system</th><th>Is spammer?</th><th>Is banned?</th><th>Manage user access</th></tr> </thead> <tbody> <tr> <td>Basilio Vileda(customer2)</td><td>Vileda</td><td>CUSTOMER</td><td>true</td><td>false</td><td>Ban</td></tr> <tr> <td>Augusto Peíne(customer3)</td><td>Peíne</td><td>CUSTOMER</td><td>true</td><td>false</td><td>Ban</td></tr> </tbody> </table> <p>Unban:</p> <table border="1"> <thead> <tr> <th>Name</th><th>Surname</th><th>Role in system</th><th>Is spammer?</th><th>Is banned?</th><th>Manage user access</th></tr> </thead> <tbody> <tr> <td>Basilio Vileda(customer2)</td><td>Vileda</td><td>CUSTOMER</td><td>true</td><td>true</td><td>Unban</td></tr> <tr> <td>Augusto Peíne(customer3)</td><td>Peíne</td><td>CUSTOMER</td><td>true</td><td>false</td><td>Ban</td></tr> </tbody> </table>						Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access	Basilio Vileda(customer2)	Vileda	CUSTOMER	true	false	Ban	Augusto Peíne(customer3)	Peíne	CUSTOMER	true	false	Ban	Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access	Basilio Vileda(customer2)	Vileda	CUSTOMER	true	true	Unban	Augusto Peíne(customer3)	Peíne	CUSTOMER	true	false	Ban
Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access																																					
Basilio Vileda(customer2)	Vileda	CUSTOMER	true	false	Ban																																					
Augusto Peíne(customer3)	Peíne	CUSTOMER	true	false	Ban																																					
Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access																																					
Basilio Vileda(customer2)	Vileda	CUSTOMER	true	true	Unban																																					
Augusto Peíne(customer3)	Peíne	CUSTOMER	true	false	Ban																																					
Outcome	<p>FOUND A BUG</p> <p>Buttons to ban and unban do not appear.</p>  <table border="1"> <thead> <tr> <th>Name</th><th>Surname</th><th>Role in system</th><th>Is spammer?</th><th>Is banned?</th><th>Manage user access</th></tr> </thead> <tbody> <tr> <td>Ricardo Camacho Izeckson(sponsor1)</td><td>Camacho Izeckson</td><td>SPONSOR</td><td>false</td><td>false</td><td>Ban</td></tr> <tr> <td>Antonio Antúnez Pérez(sponsor2)</td><td>Antínez Pérez</td><td>SPONSOR</td><td>false</td><td>false</td><td>Ban</td></tr> <tr> <td>Manolo Jiménez Barba(sponsor3)</td><td>Jiménez Barba</td><td>SPONSOR</td><td>false</td><td>false</td><td>Ban</td></tr> <tr> <td>Juan Loyola García(sponsor4)</td><td>Loyola García</td><td>SPONSOR</td><td>false</td><td>false</td><td>Ban</td></tr> <tr> <td>Manolo Sánchez Antúnez(sponsor5)</td><td>Sánchez Antúnez</td><td>SPONSOR</td><td>false</td><td>false</td><td>Ban</td></tr> </tbody> </table>						Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access	Ricardo Camacho Izeckson(sponsor1)	Camacho Izeckson	SPONSOR	false	false	Ban	Antonio Antúnez Pérez(sponsor2)	Antínez Pérez	SPONSOR	false	false	Ban	Manolo Jiménez Barba(sponsor3)	Jiménez Barba	SPONSOR	false	false	Ban	Juan Loyola García(sponsor4)	Loyola García	SPONSOR	false	false	Ban	Manolo Sánchez Antúnez(sponsor5)	Sánchez Antúnez	SPONSOR	false	false	Ban
Name	Surname	Role in system	Is spammer?	Is banned?	Manage user access																																					
Ricardo Camacho Izeckson(sponsor1)	Camacho Izeckson	SPONSOR	false	false	Ban																																					
Antonio Antúnez Pérez(sponsor2)	Antínez Pérez	SPONSOR	false	false	Ban																																					
Manolo Jiménez Barba(sponsor3)	Jiménez Barba	SPONSOR	false	false	Ban																																					
Juan Loyola García(sponsor4)	Loyola García	SPONSOR	false	false	Ban																																					
Manolo Sánchez Antúnez(sponsor5)	Sánchez Antúnez	SPONSOR	false	false	Ban																																					
Notes																																										

Test #4						
Description	Click on the cancel button in the actor showing form.					
Expected	You will be redirected to the welcome page.					
Outcome	All under normality					
Notes						

Use case D016 An artisan can manage his beers

Description

When an artisan is logged in, they should be able to manage (list, show, create, update and delete) their beers.

Access

Main Menu > Login > Login(artisan1/artisan1) > Artisan (Hover)> My beers.

Tests

Test #1																																															
Description	The first thing that will appear is the list of your beers.																																														
Expected	A list like the following will be displayed:																																														
<p>List of beers</p> <p>6 items found, displaying 1 to 5. [First] [Prev] 1, 2 [Next] [Last]</p> <table border="1"><thead><tr><th>Ticker</th><th>Moment</th><th>Description</th><th>Alcohol Percentage</th><th>Artisan</th><th>Show</th><th>It's Tastings</th></tr></thead><tbody><tr><td>18/05/22-ASE123</td><td>19/10/03 09:54</td><td>Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life</td><td>4.7</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td></tr><tr><td>19/01/21-KIE231</td><td>20/09/01 09:00</td><td>A good beer for your taste and mouth</td><td>6.0</td><td>Juan Pérez Martínez (artisan1)</td><td>Edit</td><td>Show</td></tr><tr><td>18/03/30-KAA531</td><td>20/06/03 12:00</td><td>A beer from the heart of Germany</td><td>11.2</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td></tr><tr><td>18/06/22-CEA231</td><td>19/10/06 15:00</td><td>You have to taste it. It will awaken all your senses</td><td>14.0</td><td>Juan Pérez Martínez (artisan1)</td><td>Show</td><td>It's Tastings</td></tr><tr><td>17/04/11-AXA221</td><td>17/11/04 18:00</td><td>I made this beer in my garage at home</td><td>7.4</td><td>Juan Pérez Martínez (artisan1)</td><td>Edit</td><td>Show</td></tr></tbody></table> <p>Create a new beer</p>						Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastings	18/05/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martínez (artisan1)	Show	It's Tastings	19/01/21-KIE231	20/09/01 09:00	A good beer for your taste and mouth	6.0	Juan Pérez Martínez (artisan1)	Edit	Show	18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martínez (artisan1)	Show	It's Tastings	18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martínez (artisan1)	Show	It's Tastings	17/04/11-AXA221	17/11/04 18:00	I made this beer in my garage at home	7.4	Juan Pérez Martínez (artisan1)	Edit	Show
Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastings																																									
18/05/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martínez (artisan1)	Show	It's Tastings																																									
19/01/21-KIE231	20/09/01 09:00	A good beer for your taste and mouth	6.0	Juan Pérez Martínez (artisan1)	Edit	Show																																									
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martínez (artisan1)	Show	It's Tastings																																									
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martínez (artisan1)	Show	It's Tastings																																									
17/04/11-AXA221	17/11/04 18:00	I made this beer in my garage at home	7.4	Juan Pérez Martínez (artisan1)	Edit	Show																																									
Outcome	All under normality																																														
Notes																																															

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in Test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a beer, then click on the save button without filling in the form.
Expected	It will load the form again next to binding errors:
	<p>Create a beer</p> <p>Name : <input type="text"/> Must not be blank</p> <p>Description : <input type="text"/> Must not be blank</p> <p>Ingredients : <input type="text"/> Must not be blank</p> <p>Alcohol Percentage : <input type="text" value="0.0"/></p> <p>Pictures : <input type="text"/></p> <p>Please separate the pictures with ::</p> <p>Price per litter : <input type="text" value="0.0"/></p> <p><input type="checkbox"/> Is final?</p> <p>If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.</p> <p>Category: Stout <input type="button" value="▼"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid amount
Expected	It will load the form again next to binding errors:
	<p>Create a beer</p> <p>Name : <input type="text" value="Buena"/></p> <p>Description :</p> <pre>Buena ... </pre> <p>Ingredients :</p> <pre>Buena ... </pre> <p>Alcohol Percentage : <input type="text" value="cantidad"/> Invalid amount</p> <p>Pictures :</p> <pre> ... </pre> <p>Please separate the pictures with ;;</p> <p>Price per litter : <input type="text" value="0.0"/></p> <p><input type="checkbox"/> Is final?</p> <p>If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.</p> <p>Category: <input style="width: 100px; height: 20px; border: 1px solid blue; border-radius: 5px;" type="text" value="Stout"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #5

Description	Hitting the create button redirects to the form to create a new beer, Name: Cerveza Description: Cerveza Ingredients: Cerveza Alcohol Percentage: 11.1 Pictures: https://e00-elmundo.uecdn.es/assets/multimedia/imagenes/2018/11/19/15426304202045.jpg Price per litter: 4.5 IsFinal: false Category: Stout
-------------	---

Create a beer

Name :

Description :

Ingredients :

Alcohol Percentage :

Pictures :

Please separate the pictures with ;;

Price per litter :

Is final?
If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.

Category:

Expected If the data you have entered is correct, you will be redirected to the view of your beers with the new one created.

List of beers

7 items found, displaying 6 to 7.

[First/Prev] [1](#), [2](#) [Next/Last]

Ticker	Moment	Description	Alcohol Percentage	Artisan	Edit	Show
18/11/11-AXA221	18/11/11 21:00	My wife and I brewed this beer with the intention of launching it in the coming months	6.3	Juan Pérez Martínez (artisan1)	Edit	Show
19/05/29-2BF2CB	19/05/29 16:14	Cerveza	11.1	Juan Pérez Martínez (artisan1)	Edit	Show

Outcome All under normality

Notes

Test #6	
Description	Hitting the show link redirects to the form to show a beer.
Expected	You will be redirected to the show:
<p>Show beer</p> <p>Ticker : 19/05/29-2BF2CB Name : Cerveza Moment : 29/05/2019 16:14 Description : Cerveza Ingredients : Cerveza Alcohol Percentage : 11.1 Pictures:  Price per litter: 4.5 (0.94 VAT) Score: N/A Category: Stout ▾</p>	
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit a beer.
Expected	You will be redirected to the edit:
<h2>Edit beer</h2> <p> Ticker : <input type="text" value="19/01/21-KIE231"/> Name : <input type="text" value="Beer of senses"/> Description : <input type="text" value="A good beer for your taste and mouth"/> Ingredients : <input type="text" value="water, hops, barley and love"/> Alcohol Percentage : <input type="text" value="6.0"/> Pictures :  Please separate the pictures with ;; Price per litter : <input type="text" value="4.0"/> <input type="checkbox"/> Is final? If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it. Category: <input type="text" value="Pale"/> <input type="button" value="Save"/> <input type="button" value="Delete"/> <input type="button" value="Cancel"/> </p>	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit form of a beer, you can edit and save or delete.
Expected	If you delete the beer, it can't appear in the list. If you edit the beer with valid data (see the Test#5) it must change, but if you enter incorrect data, will appear the same as in Test#3 or Test#4. It is important to know that you can only edit or delete a beer if it is not in final mode.

Edit beer

Ticker : 19/01/21-KIE231

Name : Beer of senses

Description :

A good beer for your taste and mouth

Ingredients :

water, hops, barley and love

Alcohol Percentage : 6.0

Pictures :

<https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcRurrLvxjyvCsjdrT8joyey->

Please separate the pictures with ;;

Price per litter : 4.0

Is final?

If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.

Category: Pale

[Save](#) [Delete](#) [Cancel](#)

If you press the save button, then the edit button for that beer will disappear from the list:

List of beers

7 items found, displaying 1 to 5.
[\[First/Prev\]](#) 1, 2 [\[Next/Last\]](#)

Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastings
18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	It's Tastings
19/01/21-KIE231	19/05/29 16:22	A good beer for your taste and mouth	6.0	Juan Pérez Martinez (artisan1)	<input checked="" type="checkbox"/>	Show It's Tastings
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	It's Tastings
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	It's Tastings
17/04/11-AXA221	17/11/04 18:00	I made this beer in my garage at home	7.4	Juan Pérez Martinez (artisan1)	Edit Show	

[Create a new beer](#)

Outcome

FOUND A BUG

We could edit a beer that is in final mode. We can edit the beer with ticker 18/03/22-ASE123, that is in final mode.

List of beers

6 items found, displaying 1 to 5.
[\[First/Prev\]](#) 1, 2 [\[Next/Last\]](#)

Ticker	Moment	Description	Alcohol Percentage	Artisan
18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)
19/01/21-KIE231	20/09/01 09:00	A good beer for your taste and mouth	6.0	Juan Pérez Martinez (artisan1)
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)
17/04/11-AXA221	17/11/04 18:00	I made this beer in my garage at home	7.4	Juan Pérez Martinez (artisan1)

[Create a new beer](#)

Edit beer

Ticker : 18/03/22-ASE123
Name : Floridance BeerR
Description :
EDITED Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life
Ingredients :
water, hops, barley and yeast
Alcohol Percentage : 4.7
Pictures :
https://www.abc.es/media/ciencia/2018/10/15/AdobeStock_141298273-k11B--620x3498abc.jpg
Please separate the pictures with ;
Price per bottle : 5.3
 Is final?
If you mark it as final mode everyone will be able to see it, and you will not be able to edit, nor delete it.
Category : Stout

List of beers

6 items found, displaying 1 to 5

[First/Prev] 1, 2 [Next/Last]

Ticker	Moment	Description	Alcohol Percentage	Artisan	
18/03/22-ASE123	19/06/01 13:34	EDITED Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martínez (artisan)	Edit Sh
19/01/21-KIE231	20/09/01 09:00	A good beer for your taste and mouth	6.0	Juan Pérez Martínez (artisan)	Edit Sh
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martínez (artisan)	Edit Sh
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martínez (artisan)	Edit Sh
17/04/11-AXA221	17/11/04 18:00	I made this beer in my garage at home	7.4	Juan Pérez Martínez (artisan)	Edit Sh

[Create a new beer](#)

Notes

Use case D017 A taster can manage his tastings


Description

When a taster is logged in, he should be able to manage his tastings.

Access

Main Menu > Login > Login(taster1/taster1) > Taster (Hover)> My Tastings.

Tests

Test #1	
Description	The first thing that will appear is the list of your tastings.
Expected	A list like the following will be displayed: List of tastings  2 items found, displaying all items. 1
Outcome	
Notes	All under normality



Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in Test#1
Outcome	All under normality
Notes	


Test #3																													
Description	To make a tasting we will have to go to the list of beers. Taster (Hover) > List of beers																												
Expected	The following list will be displayed along with a beer tasting button (keep in mind that you will only be able to taste those beers in final mode):																												
<p>List of beers</p> <p>3 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Ticker</th><th>Moment</th><th>Description</th><th>Alcohol Percentage</th><th>Artisan</th><th>Show</th><th>It's Tastngs</th></tr> </thead> <tbody> <tr> <td>18/03/22-ASE123</td><td>19/10/03 09:54</td><td>Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life</td><td>4.7</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>It's Tastngs</td></tr> <tr> <td>18/03/30-KAA531</td><td>20/06/03 12:00</td><td>A beer from the heart of Germany</td><td>11.2</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>It's Tastngs</td></tr> <tr> <td>18/06/22-CEA231</td><td>19/10/06 15:00</td><td>You have to taste it. It will awaken all your senses</td><td>14.0</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>Taste</td></tr> </tbody> </table>		Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastngs	18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	It's Tastngs	18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	It's Tastngs	18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	Taste
Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	It's Tastngs																							
18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	It's Tastngs																							
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	It's Tastngs																							
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	Taste																							
Outcome	All under normality																												
Notes	This test has a continuation (3.1)																												

Test #3.1	
Description	You have to click on the Taste button to perform the tasting
Expected	You'll see a form like this:
<h2>Create a tasting</h2> <p>Score : <input type="text" value="0"/></p> <p>Review :</p>  <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	This test has a continuation (3.2)

Test #3.2	
Description	Click on the save button without filling in the form.
Expected	It will load the form again next to binding errors:
	
Outcome	All under normality
Notes	This test has a continuation (3.3)

Test #3.3	
Description	In the form, click on the save button with invalid score
Expected	It will load the form again next to binding errors:
	
Outcome	All under normality
Notes	

Test #4													
Description	<p>We are going to enter valid data:</p> <p>Score: 8</p> <p>Review: Esta cerveza me ha parecido genial</p> 												
Expected	If the data you have entered is correct, you will be redirected to the view of your tastings with the new one created.												
	 <table border="1"> <thead> <tr> <th>Moment</th><th>Score</th><th>Show</th></tr> </thead> <tbody> <tr> <td>20/02/03 09:54</td><td>9</td><td>Show</td></tr> <tr> <td>20/01/05 12:00</td><td>6</td><td>Show</td></tr> <tr style="outline: 2px solid red;"> <td>19/05/29 16:42</td><td>8</td><td>Show</td></tr> </tbody> </table>	Moment	Score	Show	20/02/03 09:54	9	Show	20/01/05 12:00	6	Show	19/05/29 16:42	8	Show
Moment	Score	Show											
20/02/03 09:54	9	Show											
20/01/05 12:00	6	Show											
19/05/29 16:42	8	Show											
Outcome	All under normality												
Notes													

Test #5	
Description	Hitting the show link redirects to the form to show a beer.
Expected	You will be redirected to the show:
	
Outcome	All under normality
Notes	

Use case D018 A sponsor can manage his sponsorships


Description

When a sponsor is logged in, they should be able to manage (list, show, delete and edit) their sponsorships.

Access

Main Menu > Login > Login(sponsor1/sponsor1) > Sponsor (Hover) > My sponsorships.


Tests

Test #1																					
Description	The first thing that will appear is the list of your sponsorships.																				
Expected	A list like the following will be displayed:  <table border="1"><thead><tr><th>Sponsor's name</th><th>Link to the web page</th><th>Show</th><th>Edit</th></tr></thead><tbody><tr><td>Ricardo Camacho Izeckson (sponsor1)</td><td>https://google.com</td><td>Show</td><td>Edit</td></tr><tr><td>Ricardo Camacho Izeckson (sponsor1)</td><td>https://google.com</td><td>Show</td><td>Edit</td></tr><tr><td>Ricardo Camacho Izeckson (sponsor1)</td><td>https://google.com</td><td>Show</td><td>Edit</td></tr><tr><td>Ricardo Camacho Izeckson (sponsor1)</td><td>http://www.sriyadithgraphic.com/images/home.gif</td><td>Show</td><td>Edit</td></tr></tbody></table> Create	Sponsor's name	Link to the web page	Show	Edit	Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit	Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit	Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit	Ricardo Camacho Izeckson (sponsor1)	http://www.sriyadithgraphic.com/images/home.gif	Show	Edit
Sponsor's name	Link to the web page	Show	Edit																		
Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit																		
Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit																		
Ricardo Camacho Izeckson (sponsor1)	https://google.com	Show	Edit																		
Ricardo Camacho Izeckson (sponsor1)	http://www.sriyadithgraphic.com/images/home.gif	Show	Edit																		
Outcome	All under normality																				
Notes																					

Test #2	
Description	Click on the cancel button in a form.
Expected	You will be redirected to the list, will appear the same as in Test#1
Outcome	All under normality
Notes	

Test #3	
Description	Hitting the create button redirects to the form to create a sponsorship, Then click on the save button without filling in the form
Expected	It will load the form again next to binding errors:
	<p>Edit sponsorship</p> <p>Link of the banner : <input type="text"/> Must not be blank</p> <p>Link to the web page : <input type="text"/> Must not be blank</p> <p>Credit card: Tarjeta 1 <input type="button" value="▼"/></p> <p>Fair: The fair <input type="button" value="▼"/></p> <p><input type="button" value="Create"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #4	
Description	In the form, click on the save button with invalid URL
Expected	It will load the form again next to binding errors:
	<p>Edit sponsorship</p> <p>Link of the banner : <input type="text" value="invalid URL"/> Invalid URL</p> <p>Link to the web page : <input type="text" value="invalid URL"/> Invalid URL</p> <p>Credit card: Tarjeta 1 <input type="button" value="▼"/></p> <p>Fair: The fair <input type="button" value="▼"/></p> <p><input type="button" value="Create"/> <input type="button" value="Cancel"/></p>
Outcome	All under normality
Notes	

Test #5	
Description	<p>Hitting the create button redirects to the form to create a sponsorship,</p> <p>Fill in the form with:</p> <p>Link of the banner: https://www.cocacolaespana.es/content/dam/journey/es/es/private/historia/love-coca-cola/2015/logo-coca-cola-lead.png</p> <p>Link to the web page: https://www.cocacola.es</p> <p>Credit Card: Tarjeta 1</p> <p>Fair: The fair</p> 
Expected	You will be redirected to the list of sponsorships with the new one we have created:
	
Outcome	All under normality
Notes	

Test #6	
Description	Hitting the show link redirects to the form to show a sponsorship,
Expected	You will be redirected to the show:
<h2>Show sponsorship</h2> <p>Banner:</p>  <p>Link to the web page : https://www.cocacola.es</p> <p>Credit card: Tarjeta 1</p> <p>Fair: The fair</p> <p><input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #7	
Description	Hitting the edit link redirects to the form to edit a sponsorship.
Expected	You will be redirected to the edit:
<h2>Edit sponsorship</h2> <p>Link of the banner : https://www.cocacolaes</p> <p>Link to the web page : https://www.cocacola.es</p> <p>Credit card: <input type="button" value="Tarjeta 1 ▾"/></p> <p>Fair: <input type="button" value="The fair ▾"/></p> <p><input type="button" value="Save"/> <input type="button" value="Delete"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	This test has a continuation (7.1)

Test #7.1	
Description	In the edit a sponsorship, you can edit and save or delete
Expected	If you delete the sponsorship, it can't appear in the list. If you edit the sponsorship with valid data (see the Test#5) it must change, but if you enter incorrect data, will appear the same as in Test#3 or Test#4
Outcome	All under normality
Notes	

Use case D019 A customer can manage his finder


Description

When a customer is logged in, he should be able to configurate his finder.

Access

Main Menu > Login > Login(customer1/customer1) > Customer (Hover)> Search beers.

Tests

Test #1	
Description	The first thing that will appear is a form in which the customer will be able to specify parameters to carry out the search of beers.
Expected	A form like the following will be displayed: 
Outcome	All under normality
Notes	

Test #2	
Description	If you press the Search button, the list of beers that matches the specified parameters will be returned.
Expected	The list of beers that match the parameters of finder:

Search results										
3 items found, displaying all items. 1										
Ticker	Moment	Description	Alcohol Percentage	Artisan						
18/03/22-ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings		
18/03/30-KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings		
18/06/22-CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings		

Outcome	All under normality
Notes	

Test #3																				
Description	If you press the Show beers stored at cache button, the list of beers that are stored at cache (1 hour by default) will be returned.																			
Expected	The list of beers that the user has in cache:																			
Beers stored at cache																				
3 items found, displaying all items. 1																				

Test #3.1	
Description	If you press the Show beers stored at cache button but there are not beers at cache, a warning message will appear
Expected	The finder search form with the warning message:
 <p>The screenshot shows a search interface titled "Find beers". It includes input fields for "KeyWord" (with placeholder "title,description,name"), "Minimum price" (set to 0.0), and "Maximum price" (set to 0.0). Below the inputs are three buttons: "Search", "Show beers stored at cache", and "Delete cache". A red warning message "There aren't beers stored in cache, please perform a new search" is displayed prominently below the buttons.</p>	
Outcome	All under normality
Notes	

Test #3.2	
Description	If you press the Delete cache button, the list of beers that user has in cache will be erased.
Expected	The finder search form with the following message (successfully erased):
 <p>The screenshot shows the same search interface as Test #3.1. The "Delete cache" button was pressed, resulting in a red success message "Cache successfully erased" appearing below the search buttons.</p>	
Outcome	All under normality
Notes	

Use case D020 An artisan can manage his finder


Description

When an artisan is logged in, he should be able to configurate his finder.

Access

Main Menu > Login > Login(artisan1/artisan1) > Artisan (Hover)> Search fairs.

Tests

Test #1	
Description	The first thing that will appear is a form in which the artisan will be able to specify parameters to carry out the search of fairs.
Expected	A form like the following will be displayed: 
Outcome	All under normality
Notes	

Test #2																																																							
Description	If you press the Search button, the list of fairs that matches the specified parameters will be returned.																																																						
Expected	The list of fairs that match the parameters of finder:																																																						
	<p>Search results</p> <table border="1"> <thead> <tr> <th colspan="9">4 items found, displaying all items. 1</th> </tr> <tr> <th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th></th><th></th><th></th><th></th><th></th></tr> </thead> <tbody> <tr> <td>20/01/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/01/02 10:09</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/07/04 00:00</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/11 10:19</td><td>Feria de Andalucía</td><td>21/10/11 20:00</td><td>22/07/14 00:00</td><td>Show</td><td>Related stands</td><td>Send application to participate</td><td>related Sponsor</td><td>Related album</td></tr> </tbody> </table>	4 items found, displaying all items. 1									Published in	Title	Start time	End time						20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands		related Sponsor	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands		related Sponsor	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands		related Sponsor	Related album	21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor	Related album
4 items found, displaying all items. 1																																																							
Published in	Title	Start time	End time																																																				
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands		related Sponsor	Related album																																															
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands		related Sponsor	Related album																																															
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands		related Sponsor	Related album																																															
21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor	Related album																																															
Outcome	All under normality																																																						
Notes																																																							

Test #3																																																							
Description	If you press the Show fairs stored at cache button, the list of fairs that are stored at cache (1 hour by default) will be returned.																																																						
Expected	The list of fairs that the user has in cache:																																																						
	<p>Fairs stored at cache</p> <table border="1"> <thead> <tr> <th colspan="9">4 items found, displaying all items. 1</th> </tr> <tr> <th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th></th><th></th><th></th><th></th><th></th></tr> </thead> <tbody> <tr> <td>20/01/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/01/02 10:09</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/07/04 00:00</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td></td><td>related Sponsor</td><td>Related album</td></tr> <tr> <td>21/10/11 10:19</td><td>Feria de Andalucía</td><td>21/10/11 20:00</td><td>22/07/14 00:00</td><td>Show</td><td>Related stands</td><td>Send application to participate</td><td>related Sponsor</td><td>Related album</td></tr> </tbody> </table>	4 items found, displaying all items. 1									Published in	Title	Start time	End time						20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands		related Sponsor	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands		related Sponsor	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands		related Sponsor	Related album	21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor	Related album
4 items found, displaying all items. 1																																																							
Published in	Title	Start time	End time																																																				
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands		related Sponsor	Related album																																															
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands		related Sponsor	Related album																																															
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands		related Sponsor	Related album																																															
21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Send application to participate	related Sponsor	Related album																																															
Outcome	All under normality																																																						
Notes																																																							

Test #3.1	
Description	If you press the Show fairs stored at cache button but there are not fairs at cache, a warning message will appear
Expected	The finder search form with the warning message:
<p style="text-align: center;">Find fairs</p> <p>KeyWord : <input type="text" value="title,description,place"/></p> <p>Minimum date : <input type="text" value="dd/MM/yyyy HH:mm"/></p> <p>Maximum date : <input type="text" value="dd/MM/yyyy HH:mm"/></p> <p style="text-align: center;">Search Show fairs stored at cache Delete cache</p> <p style="text-align: center; color: red;">There aren't fairs stored in cache, please perform a new search</p>	
Outcome	All under normality
Notes	

Test #3.2	
Description	If you press the Delete cache button, the list of fairs that user has in cache will be erased.
Expected	The finder search form with the following message (successfully erased):
<p style="text-align: center;">Find fairs</p> <p>KeyWord : <input type="text" value="title,description,place"/></p> <p>Minimum date : <input type="text" value="dd/MM/yyyy HH:mm"/></p> <p>Maximum date : <input type="text" value="dd/MM/yyyy HH:mm"/></p> <p style="text-align: center;">Search Show fairs stored at cache Delete cache</p> <p style="text-align: center; color: red;">Cache successfully erased</p>	
Outcome	All under normality
Notes	

Use case D021 An administrator can look the dashboard

Description

When an administrator is logged in, they should be able to see the system statistics

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover) > Dashboard.

Tests

Test #1	
Description	The first thing that will appear is the current system statistics, you can see this.
Expected	<p>The current statistics are displayed:</p>  <p>Dashboard</p> <p>Statistics from Beers</p> <ul style="list-style-type: none">Average of beers per artisan : 1.0Minimun of beers per artisan : 0.0Maximun of beers per artisan : 3.0Standard deviation beers per artisan : 1.41421Average beer price : 4.4Minimum price for beer : 4.4Maximum price for beer : 7.4Standard deviation of beer price : 1.2569805089976536The beer that appears in most ranking :GermanHeartBeer --> 2 times <p>Beer with the best score :</p> <p>The Top 3 Expensive Beers :</p> <ol style="list-style-type: none">1. Awaken --> 7.42. Floridance Beer --> 5.33. GermanHeartBeer --> 4.4 <p>Statistics from Finders</p> <ul style="list-style-type: none">Ratio of empty versus non-empty Customer Finders : 0.5Ratio of empty versus non-empty Artisan Finders : 0.5

Outcome	<p>Statistics from Fairs</p> <p>The ratio of draft fairs versus non draft fairs : 1.33333</p> <p>Fairs organised in 15 days or less :</p>
	<p>Statistics from Tasters</p> <p>Taster with the largest curriculum :</p> <p>Vicente Pablo --> 5.0</p>
	<p>Statistics from Customers</p> <p>Customers who have got at least 15% more orders than the average :</p>
Notes	

Use case D022 Actor can manage boxes


Description


When an actor is logged, he or she can manage boxes, only if they are not system boxes.

Access

Main Menu > Login > Login(admin/admin) > Boxes (Hover).

Tests

Test #1																			
Description	The first thing that will appear is the list of your boxes.																		
Expected	A list like the following will be displayed: List Boxes 6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]  <table border="1"><thead><tr><th>Name</th><th>Number of messages</th><th></th></tr></thead><tbody><tr><td>Trash box</td><td>0</td><td>Folders</td></tr><tr><td>Spam box</td><td>0</td><td>Folders</td></tr><tr><td>In box</td><td>0</td><td>Folders</td></tr><tr><td>Out box</td><td>0</td><td>Folders</td></tr><tr><td>Notification box</td><td>0</td><td>Folders</td></tr></tbody></table>	Name	Number of messages		Trash box	0	Folders	Spam box	0	Folders	In box	0	Folders	Out box	0	Folders	Notification box	0	Folders
Name	Number of messages																		
Trash box	0	Folders																	
Spam box	0	Folders																	
In box	0	Folders																	
Out box	0	Folders																	
Notification box	0	Folders																	
Outcome	All under normality																		
Notes																			

Test #2	
Description	Click on the “Create new box” button, then clicks “Save” button.
Expected	The same form but the binding errors appears  Create Box Name : <input type="text"/> Must not be blank Save inside: ---- <input type="button" value="Save"/> <input type="button" value="Cancel"/>
Outcome	All under normality
Notes	

Test #3																
Description	Fill the form with the following data: Name: "Example Box" Save inside: "-----". Click "Save" button. Then clicks page "2" at the redirected list.															
Expected	<p>List Boxes</p>  <table border="1" data-bbox="377 653 1389 743"> <thead> <tr> <th>Name</th> <th>Number of messages</th> <th>x</th> <th>Folders</th> <th>Edit</th> </tr> </thead> <tbody> <tr> <td>Business Box</td> <td>0</td> <td></td> <td>Folders</td> <td>Edit</td> </tr> <tr> <td>Example Box</td> <td>0</td> <td></td> <td>Folders</td> <td>Edit</td> </tr> </tbody> </table>	Name	Number of messages	x	Folders	Edit	Business Box	0		Folders	Edit	Example Box	0		Folders	Edit
Name	Number of messages	x	Folders	Edit												
Business Box	0		Folders	Edit												
Example Box	0		Folders	Edit												
Outcome	All under normality															
Notes																

Test #4											
Description	Clicks "Edit" button on the previous box created. Then fill the form with the following data: Name: "Example Box v2" Save inside: "Notification Box". Click "Save" button. Finally clicks "Folders" link in the Notification Box row										
Expected	<p>It will load a list with the children folders of Notification Box:</p> <p>List Boxes</p>  <table border="1" data-bbox="377 1282 1389 1349"> <thead> <tr> <th>Name</th> <th>Number of messages</th> <th>x</th> <th>Folders</th> <th>Edit</th> </tr> </thead> <tbody> <tr> <td>Example Box v2</td> <td>0</td> <td></td> <td>Folders</td> <td>Edit</td> </tr> </tbody> </table>	Name	Number of messages	x	Folders	Edit	Example Box v2	0		Folders	Edit
Name	Number of messages	x	Folders	Edit							
Example Box v2	0		Folders	Edit							
Outcome	All under normality										
Notes											

Test #5																																														
Description	In the previous list, click “Edit” link. Then click “Delete” button in the form and click “Ok”.																																													
Expected	The box has been deleted																																													
Outcome	<p>FOUND A BUG</p> <p>Box with name ‘Example box v2’ has not been deleted; it still appears in the list.</p> <p>List Boxes</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Name</th><th>Number of messages</th><th>X</th><th>Folders</th><th> </th></tr> </thead> <tbody> <tr> <td>Trash box</td><td>0</td><td></td><td>Folders</td><td></td></tr> <tr> <td>Spam box</td><td>0</td><td></td><td>Folders</td><td></td></tr> <tr> <td>In box</td><td>0</td><td></td><td>Folders</td><td></td></tr> <tr> <td>Out box</td><td>0</td><td></td><td>Folders</td><td></td></tr> <tr> <td>Notification box</td><td>0</td><td></td><td>Folders</td><td></td></tr> </tbody> </table> <p>Create new box</p> <p>List Boxes</p> <p>7 items found, displaying 6 to 7. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Name</th><th>Number of messages</th><th>X</th><th>Folders</th><th>Edit</th></tr> </thead> <tbody> <tr> <td>Business Box</td><td>0</td><td></td><td>Folders</td><td>Edit</td></tr> <tr> <td>Example box v2</td><td>0</td><td></td><td>Folders</td><td>Edit</td></tr> </tbody> </table>	Name	Number of messages	X	Folders		Trash box	0		Folders		Spam box	0		Folders		In box	0		Folders		Out box	0		Folders		Notification box	0		Folders		Name	Number of messages	X	Folders	Edit	Business Box	0		Folders	Edit	Example box v2	0		Folders	Edit
Name	Number of messages	X	Folders																																											
Trash box	0		Folders																																											
Spam box	0		Folders																																											
In box	0		Folders																																											
Out box	0		Folders																																											
Notification box	0		Folders																																											
Name	Number of messages	X	Folders	Edit																																										
Business Box	0		Folders	Edit																																										
Example box v2	0		Folders	Edit																																										
Notes																																														

Use case D023 Actor can manage messages

Description

When an actor is logged, he or she can manage messages, if he/she is an admin, he/she can broadcast messages to all actors.

Access

Main Menu > Login > Login(admin/admin)

Tests

Test #6	
Description	Clicks “Send Message” in the Header. Then click “Send” button.
Expected	It will load a the form with the corresponding error messages:
<p>Send message</p> <p>For:</p> <div style="border: 1px solid #ccc; padding: 5px; width: fit-content;">sponsor1sponsor2sponsor3sponsor4sponsor5taster1taster2taster3</div> <p>If you want to send the message to more than one user, press and hold 'ctrl' to select several of them.</p> <p>Broadcast message to all users (no matter what you have chosen in the recipients field): <input type="checkbox"/></p> <p>Subject:</p> <div style="border: 1px solid #ccc; height: 40px; margin-bottom: 5px;"></div> <p style="color: red;">Must not be blank</p> <p>Body:</p> <div style="border: 1px solid #ccc; height: 100px; margin-bottom: 5px;"></div> <p style="color: red;">Must not be blank</p> <p>Tags:</p> <div style="border: 1px solid #ccc; height: 40px;"></div> <p>Priority: <input type="button" value="HIGH"/> <input type="button" value="LOW"/></p> <p><input type="button" value="Send"/> <input type="button" value="Cancel"/></p>	
Outcome	All under normality
Notes	

Test #7	
Description	In the same form, click “Cancel” button.
Expected	The system redirects to the main view of the application web.
Outcome	All under normality
Notes	

Test #8													
Description	Return to the previous form and fill the fields with the corresponding data: Check the Broadcast message checkbox, Subject: “This is the subject”, Body: “This is the body”, Priority: “HIGH”, then click “Send” button.												
Expected	<p>The message has been sent correctly</p> <p>Message List</p> <p>Out box</p> <p>One item found. 1</p> <table border="1"> <tr> <th>Written moment:</th> <th>Sender:</th> <th>Priority</th> <th>Subject</th> <th>Show</th> <th>Move to another box</th> </tr> <tr> <td>29/05/2019 22:13</td> <td>Álvaro Jimenez (admin)</td> <td>HIGH</td> <td>This is the subject</td> <td>Show</td> <td>Move to another box</td> </tr> </table>	Written moment:	Sender:	Priority	Subject	Show	Move to another box	29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box
Written moment:	Sender:	Priority	Subject	Show	Move to another box								
29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box								
Outcome	All under normality												
Notes													

Test #9													
Description	In the previous redirected list, click “Move to another box” link. Then move the message to the “Business Box”												
Expected	<p>The message has been moved correctly</p> <p>Message List</p> <p>Business Box</p> <p>One item found. 1</p> <table border="1"> <tr> <th>Written moment:</th> <th>Sender:</th> <th>Priority</th> <th>Subject</th> <th>Show</th> <th>Move to another box</th> </tr> <tr> <td>29/05/2019 22:13</td> <td>Álvaro Jimenez (admin)</td> <td>HIGH</td> <td>This is the subject</td> <td>Show</td> <td>Move to another box</td> </tr> </table>	Written moment:	Sender:	Priority	Subject	Show	Move to another box	29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box
Written moment:	Sender:	Priority	Subject	Show	Move to another box								
29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box								
Outcome	All under normality												
Notes													

Test #10													
Description	In the previous redirected list, click “Show” link. Then click “Delete” button.												
Expected	<p>The message has been moved to the Trash Box</p> <p>Message List</p> <p>Trash box</p> <p>One item found. 1</p> <table border="1"> <tr> <th>Written moment:</th> <th>Sender:</th> <th>Priority</th> <th>Subject</th> <th>Show</th> <th>Move to another box</th> </tr> <tr> <td>29/05/2019 22:13</td> <td>Álvaro Jimenez (admin)</td> <td>HIGH</td> <td>This is the subject</td> <td>Show</td> <td>Move to another box</td> </tr> </table>	Written moment:	Sender:	Priority	Subject	Show	Move to another box	29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box
Written moment:	Sender:	Priority	Subject	Show	Move to another box								
29/05/2019 22:13	Álvaro Jimenez (admin)	HIGH	This is the subject	Show	Move to another box								
Outcome	All under normality												
Notes													

Test #10	
Description	In the previous redirected list, click "Show" link. Then click "Delete" button again.
Expected	The message has been deleted.
Outcome	All under normality
Notes	

Use case D024 Customers can make orders

Description

When customer is logged, he or she can make orders about beers.

Access

Main Menu > Login > Login(customer1/customer1) > Customer (Hover) > Available Beers > “Make Order” link at the first beer listed.

Tests

Test #10																																														
Description	Click “Cancel Order” button																																													
Expected	The system redirect to the previous view List of beers 3 items found, displaying all items. 1																																													
	<table border="1"><thead><tr><th>Ticker</th><th>Moment</th><th>Description</th><th>Alcohol Percentage</th><th>Artisan</th><th>Show</th><th>See Artisan profile</th><th>Make order</th><th>It's Tastings</th></tr></thead><tbody><tr><td>18/03/22- ASE123</td><td>19/10/03 09:54</td><td>Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life</td><td>4.7</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>See Artisan profile</td><td>Make order</td><td>It's Tastings</td></tr><tr><td>18/03/30- KAA531</td><td>20/06/03 12:00</td><td>A beer from the heart of Germany</td><td>11.2</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>See Artisan profile</td><td>Make order</td><td>It's Tastings</td></tr><tr><td>18/06/22- CEA231</td><td>19/10/06 15:00</td><td>You have to taste it. It will awaken all your senses</td><td>14.0</td><td>Juan Pérez Martinez (artisan1)</td><td>Show</td><td>See Artisan profile</td><td>Make order</td><td>It's Tastings</td></tr></tbody></table>										Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	See Artisan profile	Make order	It's Tastings	18/03/22- ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings	18/03/30- KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings	18/06/22- CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings
Ticker	Moment	Description	Alcohol Percentage	Artisan	Show	See Artisan profile	Make order	It's Tastings																																						
18/03/22- ASE123	19/10/03 09:54	Floral or tropical flavor, fresh air, hops in your mouth for the first time in your life	4.7	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings																																						
18/03/30- KAA531	20/06/03 12:00	A beer from the heart of Germany	11.2	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings																																						
18/06/22- CEA231	19/10/06 15:00	You have to taste it. It will awaken all your senses	14.0	Juan Pérez Martinez (artisan1)	Show	See Artisan profile	Make order	It's Tastings																																						
Outcome	All under normality																																													
Notes																																														

Test #10	
Description	In the previous form. Click “Make Order” button without fill any input.
Expected	The same form with the corresponding error messages.

Create Order

Shipment Address : **Must not be blank**

Amount (in liters): **Too small (min = 1)**

Price per liter of beer to order:

5.3

Total price of the order:

Container:

Credit Card:

Outcome	All under normality
Notes	

Test #10																			
Description	Now fill the form with the following data: Shipment Address: "Example Street", Amount (in liters): 2, Container: "can", Credit Card: "Tarjeta 1 de Customer 1". Then click "Make Order" button.																		
Expected	The list of your orders, and in the second page, the recently made order																		
	<p>List of Orders</p> <p>7 items found, displaying 6 to 7. [First/Prev] 1, 2 [Next/Last]</p> <table><thead><tr><th>Ticker</th><th>Creation moment</th><th>Total price of the order</th><th>Ordered Beer</th><th>Show</th><th>Create Note</th></tr></thead><tbody><tr><td>18/03/22-ASE283</td><td>20/10/03 18:54</td><td>9.4(1.97)</td><td>Floridance Beer</td><td>Show</td><td>Create Note</td></tr><tr><td>19/05/29-5B8A62</td><td>19/05/29 22:45</td><td>10.6(2.23)</td><td>Floridance Beer</td><td>Show</td><td>Create Note</td></tr></tbody></table>	Ticker	Creation moment	Total price of the order	Ordered Beer	Show	Create Note	18/03/22-ASE283	20/10/03 18:54	9.4(1.97)	Floridance Beer	Show	Create Note	19/05/29-5B8A62	19/05/29 22:45	10.6(2.23)	Floridance Beer	Show	Create Note
Ticker	Creation moment	Total price of the order	Ordered Beer	Show	Create Note														
18/03/22-ASE283	20/10/03 18:54	9.4(1.97)	Floridance Beer	Show	Create Note														
19/05/29-5B8A62	19/05/29 22:45	10.6(2.23)	Floridance Beer	Show	Create Note														
Outcome	FOUND A BUG Total price of the order is not calculated correctly. The order created:																		

Create Order

Shipment Address : Example street

Amount (in liters): 2

Price per liter of beer to order:

5.3

Total price of the order:

10.6

Container: can

Credit Card: Tarjeta 1 de Customer1

[Make Order](#) [Cancel Order](#)

But when the order created is displayed:

Show Order

Ticker : 19/06/02-138511

Creation moment : 02/06/2019 13:49

Shipment Address : Example street

Amount (in liters): 2

Total price of the order: 2.0€ (0.42€)

Container: can

Credit Card: Tarjeta 1 de Customer1

Notes	
-------	--

Test #11	
Description	At the previous list, click "Show" link in the created order
Expected	<h3>Show Order</h3> <p>Ticker : 19/05/29-5B8A62</p> <p>Creation moment : 29/05/2019 22:45</p> <p>Shipment Address : Example Street</p> <p>Amount (in liters): 2</p> <p>Total price of the order: 10.6(2.23)</p> <p>Container: can</p> <p>Credit Card: Tarjeta 1 de Customer1</p>
Outcome	All under normality
Notes	

Use case D025 Customers can write notes

Description

When a customer is logged, he or she can write a note about an order.

Access

Main Menu > Login > Login(customer1/customer1) > Customer (Hover) > My Orders.

Tests

Test #1																																					
Description	Click “Create Note” link at the second row of the table, then click “Cancel” button in the form displayed.																																				
Expected	The list of your orders List of Orders 7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last] <table border="1"><thead><tr><th>Ticker</th><th>Creation moment</th><th>Total price of the order</th><th>Ordered Beer</th><th>Show</th><th>Related Note</th></tr></thead><tbody><tr><td>18/03/22-ASE443</td><td>19/10/03 10:54</td><td>9,4(1.97)</td><td>Floridance Beer</td><td>Show</td><td>Related Note</td></tr><tr><td>18/03/22-ASE243</td><td>19/10/03 11:54</td><td>18,8(3,95)</td><td>Floridance Beer</td><td>Show</td><td>Create Note</td></tr><tr><td>18/03/22-ASE448</td><td>19/10/03 16:54</td><td>4,7(0,99)</td><td>Floridance Beer</td><td>Show</td><td>Create Note</td></tr><tr><td>19/03/22-ASE543</td><td>20/10/03 19:54</td><td>9,4(1.97)</td><td>Floridance Beer</td><td>Show</td><td>Related Note</td></tr><tr><td>18/03/22-ASE643</td><td>19/10/03 17:54</td><td>9,4(1.97)</td><td>Floridance Beer</td><td>Show</td><td>Create Note</td></tr></tbody></table>	Ticker	Creation moment	Total price of the order	Ordered Beer	Show	Related Note	18/03/22-ASE443	19/10/03 10:54	9,4(1.97)	Floridance Beer	Show	Related Note	18/03/22-ASE243	19/10/03 11:54	18,8(3,95)	Floridance Beer	Show	Create Note	18/03/22-ASE448	19/10/03 16:54	4,7(0,99)	Floridance Beer	Show	Create Note	19/03/22-ASE543	20/10/03 19:54	9,4(1.97)	Floridance Beer	Show	Related Note	18/03/22-ASE643	19/10/03 17:54	9,4(1.97)	Floridance Beer	Show	Create Note
Ticker	Creation moment	Total price of the order	Ordered Beer	Show	Related Note																																
18/03/22-ASE443	19/10/03 10:54	9,4(1.97)	Floridance Beer	Show	Related Note																																
18/03/22-ASE243	19/10/03 11:54	18,8(3,95)	Floridance Beer	Show	Create Note																																
18/03/22-ASE448	19/10/03 16:54	4,7(0,99)	Floridance Beer	Show	Create Note																																
19/03/22-ASE543	20/10/03 19:54	9,4(1.97)	Floridance Beer	Show	Related Note																																
18/03/22-ASE643	19/10/03 17:54	9,4(1.97)	Floridance Beer	Show	Create Note																																
Outcome	All under normality																																				
Notes																																					

Test #2	
Description	In the previous form, click “Save” button, then “Ok”
Expected	The same form but with the corresponding error messages Create Note Customer comment : <div style="border: 1px solid black; height: 100px; width: 100%;"></div> Must not be blank Save Cancel
Outcome	
Notes	All under normality

Test #3	
Description	Now fill the same form with the following data: Customer comment: "This is a piece of text". Then click "Save" button, then "Ok".
Expected	<p>Show Note</p> <p>Related beer: Floridance Beer</p> <p>Customer comment: This is a piece of text</p> <p>Artisan comment:</p> <p>Back to your orders</p>
	"Back to your orders" button must redirect to your orders list view
Outcome	All under normality
Notes	

Use case D026 Admins can execute procedures

Description

When an admin is logged, he or she can execute some procedures.

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover).

Tests

Test #1	
Description	Click “Compute Score of Beers” link.
Expected	The list of your orders 
Outcome	All under normality
Notes	

Test #1	
Description	Go to Administrator (Hover) > System Users. Then click “Compute actors score” button
Expected	Welcome! 
Outcome	All under normality
Notes	

Test #1	
Description	In the previous view, click “Compute spammers” button
Expected	

Welcome!

Spammers checked

Outcome	All under normality
Notes	

Use case D027 A sponsor can create rankings

Description

When a sponsor is logged in, he or she can register a new ranking for fairs saved in final model.

Access

Main Menu > Login > Login(sponsor1/sponsor1) > Sponsor (Hover)> My fairs.

Tests

To do this test, you must first create a fair as a sponsor, which starts in one minute of the current time, and IN final mode. Then, as an artisan (artisan1/artisan1), make an application to this fair, and, as a sponsor, accept this application.

Test #1																																																	
Description	The first thing that will appear is the list of your fairs.																																																
Expected	A list like the following will be displayed: My Fairs 6 items found, displaying 1 to 5. [First Prev] 1 2 [Next Last] <table border="1"><thead><tr><th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th>Show</th><th>Related stands</th><th>Edit</th><th>Related album</th></tr></thead><tbody><tr><td>20/01/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/01/02 10:09</td><td>Show</td><td>Related stands</td><td>Edit</td><td>Related album</td></tr><tr><td>22/07/11 10:09</td><td>London Wine Fair</td><td>20/01/12 10:00</td><td>21/01/01 10:00</td><td>Show</td><td>Related stands</td><td>Edit</td><td>Related album</td></tr><tr><td>21/10/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/07/04 00:00</td><td>Show</td><td>Related stands</td><td>Edit</td><td>Related album</td></tr><tr><td>21/10/12 10:19</td><td>The one</td><td>21/10/12 00:00</td><td>22/07/12 00:00</td><td>Show</td><td>Related stands</td><td>Edit</td><td>Related album</td></tr><tr><td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td>Edit</td><td>Related album</td></tr></tbody></table>	Published in	Title	Start time	End time	Show	Related stands	Edit	Related album	20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Edit	Related album	22/07/11 10:09	London Wine Fair	20/01/12 10:00	21/01/01 10:00	Show	Related stands	Edit	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Edit	Related album	21/10/12 10:19	The one	21/10/12 00:00	22/07/12 00:00	Show	Related stands	Edit	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Edit	Related album
Published in	Title	Start time	End time	Show	Related stands	Edit	Related album																																										
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Edit	Related album																																										
22/07/11 10:09	London Wine Fair	20/01/12 10:00	21/01/01 10:00	Show	Related stands	Edit	Related album																																										
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Edit	Related album																																										
21/10/12 10:19	The one	21/10/12 00:00	22/07/12 00:00	Show	Related stands	Edit	Related album																																										
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Edit	Related album																																										
Outcome																																																	
Notes																																																	

Test #2																																																	
Description	Click on “Edit” on the fair whose title is “London Wine Fair”. Modify the start date input to the current date, plus 1 minute (e.g., if the current date is 30/05/2019 14:11, put 30/05/2019 14:12), and click on the “Is final?” checkbox. Then, click on “Save”, “Ok”, and you will be redirected to the list of your fairs. Finally, click on “Related ranking” when the date you entered is past, and create one ranking (don’t check the “Is final?” checkbox).																																																
Expected	You will be redirected to the list of the sponsor1’s fairs. My Fairs 6 items found, displaying 1 to 5. [First Prev] 1 2 [Next Last] <table border="1"><thead><tr><th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th>Show</th><th>Related stands</th><th>Related ranking</th><th>Related album</th></tr></thead><tbody><tr><td>20/01/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/01/02 10:09</td><td>Show</td><td>Related stands</td><td>Related ranking</td><td>Related album</td></tr><tr><td>19/05/30 14:24</td><td>London Wine Fair</td><td>19/05/30 14:25</td><td>21/01/01 10:00</td><td>Show</td><td>Related stands</td><td>Related ranking</td><td>Related album</td></tr><tr><td>21/10/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/07/04 00:00</td><td>Show</td><td>Related stands</td><td>Related ranking</td><td>Related album</td></tr><tr><td>21/10/12 10:19</td><td>The one</td><td>21/10/12 00:00</td><td>22/07/12 00:00</td><td>Show</td><td>Related stands</td><td>Related ranking</td><td>Related album</td></tr><tr><td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td>Related ranking</td><td>Related album</td></tr></tbody></table> Create	Published in	Title	Start time	End time	Show	Related stands	Related ranking	Related album	20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Related ranking	Related album	19/05/30 14:24	London Wine Fair	19/05/30 14:25	21/01/01 10:00	Show	Related stands	Related ranking	Related album	21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Related ranking	Related album	21/10/12 10:19	The one	21/10/12 00:00	22/07/12 00:00	Show	Related stands	Related ranking	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related ranking	Related album
Published in	Title	Start time	End time	Show	Related stands	Related ranking	Related album																																										
20/01/01 10:09	The fair	21/09/01 10:09	20/01/02 10:09	Show	Related stands	Related ranking	Related album																																										
19/05/30 14:24	London Wine Fair	19/05/30 14:25	21/01/01 10:00	Show	Related stands	Related ranking	Related album																																										
21/10/04 10:19	Feria de Sevilla	21/10/04 00:00	22/07/04 00:00	Show	Related stands	Related ranking	Related album																																										
21/10/12 10:19	The one	21/10/12 00:00	22/07/12 00:00	Show	Related stands	Related ranking	Related album																																										
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related ranking	Related album																																										
Outcome																																																	
Notes																																																	

Test #3	
Description	Do the same as the previous test, but create the ranking without filling any input.
Expected	It will load the form again next to binding errors:
<h2>Create ranking</h2> <p>First prize for the winner beer : <input type="text"/> Must not be blank Second prize for the second finalist beer : <input type="text"/> Must not be blank Second prize for the third finalist beer : <input type="text"/> Must not be blank Winner beer <input type="text" value="----"/> <input type="button" value="▼"/> Second finalist beer <input type="text" value="----"/> <input type="button" value="▼"/> Third finalist beer <input type="text" value="----"/> <input type="button" value="▼"/></p> <p><input type="checkbox"/> Is final? If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.</p> <p><input type="button" value="Save ranking"/> <input type="button" value="Cancel"/></p>	
Outcome	
Notes	

Test #4	
Description	Click on “Related ranking” of the fair “London Wine Fair”, and edit the inputs as desired, without checking the “Is final?” checkbox.
<h2>Edit ranking</h2> <p>First prize for the winner beer : <input type="text" value="200 euro"/> Second prize for the second finalist beer : <input type="text" value="100 euro"/> Second prize for the third finalist beer : <input type="text" value="50 euro"/> Winner beer <input type="text" value="GermanHeartBeer"/> <input type="button" value="▼"/> Second finalist beer <input type="text" value="Floridance Beer"/> <input type="button" value="▼"/> Third finalist beer <input type="text" value="Awaken"/> <input type="button" value="▼"/></p> <p><input type="checkbox"/> Is final? If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.</p> <p><input type="button" value="Save ranking"/> <input type="button" value="Cancel"/></p>	
Expected	The system will redirect to the list of sponsor1’s fairs, as the result of test #2.
Outcome	
Notes	

Test #5	
Description	Click on “Related ranking” of the fair “London Wine Fair”, check the “Is final?” checkbox, and save the ranking.
	<h2>Edit ranking</h2> <p>First prize for the winner beer : 200 euro Second prize for the second finalist beer : 100 euro Second prize for the third finalist beer : 50 euro</p> <p>Winner beer GermanHeartBeer ▾ Second finalist beer Floridance Beer ▾ Third finalist beer Awaken ▾</p> <p><input checked="" type="checkbox"/> Is final? If you save it in final mode everyone will be able to see it, and you will not be able to edit, nor delete it.</p> <p>Save ranking Cancel</p>
Expected	The system will redirect to the list of sponsor1's fairs, as the result of test #2.
Outcome	
Notes	

Test #6	
Description	Click on “Related ranking” of the fair “London Wine Fair. The system will redirect to a view where you can only see the details of the related ranking.
Expected	You will be redirected to the show:
	<h2>Show ranking</h2> <p>First prize for the winner beer : 200 euro Second prize for the second finalist beer : 100 euro Second prize for the third finalist beer : 50 euro</p> <p>Winner beer : GermanHeartBeer Second finalist beer : Floridance Beer Third finalist beer : Awaken</p> <p>Cancel</p>
Outcome	
Notes	

Use case D028 A sponsor can create a contract.

Description

When a sponsor is logged in, he or she should be able to manage his or her contracts.

Access

Main Menu > Login > Login(sponsor/sponsor1) > Sponsor (Hover)> Contract a Taster.

Tests


Test #1																
Description	Click “Contract” on the first taster that appears on the list. Tasters 4 items found, displaying all items. 1 <table border="1"><thead><tr><th>Name</th><th>Surname</th><th>Contract</th></tr></thead><tbody><tr><td>Vicente</td><td>Pablo</td><td>Contract</td></tr><tr><td>Pepe</td><td>Pablo</td><td>Contract</td></tr><tr><td>Juan</td><td>Pablo</td><td>Contract</td></tr><tr><td>Pablo</td><td>Emilio</td><td>Contract</td></tr></tbody></table>	Name	Surname	Contract	Vicente	Pablo	Contract	Pepe	Pablo	Contract	Juan	Pablo	Contract	Pablo	Emilio	Contract
Name	Surname	Contract														
Vicente	Pablo	Contract														
Pepe	Pablo	Contract														
Juan	Pablo	Contract														
Pablo	Emilio	Contract														
Expected	A view where the sponsor can create the contract, like the one below: Create contract Select one of your fairs to create the contract <input type="button" value="----"/> <input type="button" value="▼"/> Price : <input type="text" value="0.0"/> <input type="checkbox"/> Is final? If you save it in final mode everyone will see, and you will not be able to edit or delete it. <input type="button" value="Create contract"/> <input type="button" value="Cancel"/>															
Outcome	All under normality															
Notes																

Test #2	
Description	Click “Create contract” on the view of test #1, without filling any input.
Expected	The system will redirect the user back to the form, displaying an error, like the image below: Create contract Select one of your fairs to create the contract <input type="button" value="----"/> <input type="button" value="▼"/> Price : <input type="text" value="0.0"/> <input type="checkbox"/> Is final? If you save it in final mode everyone will see, and you will not be able to edit or delete it. <input type="button" value="Create contract"/> <input type="button" value="Cancel"/> Error trying to create the contract. Try again later.

Outcome	All under normality
Notes	

Test #3	
Description	Fill the inputs on the view displayed on test #1, but the “Is final?” checkbox. Then, click on “Create contract”.
Expected	The system redirects the user to the list of his or her contracts: Your contracts 
Outcome	All under normality
Notes	

Test #4	
Description	Click on “Edit” on one of the sponsor’s contract, then check “Is final?”, and finally, click on “Create contract”.
Expected	The system redirects the user to the list of his or her contracts, and the contract saved in final mode cannot be edited: Your contracts 
Outcome	All under normality
Notes	

Test #5	
Description	Click on “Show” on one the user’s contract.
Expected	It will load a view showing the details of this contract: Show contract 
Outcome	All under normality
Notes	

Use case D029 A taster can manage his or her contracts.

Description

When a taster is logged in, he or she should be able to manage his or her contracts.

Access

Main Menu > Login > Login(taster2/taster2) > Taster (Hover) > My contracts.

Tests

Test #1																					
Description	The first thing that will appear is the list of the user's contracts.																				
Expected	A list like the following will be displayed: Your contracts 3 items found, displaying all items 1 <table border="1"><thead><tr><th>Ticker</th><th>Creation date</th><th>Price</th><th>Status</th><th></th></tr></thead><tbody><tr><td>30/05/19-PQER09</td><td>06/05/2021</td><td>5.0 € (6.05 € including VAT)</td><td>PENDING</td><td>Edit</td></tr><tr><td>30/05/19-PQER10</td><td>06/05/2021</td><td>5.0 € (6.05 € including VAT)</td><td>PENDING</td><td>Accept Reject</td></tr><tr><td>30/05/19-PQER11</td><td>06/05/2021</td><td>5.0 € (6.05 € including VAT)</td><td>PENDING</td><td>Accept Reject</td></tr></tbody></table>	Ticker	Creation date	Price	Status		30/05/19-PQER09	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Edit	30/05/19-PQER10	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject	30/05/19-PQER11	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject
Ticker	Creation date	Price	Status																		
30/05/19-PQER09	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Edit																	
30/05/19-PQER10	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject																	
30/05/19-PQER11	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject																	
Outcome	All under normality																				
Notes																					

Test #2																					
Description	Click on "Edit" on a contract. Edit contract Price : <input type="text" value="5.0"/> Related fair: The fair Create contract Cancel																				
Expected	Then, modify the price to, e.g., 7.0, and then, click on "Create contract". The system will redirect the user to the list of the user's contracts, displaying the updated price on the updated contract. Your contracts 3 items found, displaying all items 1 <table border="1"><thead><tr><th>Ticker</th><th>Creation date</th><th>Price</th><th>Status</th><th></th></tr></thead><tbody><tr><td>30/05/19-PQER09</td><td>06/05/2021</td><td>7.0 € (8.47 € including VAT)</td><td>PENDING</td><td>Edit</td></tr><tr><td>30/05/19-PQER10</td><td>06/05/2021</td><td>5.0 € (6.05 € including VAT)</td><td>PENDING</td><td>Accept Reject</td></tr><tr><td>30/05/19-PQER11</td><td>06/05/2021</td><td>5.0 € (6.05 € including VAT)</td><td>PENDING</td><td>Accept Reject</td></tr></tbody></table>	Ticker	Creation date	Price	Status		30/05/19-PQER09	06/05/2021	7.0 € (8.47 € including VAT)	PENDING	Edit	30/05/19-PQER10	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject	30/05/19-PQER11	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject
Ticker	Creation date	Price	Status																		
30/05/19-PQER09	06/05/2021	7.0 € (8.47 € including VAT)	PENDING	Edit																	
30/05/19-PQER10	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject																	
30/05/19-PQER11	06/05/2021	5.0 € (6.05 € including VAT)	PENDING	Accept Reject																	
Outcome	All under normality																				
Notes																					

Test #3	
Description	Click on “Accept” on one of the contracts.
Expected	The system will redirect the user to the “Welcome” page:
	<p>Acme Cervecero</p>  <p>Acme Cervecero</p> <p>TASTER FAIRY PROFILE (TASTER) BOXES WRITE MESSAGE</p> <p>Welcome!</p> <p>Welcome to Acme Cervecero</p> <p>Copyright © 2019 Acme Cervecer Co., Inc. Terms & Conditions.</p>
Outcome	All under normality
Notes	

Test #4	
Description	Click on “Reject” on one of the contracts.
Expected	The system will redirect the user to the “Welcome” page:
	<p>Acme Cervecero</p>  <p>Acme Cervecero</p> <p>TASTER FAIRY PROFILE (TASTER) BOXES WRITE MESSAGE</p> <p>Welcome!</p> <p>Welcome to Acme Cervecero</p> <p>Copyright © 2019 Acme Cervecer Co., Inc. Terms & Conditions.</p>
Outcome	All under normality
Notes	

Use case D030 A customer can buy a ticket for a fair

Description

When a customer is logged in, he or she should be able to buy a ticket for a fair he or she wants to attend to.

Access

Main Menu > Login > Login(customer2/customer2) > Fairs.

Tests

Test #1																																				
Description	The first thing that will appear is a list of all the fairs saved in final mode on the system.																																			
Expected	A list like the following will be displayed:  <table border="1"><thead><tr><th>Published in</th><th>Title</th><th>Start time</th><th>End time</th><th>Show</th><th>Related stands</th><th>Related album</th></tr></thead><tbody><tr><td>20/09/01 10:09</td><td>The fair</td><td>21/09/01 10:09</td><td>20/09/02 10:09</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/09/04 10:19</td><td>Feria de Sevilla</td><td>21/10/04 00:00</td><td>22/01/04 00:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/10/09 10:19</td><td>Feria de cerveza</td><td>21/10/09 10:00</td><td>22/07/09 20:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr><tr><td>21/10/11 10:19</td><td>Feria de Andalucía</td><td>21/10/11 20:00</td><td>22/07/14 00:00</td><td>Show</td><td>Related stands</td><td>Related album</td></tr></tbody></table>	Published in	Title	Start time	End time	Show	Related stands	Related album	20/09/01 10:09	The fair	21/09/01 10:09	20/09/02 10:09	Show	Related stands	Related album	21/09/04 10:19	Feria de Sevilla	21/10/04 00:00	22/01/04 00:00	Show	Related stands	Related album	21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related album	21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Related album
Published in	Title	Start time	End time	Show	Related stands	Related album																														
20/09/01 10:09	The fair	21/09/01 10:09	20/09/02 10:09	Show	Related stands	Related album																														
21/09/04 10:19	Feria de Sevilla	21/10/04 00:00	22/01/04 00:00	Show	Related stands	Related album																														
21/10/09 10:19	Feria de cerveza	21/10/09 10:00	22/07/09 20:00	Show	Related stands	Related album																														
21/10/11 10:19	Feria de Andalucía	21/10/11 20:00	22/07/14 00:00	Show	Related stands	Related album																														
Outcome	All under normality																																			
Notes																																				

Test #2

Description	Click on "Show" on one of the fairs (e.g, the fair with title "The fair").
	<h2>Show Fair</h2>  <p>Published in : 01/01/2020 10:09 Title : The fair Description : This is the best fair of Sevilla Place of celebration : Parque María Luisa, Sevi Start time : 01/09/2021 10:09 End time : 02/01/2020 10:09 Ticket price : 5.0 Maximum number of stands : 20 Buy a ticket Cancel</p>
	Here, click on "Buy a ticket".
Expected	The following view will be displayed: <h2>Buy a ticket</h2> <p>Select the credit card you want to make the payment <input type="button" value="----"/></p> <p>Ticket price: 5.0 € VAT: 21.0 % Ticket price (including VATs): 6.05 € Buy ticket Cancel purchase</p>
Outcome	All under normality
Notes	

Test #3	
Description	On the view on test #2, click on “Buy ticket”, without filling any input.
Expected	The system will show the same view, with an error on the bottom of screen, as it can be seen on the image below:
	<p>Buy a ticket</p> <p>Select the credit card you want to make the payment <input type="text" value="----"/> <input type="button" value="▼"/></p> <p>Ticket price: 5.0 € VAT: 21.0 % Ticket price (including VATs): 6.05 €</p> <p><input type="button" value="Buy ticket"/> <input type="button" value="Cancel purchase"/></p> <p>Error trying to buy a ticket. Please, try again later.</p>
Outcome	All under normality
Notes	

Test #4				
Description	Select a credit card on the view of the test #3, and click on “Buy ticket”.			
Expected	The system will register the ticket on the system, and it will redirect the user to another view, showing the details of the ticket:			
	<p>Payment completed</p> <p>Your purchase has been completed successfully. Here are the details of the purchase:</p> <p>Ticker: 19/05/30-3C30A3 Purchase date: Thu May 30 18:38:47 CEST 2019</p> <table border="1"> <tr> <td>Details of the fair</td> </tr> <tr> <td>Title: The fair Description: This is the best fair of Sevilla Place of celebration: Parque Maria Luisa, Sevilla Start time: 2021-09-01 10:09:00.0 End time: 2020-01-02 10:09:00.0</td> </tr> <tr> <td><input type="button" value="Go back to Main Menu"/></td> </tr> </table>	Details of the fair	Title: The fair Description: This is the best fair of Sevilla Place of celebration: Parque Maria Luisa, Sevilla Start time: 2021-09-01 10:09:00.0 End time: 2020-01-02 10:09:00.0	<input type="button" value="Go back to Main Menu"/>
Details of the fair				
Title: The fair Description: This is the best fair of Sevilla Place of celebration: Parque Maria Luisa, Sevilla Start time: 2021-09-01 10:09:00.0 End time: 2020-01-02 10:09:00.0				
<input type="button" value="Go back to Main Menu"/>				
	<p>If the user hits the “Go back to Main Menu”, the system will go to the “Welcome” page:</p> <p>Acme Cervecero </p>  <p>Acme Cervecero</p> <p>CUSTOMER FAIRS PROFILE (CUSTOMER) BOXES WRITE MESSAGE</p> <p>Welcome!</p> <p>Welcome to Acme Cervecero!</p> <p>Copyright © 2019 Acme-Cervecero Co., Inc. Terms & Conditions.</p>			

Outcome	All under normality
Notes	

Test #5										
Description	Put the mouse on “Customer”, and then click on “My tickets”.									
Expected	<p>The following view will be displayed:</p> <p>Your tickets</p> <table border="1"> <thead> <tr> <th>Ticker</th> <th>Purchase date</th> <th>Fair</th> </tr> </thead> <tbody> <tr> <td>18/10/23-SDKLFJ</td> <td>18/10/23 00:00</td> <td>Feria de Sevilla</td> </tr> <tr> <td>18/04/30-ADKJL3</td> <td>18/04/30 00:00</td> <td>Feria de cerveza</td> </tr> </tbody> </table>	Ticker	Purchase date	Fair	18/10/23-SDKLFJ	18/10/23 00:00	Feria de Sevilla	18/04/30-ADKJL3	18/04/30 00:00	Feria de cerveza
Ticker	Purchase date	Fair								
18/10/23-SDKLFJ	18/10/23 00:00	Feria de Sevilla								
18/04/30-ADKJL3	18/04/30 00:00	Feria de cerveza								
Outcome	All under normality									
Notes										

Test #6	
Description	On the view on test #5, click “Show” on one of the tickets displayed (e.g., the first ticket on the list).
Expected	<p>The following view will be displayed:</p> <p>Show ticket</p> <p>Ticker : 18/10/23-SDKLFJ Purchase date : 18/10/23 00:00 Ticket price : 0.0 € VAT : 21.0 % Ticket price (including VATs) : 0.0 € Fair : Feria de Sevilla Related credit card : Tarjeta 1 de Customer2</p>
Outcome	All under normality
Notes	

Test #7	
Description	Logout and log in on the system as customer3/customer3, and try to buy a ticket on one of the fairs.
Expected	<p>The system will display a view, informing that this user cannot buy a ticket due to not having saved any credit card on the system:</p> <p>Buy a ticket</p> <p>Ticket price: 5.0 € VAT: 21.0 % Ticket price (including VATs): 6.05 € You cannot finish the purchase, because you don't have any credit card saved on the system. Register one to complete the purchase.</p> <p>Cancel purchase</p>
Outcome	All under normality

Use case D031 Register as an administrator

Description



An authenticated administrator wants to register an account for a new administrator. This person fills the form with data of the person to register, and then clicks on the “Save” button.

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover) > Sign up a new administrator.

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘admin12345’, password: ‘admin12345’, repeat password: ‘admin12345’.
Expected	The system redirects the authenticated administrator to the welcome page. 
Outcome	All under normality
Notes	

Test #02	
Description	The user clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The user clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with some errors on screen ² .  <p>1. </p>

2.	<p>Create administrator</p> <p>Personal Data</p> <p>Name : <input type="text"/> Must not be blank Middle name : <input type="text"/> Surname : <input type="text"/> Must not be blank Photo : <input type="file"/> Email : <input type="text"/> This doesn't seem to be a valid email Must not be blank Phone number : <input type="text"/> Must not be blank Address : <input type="text"/></p> <hr/> <p>Account Data</p> <p>User name : <input type="text"/> Password : <input type="password"/> Repeat the password again : <input type="password"/></p> <hr/> <p style="text-align: center;"><input type="button" value="Save"/></p> <p style="color: red; font-size: small;">Cannot commit, maybe your username is already in use try another one</p> <p style="font-size: small;">Copyright © 2019 Acme-Cerveceros Co., Inc. Terms & Conditions. The system work in: €</p>
Outcome	All under normality
Notes	

Test #03	<p>Create administrator</p> <p>The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', username: 'admin234567', password: 'admin234567', repeat password: 'admin234567'.</p> <p>Expected</p> <p>When the user clicks on "Save", the system goes back to the form showing the data entered (without any password) and some errors.</p> <p>Personal Data</p> <p>Name : José Middle name : Surname : Luján Martínez Photo : Email : joslujmar@email This doesn't seem to be a valid email Phone number : +34 (655) 456789 Address : Calle España número 6</p> <hr/> <p>Account Data</p> <p>User name : admin234567 Password : Repeat the password again : <input type="button" value="Save"/></p> <hr/> <p style="color: red; font-size: small;">Cannot commit, maybe your username is already in use try another one</p>
Outcome	All under normality
Notes	

Use case D032 Register as a taster

Description



An administrator wants to sign up on the system a new taster. This admin fills the form with data of the taster to register, and then clicks on the “Save” button.

Access

Main Menu > Login > Login(admin/admin) > Administrator (Hover) > Sign up a new taster.

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, VAT: ‘4’, username: ‘rookie12345’, password: ‘rookie12345’, repeat password: ‘rookie12345’. The checkbox must be checked too.
Expected	The system redirects the unauthenticated user to the welcome page.  A screenshot of the Acme Cerveceria website's welcome page. The page features a large logo with a beer mug icon and the text "Acme Cerveceria". Below the logo, there is a navigation bar with links: ADMINISTRATOR, PAGES, PROFILE (ADMIN), BOXES, and WRITE MESSAGE. A language selection bar shows "ENGLISH" and "ESPAÑOL". The main content area displays a "Welcome!" message and a copyright notice: "Copyright © 2019 Acme-Cerveceria Co., Inc. Terms & Conditions . The system work in: €".
Outcome	All under normality
Notes	

Test #02	
Description	The administrator clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with some errors on screen ² .
	 <p>1.</p>
	 <p>2.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: ‘José’, surname: ‘Luján Martínez’, email: ‘joslujmar@email’, phone number: ‘+34 (655) 456789’, address: ‘Calle España número 6’, username: ‘taster234567’, password: ‘taster234567’, repeat password: ‘taster234567’.
Expected	When the user clicks on “Save”, the system goes back to the form showing the data entered (without any password) and some errors.
	<p>Create taster</p>  <p>Cannot commit, maybe your username is already in use try another one</p> <p>Copyright © 2019 Acme-Cerveceria Co., Inc. Terms & Conditions. The system work in: #</p>

Outcome	All under normality
Notes	

Use case D033 Register as an artisan

Description


An unauthenticated user wants to sign up on the system as an artisan. This person fills the form with data of the person to register, and then clicks on the “Save” button.


Access

Main Menu > Sign up (Hover) > As an artisan

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, make: ‘Luis e Hijos’, username: ‘artisan12345’, password: ‘artisan12345’, repeat password: ‘artisan12345’. The checkbox must be checked too.
Expected	The system redirects the unauthenticated user to the welcome page.  <p>Acme Cervecero</p> <p>LOGIN SIGN UP LIST OF BEERS PARS</p> <p>Welcome!</p> <p>Welcome to Acme Cervecero!</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions. The system work in f</p> <p>EN ES</p>
Outcome	
Notes	

Test #02	
Description	The administrator clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² . Checking the checkbox at the bottom of the form, will redirect the user to the same form, but showing more errors ³ .
	 <p>1.</p>  <p>2.</p>  <p>3.</p>
Outcome	
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', make: 'Luis e Hijos', username: 'artisan234567', password: 'artisan234567', repeat password: 'artisan234567'. The checkbox must be checked too.
Expected	When the user clicks on "Save", the system goes back to the form showing the data entered (without any password) and some errors.
 <p>The screenshot shows a 'Create artisan' form with two main sections: Personal Data and Account Data. In the Personal Data section, the 'Email' field contains 'joslujmar@email' with a red error message 'This doesn't seem to be a valid email'. The 'Password' field contains 'artisan234567' and the 'Repeat the password again' field also contains 'artisan234567'. A checkbox for accepting terms and conditions is checked. At the bottom, there are 'Save' and 'Cancel' buttons, and a note about a username conflict: 'Cannot commit, maybe your username is already in use try another one'.</p>	
Outcome	
Notes	

Test #04	
Description	The user clicks on the "Cancel" button.
Expected	The system redirects the user to the welcome page.
 <p>The screenshot shows the Acme Cerveceria website's welcome page. It features a logo of a beer mug, the text 'Acme Cerveceria', and a 'Welcome!' message. Navigation links include LOGIN, SIGN UP, LIST OF BEERS, and FAIRS. The page also includes copyright information and language selection buttons for English and Spanish.</p>	
Outcome	All under normality
Notes	

Use case D034 Register as a customer

Description



An unauthenticated user wants to sign up on the system as a customer. This person fills the form with data of the person to register, and then clicks on the “Save” button.

Access

Main Menu > Sign up (Hover) > As a customer

Tests

Test <#01>	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘customer12345’, password: ‘customer 12345’, repeat password: ‘customer12345’. The checkbox must be checked too.
Expected	The system redirects the unauthenticated user to the welcome page.  Acme Cervecero  Welcome! Welcome to Acme Cervecerio! Copyright © 2019 Acme-Cervecerio Co., Inc. Terms & Conditions . The system works in: €
Outcome	All under normality
Notes	

Test #02	
Description	The administrator clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² . Checking the checkbox at the bottom of the form, will redirect the user to the same form, but showing more errors ³ .
	 <p>1.</p>  <p>2.</p>  <p>3.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', username: 'customer234567', password: 'customer234567', repeat password: 'customer234567'. The checkbox must be checked too.
Expected	When the user clicks on "Save", the system goes back to the form showing the data entered (without any password) and some errors.
Create customer	<p>Personal Data</p> <p>Name : José Middle name : Surname : Luján Martínez Phone : Email : joslujmar@email This doesn't seem to be a valid email Phone number : +34 (655) 456789 Address : Calle España número 6</p> <hr/> <p>Account Data</p> <p>User name : customer234567 Password : Repeat the password again : <input checked="" type="checkbox"/> By clicking this I have read and agree to the Terms & Conditions.</p> <hr/> <p>Save Cancel</p> <p>Cannot commit, maybe your username is already in use try another one</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions. The system works in: €</p>
Outcome	All under normality
Notes	

Test <#04>	
Description	The user clicks on the "Cancel" button.
Expected	The system redirects the user to the welcome page.   
Outcome	All under normality
Notes	

Use case D035 Register as a sponsor

Description




An unauthenticated user wants to sign up on the system as a sponsor. This person fills the form with data of the person to register, and then clicks on the “Save” button.

Access

Main Menu > Sign up (Hover) > As a sponsor

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘sponsor12345’, password: ‘customer 12345’, repeat password: ‘customer12345’. The checkbox must be checked too.
Expected	The system redirects the unauthenticated user to the welcome page.  <p>The screenshot shows the Acme Cerveceria website's welcome page. At the top, there is a logo of a beer mug and the text "Acme Cerveceria". Below the logo, there is a navigation bar with links for "LOGIN", "SIGN UP", "LIST OF BEERS", and "FAIR". A "Welcome!" message is displayed, followed by a copyright notice: "Copyright © 2019 Acme-Cerveceria Co., Inc. Terms & Conditions. The system work in:  </p>
Outcome	
Notes	

Test #02	
Description	The administrator clicks the “Save” button without filling any of the inputs in the form.
Expected	<p>The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’¹, and then, the system redirects the user to the form with an error on screen². Checking the checkbox at the bottom of the form, will redirect the user to the same form, but showing more errors³.</p>  <p>1.</p>  <p>2.</p>  <p>3.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', username: 'sponsor234567', password: 'sponsor234567', repeat password: 'sponsor234567'. The checkbox must be checked too.
Expected	When the user clicks on "Save", the system goes back to the form showing the data entered (without any password) and some errors.
Create sponsor	<p>Personal Data</p> <p>Name: José Middle name: Surname: Luján Martínez Photo: Email: joslujmar@email This doesn't seem to be a valid email Phone number: +34 (655) 456789 Address: Calle España número 6</p> <p>Account Data</p> <p>User name: sponsor234567 Password: Repeat the password again: <input type="checkbox"/> By clicking this I have read and agree to the Terms & Conditions.</p> <p>Save Cancel</p> <p>Cannot commit, maybe your username is already in use try another one</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions. The system work in:  </p>
Outcome	All under normality
Notes	

Test #04	
Description	The user clicks on the "Cancel" button.
Expected	The system redirects the user to the welcome page.
Acme Cervecero	 <p>Acme Cervecer</p> <p>LOGIN SIGN UP LIST OF BEERS FAIRS</p> <p>Welcome!</p> <p>Welcome to Acme Cervecer!</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions. The system work in:  </p>
Outcome	All under normality
Notes	

Use case D036 An administrator edits his profile

Description

An administrator wants to edit his personal info saved on the system. This person fills the form with data he or she wants to modify, and then clicks on the “Save” button.


Access

Main Menu > Login > Login(admin/admin) > Profile (Admin) (Hover) > Edit personal info.

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘admin12345’.
Expected	The system redirects the user to the welcome page.  <p>Acme Cervecerio</p> <p>Administrator Pages Profile (Admin) Boxes Write Message</p> <p>Welcome!</p> <p>Welcome to Acme Cervecerio!</p> <p>Copyright © 2019 Acme-Cervecerio Co., Inc. Terms & Conditions</p> <p>The system work in €</p> <p>English Spanish</p>
Outcome	All under normality
Notes	

Test #02	
Description	The administrator deletes all the inputs from the form, and then clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² .
	 <p>1.</p>
	 <p>2.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: ‘José’, surname: ‘Luján Martínez’, email: ‘joslujmar@email’, phone number: ‘+34 (655) 456789’, address: ‘Calle España número 6’, username: ‘admin234567’.
Expected	When the user clicks on “Save”, the system goes back to the form showing the data entered and some errors.
	
Outcome	FOUND A BUG Effectively, the error message it is shown, but the email address is kept although it is incorrect. After click on ‘Save’, we click on ‘Edit personal info’ again, and the incorrect email is shown.

Edit profile

Personal Data

Name : Álvaro
Middle name :
Surname : Jimenez
Photo : <http://alv.jimenez.com>
Email : joslujnar@gmail.com
Phone number : +34 (123) 674893476
Address : Avenida Reina Mercedes

Account Data

User name : admin

Notes

Use case D037 A taster edits his profile

Description

A taster wants to edit his personal info saved on the system. This person fills the form with data he or she wants to modify, and then clicks on the “Save” button.

Access

Main Menu > Login > Login (taster1/ taster1) > Profile (Taster) (Hover) > Edit personal info.

Tests

For testing purposes, it will be used the account with user name ‘rookie1’ and password ‘rookie1’, although it can be used any user account related to rookies.

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘luigarjim2’.
Expected	The system redirects the user to the welcome page. 
Outcome	All under normality
Notes	

Test #02	
Description	The administrator deletes all the inputs from the form, and then clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² .
	 <p>1.</p>
	 <p>2.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: ‘José’, surname: ‘Luján Martínez’, email: ‘joslujmar@email’, phone number: ‘+34 (655) 456789’, address: ‘Calle España número 6’, username: ‘joslujmar’.
Expected	When the user clicks on “Save”, the system goes back to the form showing the data entered and some errors.
	
Outcome	All under normality
Notes	

Use case D038 An artisan edits his profile

Description



An artisan wants to edit his personal info saved on the system. This person fills the form with data he or she wants to modify, and then clicks on the “Save” button.

Access

Main Menu > Login > Login (artisan1/ artisan1) > Profile (Artisan) (Hover) > Edit personal info.

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: '+34 (655) 456789', address: ‘Calle Andalucía número 2’, make: ‘Luis e Hijos’, username: ‘luigarjimArtisan3’.
Expected	The system redirects the user to the welcome page.  <p>Acme Cervecero EN ES</p> <p>Welcome!</p> <p>Welcome to Acme Cervecero!</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions.</p> <p>The system work in: €</p>
Outcome	All under normality
Notes	

Test #02	
Description	The administrator deletes all the inputs from the form, and then clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² .  <p>Acme Cervecero</p> <p>Edit profile</p> <p>The phone number you entered seems to be invalid. Do you want it to be saved anyways?</p> <p>OK Cancel</p> <p>Personal Data</p> <p>Name : <input type="text"/></p> <p>Middle name : <input type="text"/></p> <p>Surname : <input type="text"/></p> <p>Photo : <input type="text"/></p> <p>Email : <input type="text"/></p> <p>Phone number : <input type="text"/></p> <p>Address : <input type="text"/></p> <p>Make : <input type="text"/></p> <p>Account Data</p> <p>User name : <input type="text"/></p> <p>Save</p> <p>Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions.</p> <p>The system work in: €</p>
	1. 

Edit profile	
<p>Personal Data</p> <p>Name : <input type="text"/></p> <p>Middle name : <input type="text"/></p> <p>Surname : <input type="text"/></p> <p>Photo : <input type="text"/></p> <p>Email : <input type="text"/> This doesn't seem to be a valid email</p> <p>Phone number : <input type="text"/></p> <p>Address : <input type="text"/></p> <p>Make : <input type="text"/></p> <p>Account Data</p> <p>User name : <input type="text"/></p> <p><input type="button" value="Save"/></p> <p>2. Cannot commit, maybe your username is already in use try another one</p>	
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', make: 'Luis e Hijos', username: 'joslujmar'.
Expected	When the user clicks on "Save", the system goes back to the form showing the data entered and some errors.
Edit profile	
<p>Personal Data</p> <p>Name : <input type="text"/> José</p> <p>Middle name : <input type="text"/></p> <p>Surname : <input type="text"/> Luján Martínez</p> <p>Photo : <input type="text"/></p> <p>Email : <input type="text"/> joslujmar@email This doesn't seem to be a valid email</p> <p>Phone number : <input type="text"/> +34 (655) 456789</p> <p>Address : <input type="text"/> Calle España número 6</p> <p>Make : <input type="text"/> Luis e Hijos</p> <p>Account Data</p> <p>User name : <input type="text"/> joslujmar</p> <p><input type="button" value="Save"/></p> <p>Cannot commit, maybe your username is already in use try another one</p>	
Outcome	All under normality
Notes	

Use case D039 A customer edits his profile

Description


A customer wants to edit his personal info saved on the system. This person fills the form with data he or she wants to modify, and then clicks on the “Save” button.

Access

Main Menu > Login > Login (customer1/ customer1) > Profile (Customer) (Hover) > Edit personal info.

Tests

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2”, username: ‘luigarjimCompany4’.
Expected	<p>The system redirects the user to the welcome page.</p> <p>Acme Cervecero</p>  <p>The screenshot shows the Acme Cervecero homepage. At the top, there is a navigation bar with links: CUSTOMER, FAIRS, PROFILE (CUSTOMER), BOXES, and WRITE MESSAGE. Below the navigation bar, the text "Welcome!" is displayed, followed by "Welcome to Acme Cervecero!". At the bottom of the page, there is a copyright notice: "Copyright © 2019 Acme-Cervecer Co., Inc. Terms & Conditions. The system worck in: €".</p>
Outcome	All under normality
Notes	

Test #02	
Description	The administrator deletes all the inputs from the form, and then clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² .
	 <p>1.</p> <p>2.</p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: ‘José’, surname: ‘Luján Martínez’, email: ‘joslujmar@email’, phone number: ‘+34 (655) 456789’, address: ‘Calle España número 6’, username: ‘joslujmarCustomer3’.
Expected	When the user clicks on “Save”, the system goes back to the form showing the data entered and some errors.

Edit profile

Personal Data

Name : José
Middle name :
Surname : Luján Martínez
Photo :
Email : joslujmar@email **This doesn't seem to be a valid email**
Phone number : +34 (655) 456789
Address : Calle España número 6

Account Data

User name : joslujmarCustomer3

Cannot commit, maybe your username is already in use try another one

Outcome

All under normality

Notes

Use case D040 A sponsor edits his profile

Description

A sponsor wants to edit his personal info saved on the system. This person fills the form with data he or she wants to modify, and then clicks on the “Save” button.



Access



Main Menu > Login > Login (sponsor1/ sponsor1) > Profile (Sponsor) (Hover) > Edit personal info.

Tests

For testing purposes, it will be used the account with user name ‘company1’ and password ‘company1’, although it can be used any user account related to companies.

Test #01	
Description	The form must be filled in with the following data: name: ‘Luis’, surname: ‘García Jiménez’, email: ‘luigarjim@email.com’, phone number: ‘+34 (655) 456789’, address: ‘Calle Andalucía número 2’, username: ‘luigarjimCompany4’.
Expected	The system redirects the user to the welcome page.  A screenshot of a web browser displaying the homepage of 'Acme Cerveceria'. The page features a logo of a beer mug on the left and the company name 'Acme Cerveceria' in large yellow letters. Below the logo is a navigation bar with links: ARTISAN, FAIRS, PROFILE (ARTISAN), BOXES, and WRITE MESSAGE. The main content area displays a 'Welcome!' message and copyright information: 'Welcome to Acme Cerveceria!', 'Copyright © 2019 Acme-Cerveceria Co., Inc.', 'Terms & Conditions', and 'The system works in:'. To the right of the main content, there are two small flags representing English and Spanish.
Outcome	All under normality
Notes	

Test #02	
Description	The administrator deletes all the inputs from the form, and then clicks the “Save” button without filling any of the inputs in the form.
Expected	The system shows an alert window when there is no phone number or it does not pass the pattern. The administrator clicks on ‘Yes’ ¹ , and then, the system redirects the user to the form with an error on screen ² .
	 <p>1.</p>  <p>2. <i>Cannot commit, maybe your username is already in use try another one</i></p>
Outcome	All under normality
Notes	

Test #03	
Description	The form must be filled in with the following wrong data: name: 'José', surname: 'Luján Martínez', email: 'joslujmar@email', phone number: '+34 (655) 456789', address: 'Calle España número 6', username: 'joslujmar'.
Expected	When the user clicks on "Save", the system goes back to the form showing the data entered and some errors.  <p>The screenshot shows the 'Edit profile' form with the following data entered:</p> <ul style="list-style-type: none"> Name: José Middle name: Surname: Luján Martínez Photo: Email: joslujmar@email This doesn't seem to be a valid email Phone number: +34 (655) 456789 Address: Calle España número 6 <p>Under 'Account Data':</p> <ul style="list-style-type: none"> User name: joslujmar <p>A 'Save' button is at the bottom. A red error message at the bottom of the page says: Cannot commit, maybe your username is already in use try another one.</p>
Outcome	<p>FOUND A BUG</p> <p>Effectively, the error message it is shown, but the email address is kept although it is incorrect. After click on 'Save', we click on 'Edit personal info' again, and the incorrect email is shown.</p>  <p>The screenshot shows the 'Edit profile' form with the following data entered:</p> <ul style="list-style-type: none"> Name: José Middle name: Surname: Luján Martínez Photo: Email: joslujmar@gmail (highlighted with a red circle) Phone number: +34 (123) 674893476 Address: Avenida Reina Mercedes <p>Under 'Account Data':</p> <ul style="list-style-type: none"> User name: sponsor1 <p>A 'Save' button is at the bottom.</p>
Notes	All under normality

Use case D041 An authenticated user can download his or her personal info

Description



An authenticated user wants to download his or her personal data saved in our system. This user, once, logged in on the system, clicks on a button to get his or her copy with his or her data recollected by our application.

Access

For testing purposes, it will be used the account with user name ‘admin2’ and password ‘admin2’, although it can be used any user account.

Main Menu > Login > Login(admin2/admin2) > Profile (ADMIN2)> Download personal info.

Tests

Test #01	
Description	The user clicks on “Download PDF” button.
Expected	The web browser asks the user to download a PDF, which contains his personal data recollected by our system ¹ . The user accepts, and downloads the file ² .
	 1.  2. The screenshot shows the Adobe Reader interface with the PDF titled "Personal info". The content of the PDF is as follows: <p>Personal info</p> <p>Name: Juan Middle name: Antonio Surname: Ruiz Casanova Photo: http://antruiucas.com Email: antruiucas@outlook.com Phone number: +34 (655) 938464 Address: Calle Gualada número 20 User name: admin2 Box: Trash box Box: Spam box Box: In box Box: Out box Box: Notification box</p>
Outcome	All under normality
Notes	

Additional tests

Test #1	
Description	<p>Change the language to Spanish or English:</p>  <p>The screenshot shows the Acme Cerveceria logo and navigation menu. A red oval highlights the language selection icon in the top right corner, which consists of the British flag and the Spanish flag side-by-side.</p>
Expected	<p>Every message displayed by the system must be in Spanish or English.</p>
Outcome	<p>All under normality</p>
Notes	

Test #2	
Description	<p>When an actor is logged in, they should be able to delete his user account.</p> <p>Main Menu > Login > Login (any actor, in the example capture is admin1/admin1) >profile (Hover)>Delete account.</p> <p>Delete the account by clicking on the link</p>  <p>The screenshot shows the Acme Cerveceria profile page for the user 'ADMIN1'. The 'PROFILE (ADMIN1)' menu item is highlighted. A dropdown menu is open, showing 'Edit personal info', 'Download personal info', 'Delete account' (which is highlighted in grey), and 'Logout'. The main content area displays a 'Welcome!' message and copyright information.</p>

Expected

If we try to log in with the deleted account, this message will appear:

Login

User name:

Password:

Your user name or password is wrong! or your account is banned

Outcome

All under normality

Notes