Image of fixtures and fittings	Description	Qty
	M6 x 70mm bolts	2
	M6 x 50mm bolts	10
	M6 x 30mm bolts	2
(American)	M6 x 20mm bolts	8
	M4 x 40mm bolts	4
A. The state of th	M4 x 25mm bolts	12
T _i	M4 x 20mm bolts	28
To a second control of the second control of	M4 x 15mm bolts	16
(Community)	M4 x 12mm bolts	36
S-contraction of the contraction	M3 x 20mm bolts	9
Dominimum Language database	M3 x 15mm bolts	8
Commitment	M3 x 12mm bolts	4
Promining	M3 x 10mm bolts	6
A DESCRIPTION AND ADDRESS OF THE PARTY OF TH	M2 x 19mm bolts	6
58	M8 domed nuts	4
	M6 hexagonal lock nuts	6
	M6 square nuts	16
	M4 Hexagonal nuts	32
	M3 Hexagonal nuts	31

	M2 Hexagonal nuts	6
	M8 large washers	12
	M6 small washers	14
000	M3 washers	10
08	M2 Washers	6
	8mm Threaded rod 295mm	2
	Bearing blocks	12
	Pinion gear	2
9	10mm bearings	4
	8x22x7 sealed bearing	1
	8mm vacuum tube 400mm	2
	8mm ground steel bars 2x150mm, 2x230mm and 2x270mm	6
	Roll of mounting tape	1

PTFE glides for base of machine	6