| Image of STL models  | Description                                | Qty | weight | Density                     |
|--|--|-----|--------|-----------------------------|
|  | BSC Bearing support caps                   | 12  | 27.6   | 0.1mm z fine hatch          |
|  | CB<br>Circuit board holder                 | 1   | 24.7   | 0.1mm z<br>fine hatch       |
| E I  | CS<br>Corner supports                      | 12  | 264    | 0.2mm z course hatch        |
|  | DBB Dremel bottom bracket                  | 1   | 23.7   | 0.15mm z<br>Medium<br>hatch |
|  | DG  Drive gear (58 tooth gear and 22 gear) | 2   | 18.4   | 0.1mm z<br>fine hatch       |
| Service Control of the Control of th | DTBA  Dremel holder top bracket adjuster   | 1   | 3      | 0.1mm z fine hatch          |
|  | DTBB  Dremel holder top bracket back       | 1   | 25.3   | 0.15mm z<br>Medium<br>hatch |
|  | DTBF Dremel holder top bracket front       | 1   | 16     | 0.15mm z<br>Medium<br>hatch |
|  | GH<br>Gear housing                         | 2   | 33     | 0.1mm z fine hatch          |
|  | LST<br>Limit switch toggle                 | 2   | 3.2    | 0.15mm z<br>Medium<br>hatch |

| M&BS motor and baring support                    | 1 | 9.4  | 0.1mm z fine hatch          |
|--|---|------|-----------------------------|
| PCL<br>Panel clip left                           | 1 | 18.7 | 0.15mm z<br>Medium<br>hatch |
| PCR<br>Panel clip right                          | 1 | 18.7 | 0.15mm z<br>Medium<br>hatch |
| PS power socket support long                     | 1 | 7.3  | 0.15mm z<br>Medium<br>hatch |
| PS2 Alternative power socket 2 support long      | 1 | 7.3  | 0.15mm z<br>Medium<br>hatch |
| SGS<br>Corner safety guard supports              | 2 | 83.4 | 0.2mm z course hatch        |
| SGSL<br>Rear left safety guard<br>bracket short  | 1 | 21.6 | 0.2mm z course hatch        |
| SGSR<br>Rear right safety guard<br>bracket short | 1 | 21.6 | 0.2mm z course hatch        |
| Vi<br>Vacuum inner fitting                       | 1 | 18   | 0.15mm z<br>Medium<br>hatch |
| VO<br>Vacuum outer fitting                       | 1 | 22   | 0.15mm z<br>Medium<br>hatch |
| XAR<br>'X'axis rack                              | 1 | 8.8  | 0.1mm z fine hatch          |

| YAR<br>'Y' axis rack               | 1 | 9.8  | 0.1mm z fine hatch          |
|------------------------------------|---|------|-----------------------------|
| ZASL<br>'Z' axis support left      | 1 | 60   | 0.2mm z course hatch        |
| ZASR<br>'Z' axis support right     | 1 | 60   | 0.2mm z course hatch        |
| ZBSH<br>'Z' axis ball screw holder | 1 | 13.8 | 0.1mm z fine hatch          |
| ZK<br>'Z' axis knob                | 1 | 6.6  | 0.15mm z<br>Medium<br>hatch |