

# DP Syntropy — Handover Overview

---

**What this is:** the single document to read first when taking over DP Syntropy, and the one to present from at the internship-end handover. It consolidates the scattered handoff notes into one story and is current through the Jul 14–15 Level 2 proofs. **Snapshot:** 2026-07-22 (internship handover). For the full dated changelog, see [PROJECT\\_AUDIT.md](#). Verify anything critical live (n8n [get\\_workflow\\_details](#), Supabase queries) before acting on it — this is a point-in-time summary.

---

## 1. The big picture (say this first)

**DP Syntropy is a B2B lead pipeline that runs an account from first brief to measured outcome, with a human approving the important moments.** A lead/account brief comes in, the system scores it and writes an AI sales brief, a human approves it in seconds, and it fans out into a campaign with tracked outreach actions. A rep works those from a daily digest. Real outcomes are measured from the tools the world actually uses — Google Analytics, Calendly, Gmail, Salesforce — and an adaptive engine decides whether to keep going, pause, or escalate. When a goal is met, the system offers a sales opportunity (a human approves that too).

Two honest framings to keep repeating:

- It is a **prototype/demo built for the internship**, running on **personal accounts** — not yet a production system on company infrastructure.
  - It is **pre-traffic**. It has been proven on real third-party *captures* and on a synthetic demo dataset, but not yet on live customer volume.
- 

## 2. The end-to-end flow (walk this left to right)

1. **Brief in** — a WHEN-layer account brief is POSTed to the Delivery Layer webhook.
  2. **Score + AI brief** — the account is scored and an AI sales brief is written (and stored to S3).
  3. **Human approval** — an HMAC-signed email lets a human approve the brief in ~17 seconds; approval includes an AI channel plan.
  4. **Campaign + objective** — a campaign is created from a matched template, a limited objective is auto-created (e.g. [reply\\_or\\_meeting](#)), and tracked actions + cadence steps are generated, all tagged to the right client by database triggers.
  5. **Drafts** — outreach drafts are generated inline within seconds of approval.
  6. **Rep works the digest** — a daily digest lists the rep's touches; they can reply "done all", get ready-to-send Gmail drafts, AI-triaged replies, and pre-meeting prep sheets.
  7. **Measurement** — outcomes are read back daily from GA4, Calendly, Gmail, and Salesforce, plus LinkedIn/email feeders, with race-safe dedup.
  8. **Adaptive decision** — the engine stops / pauses / escalates; objectives auto-flip met/missed on a schedule.
  9. **Opportunity** — on a met goal, a sandbox Salesforce opportunity is offered (human-gated).
  10. **Reporting** — a Friday "Weekly Wins" report goes to the manager.
-

### 3. Major subsystems (the features that matter to whoever inherits it)

- **Core pipeline + approvals** — Delivery Layer feeding Brief / Action / Opportunity approval handlers, HMAC-signed everywhere, idempotency-guarded.
- **Rep-laziness suite** — ready-to-send Gmail drafts on approval, hourly AI reply triage (with anti-hallucination rules), a digest reply logger ("done 1 3 / skip 2 / done all"), pre-meeting prep sheets, stale-touch nudges, and the weekly wins report.
- **Multi-tenancy** — a `clients` registry with `client_id` inherited via database triggers (no workflow-query changes), per-client rep routing, a client onboarding form, and a per-client dashboard overview.
- **Measurement feeders** — GA4, Calendly, Gmail, and Salesforce read-back, plus LinkedIn (HeyReach-ready) and email (Smartlead-ready) webhook feeders with unique-index dedup.
- **MMM (marketing mix model) track** — objective auto-create, a daily status job, a regression scaffold (`mmm/mmm_regression.py`), and a readiness tile on the dashboards. Waits on real traffic to become live rather than demo-only.
- **Monitoring** — an Error Workflow attached pipeline-wide, a `pg_cron` failure alert, and an active pipeline heartbeat.

### 4. Where everything physically lives (the most important handover section)

| Platform   | Detail                                                                                                                                                                              |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| n8n cloud  | <code>designprodigy.app.n8n.cloud</code> — ~33 active workflows. This is the automation brain.                                                                                      |
| Supabase   | project <code>fqsqoxsosavjhdsvfevk</code> — <b>source of truth</b> . ~18 tables / 36 views / 6 functions / 5 triggers / 1 <code>pg_cron</code> job.                                 |
| Salesforce | sandbox credential "Salesforce account 2" ( <code>HPnx6HXN8COY4a0e</code> ) <b>only</b> — never the real org.                                                                       |
| GA4        | property <code>399321337</code> (DP) is now the one the feeder reads (swapped during the Level 2 GA4 proof); Hon Lam's old property was <code>542471069</code> .                    |
| Dashboards | control-tower dashboards (×2), onboarding form, quick-log — in <code>dashboards/</code> .                                                                                           |
| Repo       | <code>dp-repo</code> (OneDrive-synced). <code>supabase/</code> holds schema + bootstrap SQL; <code>n8n-workflows/</code> holds JSON exports (can drift — trust the live workflows). |

**Everything is on personal accounts.** Re-homing to company accounts is the number-one thing the next owner must do.

### 5. Proof of what works (the credibility story)

The system has been proven in layers, each documented in its own file:

- **Level 1 — full loop on the live system** (`LEVEL1_PROOF_2026-07-13.md`): every stage from brief → approval → campaign → measurement → adaptive decision → opportunity offered, run on the live published workflows with one synthetic account. ~9 minutes wall-clock. Only compression was backdating three timestamps so the measurement window had elapsed.
- **Level 2 — real third-party capture:**

- **GA4** ([LEVEL2\\_PROOF\\_GA4.md](#)): a real browser visit flowed through Google's own servers and was read back autonomously by the live feeder as a [page\\_visit](#) event. The strongest form of capture — the system pulled it on its own schedule.
- **Calendly** ([LEVEL2\\_PROOF\\_CALENDLY.md](#)): a real Calendly booking drove the full loop to opportunity-offered. Honest caveat: the event was *replayed* into the live receiver rather than pushed by Calendly's servers (one webhook-subscription step from fully autonomous).
- **Demo mode** ([DEMO\\_MODE.md](#)): [supabase/demo\\_seed.sql](#) loads ~300 synthetic labeled campaigns so the dashboards and the MMM forest plot light up for a walkthrough at any time. Always say it's synthetic.

**Remaining to fully close Level 2:** the ESP (Smartlead) webhook source. **Level 3** would be one real account with live traffic and sign-off.

---

## 6. What the next owner must do first

1. **Re-home off personal accounts onto company infrastructure** — the #1 blocker, and it should happen while still pre-traffic. A runbook exists: [RE\\_HOME\\_RUNBOOK.md](#). The [supabase/setup.sql](#) bootstrap is current for standing up a fresh instance.
  2. **Finish the GA4 grant** — service account is on the DP property; confirm the [ga4\\_property\\_id](#) swap is the intended final state.
  3. **Paste the dormant API keys to light up automation** — [smartlead\\_api\\_key](#) (zero-touch email + closes the last Level 2 source), [heyreach\\_api\\_key](#) (LinkedIn capture), [when\\_engine\\_url](#) (the WHEN feedback loop). All three are wired and waiting.
  4. **Put [dp-repo](#) under version control** — it currently has none.
  5. **MMM step 4** — run the regression once real traffic gives the readiness tile enough labeled rows; channel-mix *exploration* (variation so the model can learn) is designed but not built.
- 

## 7. Where the documentation lives

- [PROJECT\\_AUDIT.md](#) — the canonical, dated changelog. The definitive record; read this for "why is it like this."
  - [RE\\_HOME\\_RUNBOOK.md](#) — step-by-step for moving off personal accounts.
  - [GO\\_LIVE\\_CHECKLIST.md](#) — pre-traffic checklist.
  - [LEVEL1\\_PROOF\\_\\*](#) / [LEVEL2\\_PROOF\\_\\*](#) — the proof trails above, each verifiable in n8n executions + Supabase.
  - [DEMO\\_MODE.md](#) — how to light up the dashboards for a walkthrough.
  - [MMM\\_STATUS\\_FOR\\_LEADERSHIP.md](#) and [mmm/README.md](#) — the model track.
  - [WHEN\\_ENGINE\\_INTEGRATION.md](#) — the upstream WHEN-layer integration.
- 

## 8. Gotchas worth handing over (hard-won)

- **n8n draft vs. active divergence** — always re-fetch and diff a workflow's draft against its active version before publishing; parameters can drop silently.
- **Credential auto-assign lies** — verify the assigned credential after every workflow create/update. Salesforce must be the sandbox ([HPnx6HXN8COY4a0e](#)).

- **No default database grants** — new Supabase tables/views get no permissions automatically; grant them explicitly (dashboards read as **anon**).
- **Code nodes** — always set **mode** explicitly, or only the first input item is processed.
- **Webhook feeders** — dedup with a unique index + **ON CONFLICT**, not a NOT-EXISTS check (which races).
- **pg\_cron errors** surface in **cron.job\_run\_details**, not the Error Workflow.
- **OneDrive mount** can serve stale files right after an edit — trust the editor's view over a shell read.